




3460HHV

VIDEO HELP POINT ENTRANCE PANEL. VIP SYSTEM H264



Stainless steel entrance panel with a single call button and indicator LEDs for call forwarded and call answered. Complete with POE audio/video module for ViP system and flush-mounted box. "HELP POINT" model with Braille text. Can be wall-mounted using accessory Art. 3461. POE entrance panel. Compatible with H.264 video format. Dimensions 229x178x59mm.

AWARDS





3460HHV

VIDEO HELP POINT ENTRANCE PANEL. VIP SYSTEM H264

GENERAL DATA

Type	Monoblock
Width (mm)	178
Height (mm)	229
Depth (mm)	59
Product weight (g)	2000
Product color	Steel
Flush-mounted	Yes
Wall-mounted	Yes, with a dedicated accessory

COMPATIBLE SYSTEMS

Compatible audio and audio/video units	Art.4682HD
ViP	Yes

AUDIO FEATURES

Technologies implemented	Full-Duplex, Echo canceling
--------------------------	-----------------------------

CAMERA FEATURES

Camera	Colours
Lens optical dimensions (mm)	2.8
Video compression	H.264

ELECTRICAL CHARACTERISTICS

Type of power supply	PoE, External power supply
Supply voltage	30÷57VDC
Absorption in stand-by (W)	3.5
Maximum absorption (W)	7

HARDWARE FEATURES

Call type	Push-buttons
Type of buttons	Mechanical



3460HHV

VIDEO HELP POINT ENTRANCE PANEL. VIP SYSTEM H264

HARDWARE FEATURES

Number of push-buttons (n°)

1

PROGRAMMING MODE

ViP Manager software

Yes

ENVIRONMENTAL AND COMPLIANCE FEATURES

IP protection rating

IP54

Vandal Resistant rating (IK code)

IK08

Operating temperature (°C)

-25 ÷ 55

Operating humidity (RH max) (%)

25 ÷ 95

Environmental class

IV

Certifications

RoHS II - 2011/65/UE (EN IEC 63000:2018), EMC 2014/30/UE (EN 61000-6-1:2007 , EN 61000-6-3:2007+A1:2011), UL 62368-1 (3rd Ed)

EN regulations

IEC/EN 62820-2, IEC/EN 62820-1-2



3460HHV

VIDEO HELP POINT ENTRANCE PANEL. VIP SYSTEM H264

ACCESSORIES



3461 WALL HOUSING FOR EMERGENCY AND HELP POINT

Stainless steel accessory for wall-mounted entrance panels Art. 3460EA, 3460HEV, 3460HA, 3460HHV. Dimensions 175.8x226.6x56.6mm