

Eaton 502001FULL-2001

Catalog Number: 502001FULL-2001

Eaton Conventional bell, Alarms & signalling devices, Fulleon, FB Bell, Electronic solenoid, 6", 24V DC, Red gong

General specifications

Product Name	Catalog Number
Eaton Conventional bell	502001FULL-2001
EAN	Product Length/Depth
4015081800940	85 mm
Product Height	Product Width
155 mm	155 mm
Product Weight	Compliances
1.1 kg	Contact Manufacturer



Product specifications

Color housing

Red

Material housing

Plastic

Sound output

95 dB

Nominal voltage

24 V

Type of current

DC

Electricity consumption

0.035 A

Mounting Method

Surface mounted (plaster)

Number Of Modules (Module System)

0

Width In Number Of Modular Spacings

0

Addressing mode

Hard addressing

Alarm current - max

35 mA

Alarm current - min

25 mA

Construction material

PC

EN Certified Tones

1

Humidity (Non Condensing) - Max

95 %

Humidity (Non Condensing) - Min

0 %

Operating temperature - max

55 °C

Operating temperature - min

Resources

Technical data sheets

[eaton-fire-devices-industrial-fb-bell-datasheet-en.pdf](#)

-10 °C

Standby current

0

System typology

Conventional (Non-addressable)

Tones

1

Voice tones

No

Product branding

Eaton

Degree of protection

IP21

EN Certification Standards

EN54 Pt3 (Fire Alarm Sounders)

Cable entry

Rear

System wiring

0.28 mm - 2.5 mm



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)