

Eaton 531025FULL-0061

Catalog Number: 531025FULL-0061

Eaton, Alarms & signalling devices, Fulleon, Solex Xenon beacon, Red lens, Shallow red base, 3Cd (SO/R/SR/3C E7)

General specifications

Product Name	Catalog Number
Eaton Solex Xenon fire alarm beacon	531025FULL-0061
Model Code	EAN
SO/R/SR/3C E7	5018987287999
Product Length/Depth	Product Height
65 mm	93 mm
Product Width	Product Weight
93 mm	0.15 kg
Compliances	
CE marking	

Product specifications

Nominal voltage

24 V

Voltage type

DC

Electricity consumption

0.04 A

Power

0.96 W

Lens color

Red

Material housing

Plastic

Color housing

Other

Mounting Method

Surface mounting

Number of modes

1

Standby-time up to

0 hour

Ambient temperature - max

70 °C

Ambient temperature - min

-25 °C

Lamp type

Incandescent lamp

Lamp holder

Other

Degree of protection (IP)

IP54

Addressing mode

Hard addressing

Alarm current - max

85 mA

Alarm current - min

Resources

Technical data sheets

[eaton-fire-devices-alarm-beacon-indicator-solex-xenon-datasheet-0419.pdf](#)

25 mA

Construction material

PC

Humidity (Non Condensing) - Max

95 %

Humidity (Non Condensing) - Min

0 %

Operating temperature - max

70 °C

Operating temperature - min

-25 °C

Standby current

0

System typology

Conventional (Non-addressable)

Product branding

Eaton

Nominal voltage - min

12 V

Nominal voltage - max

48 V

Electricity consumption - min

0.025 A

Electricity consumption - max

0.085 A

Integrated function

Flashlight

Cable entry

Rear

Mounting position

Wall surface (internal)

Wall (weatherproof)

Light color

Red

System wiring

0.28 - 2.5 mm



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia