


**6802W****7-INCH MAXI MONITOR, VIP**

7" 16:9 touch monitor with full-duplex hands-free audio. Management of Audio distribution and Energy consumption as standard. Audio, ringtone, colour and contrast adjustment. Equipped with a slot to house the micro SD Card. Ringtone can be customised. Equipped with video memory function and internal directory for the management of intercom calls. Management of external floor door call and call repetition as standard. Panic and alarm input. Sensitive touch commands with LED backlighting. The audio and door-opening command is always visible, whilst the others appear after touch or swipe contact. Also has button for self-ignition, selectable privacy or doctor button (with active red privacy indicator), and 2 controls for different uses. Door Open and New Message indicator lights. Flush or wall- mounted or desk base versions. 223x124x25mm. Compatible with H264 video format.

AWARDSDESIGN
MILANO



6802W

7-INCH MAXI MONITOR, VIP

GENERAL DATA

Width (mm)	223
Height (mm)	124
Depth (mm)	25
Product weight (g)	700
Product color	White RAL9003, base grey RAL7001
Type of finishing materials	ABS, Glass
Flush-mounted	Yes, with a dedicated accessory
Wall-mounted	Yes, with a dedicated accessory
Desk base-mounted	Yes, with a dedicated accessory

COMPATIBLE SYSTEMS

ViP	Yes
-----	-----

DISPLAY

Display size (")	7
Aspect Ratio	16:9
Touch screen	Yes, resistive
Resolution (pixels)	800x480
OSD menu	Yes

AUDIO FEATURES

Microphone	4mm (Ø), Omnidirectional
Loudspeaker	80mm (Ø), 80 Ohm, 1W
Technologies implemented	Full-Duplex

ELECTRICAL CHARACTERISTICS

Type of power supply	PoE
PoE power supply	Standard IEEE 802.3af, Comelit PoE (56VDC)
Absorption in stand-by (W)	1.8
Maximum absorption (W)	3.4



6802W

7-INCH MAXI MONITOR, VIP

HARDWARE FEATURES

Type of buttons	Capacitive
Service buttons	Lock-release, Answer, Silent (Privacy), Menu, Messages, Door open
No. of programmable buttons for additional functions	2
Clamps	CFP1 In1 AI Pan Out1 S+ S- 0V
Removable terminals	Yes
Number of inputs (n°)	1
Number of outputs (n°)	1
Memory card supported	Micro-SD (not supplied)
Communication ports	RJ45 (Ethernet)

SETTINGS

Loudspeaker volume	Yes
Microphone volume	Yes
Ringtone volume	Yes
Screen brightness control	Yes
Screen contrast	Yes
Screen colour	Yes
Screen backlight	Yes

NETWORK AND COMMUNICATION PROTOCOLS

Type of LAN network	Ethernet 10/100 Mbit/s, IEEE 802.3, IEEE 802.3u (Fast Ethernet)
IP address assignment	Auto IP, DHCP, Static

ENVIRONMENTAL AND COMPLIANCE FEATURES

IP protection rating	IP30
Operating temperature (°C)	5 ÷ 40
Operating humidity (RH max) (%)	25 ÷ 75



6802W

7-INCH MAXI MONITOR, VIP

ENVIRONMENTAL AND COMPLIANCE FEATURES

Environmental class	I (B1)
Certifications	RoHS II - 2011/65/UE (EN IEC 63000:2018), EMC 2014/30/UE (EN 61000-6-1:2007 , EN 61000-6-3:2007+A1:2011)

GENERAL FEATURES

Door opener	Yes
Automatic door opening on call (Doctor)	Yes
Silent mode (Privacy)	Yes
Self Activation	Yes
CPS call	Yes
Intercom calls	Yes
Call forwarding	Yes
Outside door call input	Yes
Customisable ringtone	Yes
Automatic answer (handsfree)	Yes
Video memory	Yes
Sending alarm calls	Yes
Actuator control	Yes
ViP anti-theft function	Yes
Sending e-mail on event	Yes
Receiving ViP messages	Yes
Door open signaling	Yes
Date/time display	Yes



6802W

7-INCH MAXI MONITOR, VIP

ACCESSORIES



6812 DESK BASE FOR MAXI MONITOR

Desk base for desktop conversion of Maxi monitor. Dimensions: 105x75x110mm.



6820 S2 & VIP MAXI MONITOR WALL SUPPORT

Wall support for Maxi monitor in ABS UV resistant. White RAL 9003 colour.



6817 FLUSH-MOUNTED BOX FOR MAXI MONITOR

Flush-mounted box in black ABS. Dimensions: 212x115x50mm