




AHDVR004N05ASL

XVR 4 INPUTS 5MP, AI, NO HDD



NEXT
SERIE

"5-hybrid stand-alone digital video recorder (AHD/TVI/CVI/CVBS/IP), 4 analogue video inputs and 2 IP video channels. Compression H.264/H.265. Compatible with browsers: IE/Google Chrome/Edge/Firefox/Safari. 12 V power supply unit included. This DVR connects to Comelit servers protected by AWS services."

AWARDS





AHDVR004N05ASL

XVR 4 INPUTS 5MP, AI, NO HDD

MAIN FEATURES

Video inputs	4 (BNC) 5MP/4MP/1080P/720P/WD1 + 2 (IP) 5MP. Max IP: 0 (BNC) + 6 (IP) 5MP
Main video output	1 (VGA), 1 (HDMI), 1920x1080
Spot video output	1 (BNC)
Audio Inputs/Outputs	1 / 1
Video compression	H.264, H.265
Playback / recording frame rate	BNC: 5MP Lite (1280x1936) @10fps; 4MP Lite (1280x1440) /1080P @15fps; IP @30fps
Additional Hard Disks (SATA)	1 (10TB max)

SOFTWARE/FIRMWARE SPECIFICATIONS

Recording methods	Automatic, manual, programmed, event
Recording type	Dual streaming
Protocols supported	DHCP, HTTP, HTTPS, ONVIF
IP assignment	DHCP, manual
Max bandwidth (Mbps)	16
Remote control via browser	IE/Chrome/Edge/Firefox/Safari
Remote control by software	Comelit CCTV Manager
Remote control by mobile	APP Comelit CCTV
Users connected at the same time	5
Main functions	Video analysis (only with dedicated cameras)

FUNCTIONS

Motion detection	396
Privacy zones (n°)	4

HARDWARE SPECIFICATIONS

Type of connections/ports	1 x Ethernet 10/100/1000 Mbit/s, 2xUSB 2.0, 1xRS485
Fanless	Yes



AHDVR004N05ASL

XVR 4 INPUTS 5MP, AI, NO HDD

GENERAL DATA	
Max absorption (W)	5
Power supply voltage (VDC)	12
Height (mm)	42
Width (mm)	255
Depth (mm)	222
Product weight (g)	1080
Type of finishing materials	Metallic
Product color	Black
Operating temperature (°C)	-10 ÷ 50
Operating humidity (RH max) (%)	25 ÷ 90
Supplied accessories	Power supply, Mouse