

Eaton CIOP-7273

Catalog Number: CIOP-7273

Eaton Addressable door release module, Addressable, Door Release Module, EN54 Systems

Photo is representative

General specifications

Product Name	Catalog Number
Eaton Addressable door release module	CIOP-7273
EAN	Product Length/Depth
5018987313902	60 mm
Product Height	Product Width
129 mm	180 mm
Product Weight	Certifications
0.28 kg	CE



Product specifications

Material

Plastic

Color

Light grey

RAL-number

7035

Addressing mode

Soft addressing

Construction material

ABS

Humidity (Non Condensing) - Max

95 %

Humidity (Non Condensing) - Min

0 %

Number of input circuits

2

Number of output circuits

2

Operating temperature - max

60 °C

Operating temperature - min

-10 °C

Operating voltage - max

30 VDC

Operating voltage - min

18 VDC

Standby current

450

System topology

Addressable

Product branding

Eaton

DIN rail compatible

No

Lamp type included

Resources

Application notes

[Addressable door release module - Module application guide](#)

Catalogs

[eaton-fire-detection-voice-alarm-systems-product-catalogue-2018.pdf](#)

Certification reports

[Addressable door release module - Declaration of performance](#)

[Addressable door release module - Certificate of constancy of performance](#)

Installation instructions

[Addressable door release module - Installation manual](#)

Presentations

[eaton-lsd-fire-emergency-lighting-reference-list-lr-en.pdf](#)

Technical data sheets

[eaton-fire-addressable-io-unit-ciop7273-datasheet-v1](#)

Warranty guides

[Eaton Fire Systems and Devices Extended Warranty Document](#)

Halogen Free

[EN Certification Standards](#)

EN54 Pt17 (Short Circuit Isolator)

EN54 Pt18 (Input/Output Devices)

[Cable entry](#)

[Top](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia