

Eaton EF009SBWP

Catalog Number: EF009SBWP

Eaton BiWire sounder and sounder VAD, BiWire, Alarms and Beacons, Sounder VAD, EN54 Systems, Wall Mounted, Red Plastic, White Flash, Open Class, Weatherproof

General specifications

Product Name	Catalog Number
Eaton BiWire sounder and sounder VAD	EF009SBWP
EAN	Product Length/Depth
5018987184366	99 mm
Product Height	Product Width
110 mm	110 mm
Product Weight	Compliances
0.28 kg	EN



Product specifications

Compliance and standards

Accordance With EN 54-23

Nominal voltage - max

35 V

Nominal voltage - min

18 V

Type of current

DC

Electricity consumption

0.011 A

Power

0.264 W

Lens color

Clear

Lamp type

LED

Sound output

99 dB

Type of optical signal

Flash light

Type of acoustic signal device

Sound generator

Type of acoustic signal

Programmable

Mounting Method

Surface mounting

Color housing

Red

Frequency sound signal - max

1.2 Kilo Hertz

Frequency sound signal - min

0.5 Kilo Hertz

Alarm current - max

11 mA

Alarm current - min

Resources

Technical data sheets

[eaton-fire-biwire-sounder-ef009wp-datasheet-2015](#)

2.6 mA

Construction material

ABS

EN Certified Tones

3

Humidity (Non Condensing) - Max

93 %

Humidity (Non Condensing) - Min

0 %

Operating temperature - max

70 °C

Operating temperature - min

-20 °C

Standby current

15

System typology

BiWire

Tones

3

Voice tones

No

Product branding

Eaton

Degree of protection

IP66

Suitable for

Wall Mounting

Cable entry

Rear

Light color

White

EN Certification Standards

EN54 Pt3 (Fire Alarm Sounders)

EN54 Pt23 (Visual Alarms)

System wiring

2.5 mm



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)