

Eaton EFBW5IN1DET

Catalog Number: EFBW5IN1DET

Eaton BiWire Ultra 5 in 1 detector, BiWire, Multi, EN54 Systems, White Plastic, 5-in-1 Detector

General specifications

Product Name	Catalog Number
Eaton BiWire Ultra 5 in 1 detector	EFBW5IN1DET
EAN	Product Length/Depth
5018987181426	104 mm
Product Height	Product Width
42 mm	104 mm
Product Weight	Compliances
0.08 kg	Contact Manufacturer



Product specifications

Operating principle

Combination

Response temperature

60 °C

Current supply primary

Battery/accumulator

Supply voltage - max

35 V

Supply voltage - min

15 V

Voltage type of supply voltage

DC

Back-up battery included

None

Type of test/pause button

Not applicable

Alarm current - max

20 mA

Alarm current - min

0.34 mA

Construction material

ABS

Humidity (Non Condensing) - Max

95 %

Humidity (Non Condensing) - Min

0 %

Operating temperature - max

80 °C

Operating temperature - min

-10 °C

Standby current

80

System typology

BiWire

Product branding

Resources

Technical data sheets

[eaton-fire-biwire-detector-efbw5in1-datasheet-2015](#)

Eaton

Color

White

Suitable for

Duct Mounting

Degree of protection

IP40

System wiring

0.5 - 2.5 mm

Integrated function

Networkable Via Cable

Cable entry

Rear

Mounting position

Ceiling in open areas

Mounting method

Surface mounting

EN Certification Standards

EN54 Pt5 (Heat and Point Detectors)

EN54 Pt7 (Smoke Detector)

RAL-number (Akin)

9003



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia