


Distributor Information Guide





Kentec Information:

Protection of people, building and assets from a fire is a paramount concern to any organisation. Keeping a site safe is not the only priority but with the risk of physical damage and financial loss resulting from a fire, there is also the risk to operational performance and reputation, so a reliable and responsive fire system that can respond rapidly to any situation is required.

Early warning fire systems and detection technology can detect a fire, and in the case of extinguishant detection, it can also automatically release a fire suppression agent to eliminate fire within seconds. Stopping a fire within the first few moments can reduce or avoid damage to equipment and assets and subsequent loss of operational productivity.

A global supplier

Kentec Electronics is one of the world's leading life safety solutions manufacturers of conventional, analogue addressable fire detection and extinguishant control panels.

Founded in 1985, Kentec is an end-to-end manufacturer, with everything sold made in the UK. It employs approximately 240 members of staff in its production facility, head office and research and development department.

High quality products and on time delivery

In addition to design and manufacture, Kentec provides technical support specified to the local standards and customer requirements of over 90 countries worldwide. With a commitment to meeting the needs of individual national markets, Kentec has achieved a global reputation, resulting in its life safety systems being installed in numerous prestigious sites across the world.

Kentec manufactures products approved to EN54, EN12094, UL, FM, VdS, NFPA and marine classification societies.

High quality products and on time delivery

A global network of specialists, experts, and trained fire alarm distribution companies, recognised for their high levels of Kentec product knowledge and providing a full range of Kentec products to suit all applications and building types.

This exclusive network has been carefully selected to ensure installers and end-users receive the goods they need, by holding stock locally to enable the fast delivery and supply of Kentec products.

All distributors have been trained by Kentec on our products to provide local sales, technical and application support, so that they can offer their customers the best experience in fire panel selection based on the project requirements.

Products in action

Click on the products for more information 



Conventional Panel Sigma CP Standard 4 Wire

Overview

Easy to install, the Sigma CP is available with two, four or eight detection zones in standard or installation saving, 'two-wire' versions.

- The extensive range of configuration features available ensure suitability for new installations or panel replacements on older systems.
- Configuration options are stored in non-volatile memory and are easily accessed via an intuitive user interface, which enables the configuration data to be viewed and changed efficiently.
- Sigma CP control panels are compatible with most standard, conventional detectors, call points and sounders and are also compatible with 'two wire' detector bases from Apollo and Hochiki.
- Compatible for use on BS5839: Part 1: 2017 installations
- Fully certified to BS EN54-2 and BS EN54-4



[Click here to Download:](#)

Part Numbers and Product Descriptions



Sigma CP Conventional Fire Control Panels

A range of cost effective EN54-2 & EN54-4 approved conventional fire alarm control panels for small applications

K11020M2	Sigma CP - 2 Zone conventional fire alarm control panel
K11040M2	Sigma CP - 4 Zone conventional fire alarm control panel
K11080M2	Sigma CP - 8 Zone conventional fire alarm control panel
KL11020M2	Sigma CP - 2 Zone conventional fire alarm control panel c/w LCMU
KL11040M2	Sigma CP - 4 Zone conventional fire alarm control panel c/w LCMU
KL11080M2	Sigma CP - 8 Zone conventional fire alarm control panel c/w LCMU
T11020M2	Sigma CP Two Wire Panel - 2 Zones
T11040M2	Sigma CP Two Wire Panel - 4 Zones
T11080M2	Sigma CP Two Wire Panel - 8 Zones
KA11020M2	Sigma CP-A Alarmsense Conventional Panel - 2 Zones
KA11040M2	Sigma CP-A Alarmsense Conventional Panel - 4 zones
KA11080M2	Sigma CP-A Alarmsense Conventional Panel - 8 Zones



Sigma CP-R conventional fire alarm repeater panels

A range of cost effective repeater panels compatible with all Sigma CP conventional fire alarm panels

E01020L2	Sigma CP-R Low Profile 2 Zone Conventional Repeater Panel no PSU
E01040L2	Sigma CP-R Low Profile 4 Zone Conventional Repeater Panel no PSU
E01080L2	Sigma CP-R Low Profile 8 Zone Conventional Repeater Panel no PSU
K01020M2	Sigma CP-R 2 Zone Conventional Repeater Panel c/w PSU
K01040M2	Sigma CP-R 4 Zone Conventional Repeater Panel c/w PSU
K01080M2	Sigma CP-R 8 Zone Conventional Repeater Panel c/w PSU



Sigma CP expansion boards

A range of option cards used to expand the capabilities of the Sigma CP Fire Control Panels

K461	Sigma CP Sounder PCB
K04000M2	Sigma CP Sounder PCB boxed
K04400M2	Sigma CP Sounder PCB boxed with PSU
K577	2 Way Sounder Extender Module with Interface (For use with existing panels)
K580	Sigma CP Ancillary PCB
K02000M2	Sigma CP Ancillary PCB boxed
K02750M2	Sigma CP Ancillary PCB boxed c/w PSU



Sigma CP installation accessories

A range of accessories to enhance Sigma CP fire alarm systems

K18002	Vision Window cover assembly (M2 size)
M2FCLGT	Semi-Flushing collar M2
K14060	LCMU Line Continuity Monitoring Unit



Vizulinx Alarm Management gateway

A multi-purpose interface module which facilitates remote alarm management by sending status messages through e-mail or text messaging. Supports Ethernet or USB GSM connectivity to internet. Vizulinx also provides interfacing to third party equipment by use of GPIO (General Purpose Inputs/Outputs) and Modbus


K85000M2	Vizulinx Gateway Unit
K85000	Vizulinx Gateway Module (Unboxed)
K85001BLU	BMS license upgrade
K85001BAC	BACNet license upgrade

Extinguishant Releasing Panel Sigma XT

Overview

The Sigma XT extinguishant releasing panel, installed extensively in thousands of premises globally, offers outstanding value and performance for all small to medium fixed firefighting installations.

- > Any single zone or any combinations of zones can be configured to release
- > Configurable detection delays
- > Compatible with I.S. barriers
- > Countdown timer shows time remaining until release
- > Configurable first stage sounder delays
- > Zero-time delay upon manual release option
- > Non-latching zone input to receive signals from other systems such as aspirating equipment
- > Supports up to seven, four-wire status indicators
- > Approved and certified to EN12094-1, EN54-2 and EN54-4



Click here to Download:

EXTINGUISHING CONTROL SYSTEMS (EN) Part Numbers and Product Descriptions



Conventional Extinguishing control panels

Sigma XT - 3 Zone Single Area Extinguishant Control Panel

An EN12094-1, EN54-2 and EN54-4 approved single area extinguishing control panel for control of gaseous suppression systems

K11031M2 Sigma XT Extinguishant Control Panel



Sigma Expansion PCB's

A range of option cards used to expand the capabilities of the Sigma extinguishing Control Panels

K588 Sigma XT Ancillary PCB

K03000M2 Sigma XT Ancillary PCB boxed

K03750M2 Sigma XT Ancillary PCB boxed c/w PSU



Extinguishing System Accessories

Sigma SI status Indicators

A range of remote status indicator repeater units compatible with all Sigma extinguishing control panels

K911000M8 Sigma Si - 6 LED Extinguishant Status Unit

K911010M8 Sigma Si - 6 LED Extinguishant Status Unit c/w Manual release

K911100M8 Sigma Si - 6 LED Extinguishant Status Unit c/w Mode Select keyswitch

K911110M8 Sigma Si - 6 LED Extinguishant Status Unit c/w Manual Release & Mode Select keyswitch

K911113M8 Sigma Si - 10 LED Extinguishant Status Unit c/w Manual Release & Mode Select keyswitch

W911000W8 Sigma Si - 6 LED weatherproof Extinguishant Status Unit

W911100W8 Sigma Si - 6 LED weatherproof Extinguishant Status Unit c/w Mode Select keyswitch

W911110W8 Sigma Si - 6 LED weatherproof Extinguishant Status Unit c/w Manual Release & Mode Select keyswitch

W911113W8 Sigma Si - 10 LED weatherproof Extinguishant Status Unit c/w Manual Release & Mode Select keyswitch



Fire-Cryer Extinguishing Voice Sounder

Conventional electronic voice sounders compatible with Sigma XT, XT+ & Syncro XT+ extinguishing systems, EN54-3 approved

KFC3-KEK Fire-Cryer extinguishing voice sounder kit

KFC3-ARRD Fire-Cryer extinguishing voice sounder with visual indicator

KFC3-EP2 Extinguishing Controller PCB



Sigma/Syncro Extinguishing buttons/switches

A range of control buttons compatible with Kentec extinguishing systems

K91000M10 Sigma Si Extinguishant Hold unit - Green button

KB91000M10 Sigma Si Extinguishant Hold unit - Red button

K13470M10 Extinguishant Abort Unit

K13520M10 Extinguishant Extract Key

K13480M10 Main/Reserve Duty Extinguishant Keyswitch Unit



Vizulinx Alarm Management gateway

A multi-purpose interface module which facilitates remote alarm management by sending status messages through e-mail or text messaging. Supports Ethernet or USB GSM connectivity to internet. Vizulinx also provides interfacing to third party equipment by use of GPIO (General Purpose Inputs/Outputs) and Modbus

K85000M2 Vizulinx Gateway Unit

K85000 Vizulinx Gateway Module (Unboxed)

K85001BLU BMS license upgrade

K85001BAC BACNet license upgrade

Evacuation Alert Panel from Special Applications EVAC-POINT

Overview

The EVAC-POINT range of panels provide fire-fighters and emergency services with the means to activate fire alarm sounders and evacuate a building on a phased principle, using configured manual toggle switches.

- Evacuate all or part of a building in an emergency
- Designed based on the functional requirements of BS8629:2019
- Incorporated LED control panel illumination – SAVE MONEY ON ADDITIONAL LIGHTING INSTALLATION - ONLY AVAILABLE WITH KENTEC
- 2 loop and 4 loop versions available
- Versions compatible with Hochiki, Apollo, Argus & EMS protocols
- On-board power supply with space for standby batteries
- Based on reliable EN54-2/EN54-4 approved Syncro AS architecture
- Secure and robust steel enclosure with lockable cover*
- Easy to operate toggle switches
- LED status indicators
- User defined zone reference labelling
- Anti-tamper alert
- Simple to commission, customise and modify on-site



[Click here to Download:](#)

EVACUATION ALERT PANEL (EN) Part Numbers and Product Descriptions



EVAC-POINT - 2 and 4 loop Analogue Addressable Control Panels

Evacuation Alert panel based on the EN Approved Syncro AS technology

- SPEC-EPM** Mini, 2 loop, 5.25A PSU – 5-15 areas / floors (up to 3 modules)
- SPEC-EPS** Standard Panel, 3 or 4 loop, 10.25A PSU – 5 to 60 areas / floors (up to 12 modules)
- SPEC-EPX** 1-5 areas / floors



Vizulinx Alarm Management gateway

A multi-purpose interface module which facilitates remote alarm management by sending status messages through e-mail or text messaging. Supports Ethernet or USB GSM connectivity to internet. Vizulinx also provides interfacing to third party equipment by use of GPIO (General Purpose Inputs/Outputs) and Modbus

- K85000M2** Vizulinx Gateway Unit
- K85000** Vizulinx Gateway Module(Unboxed)
- K85001BLU** BMS license upgrade
- K85001BAC** BACNet license upgrade

Analogue Fire Detection Syncro AS

Overview

Syncro AS is an analogue addressable fire control panel, available in either one or two detection loops. It combines compact and practical styling with the programming power and connectivity normally associated with much larger systems.

- Network up to 64 panels
- Up to 512 additional programmable I/O via Syncro I/O modules
- Hochiki ESP, Apollo & Argus Vega protocols
- Ideal for small and medium sites that require advanced fire sensing and evacuation options
- Powerful, network wide cause and effect
- Compatible with View repeaters
- Approved and certified to EN54-2 / EN54-4



[Click here to Download:](#)

SYNCRO AS ADDRESSABLE FIRE ALARM CONTROL PANELS (EN) Part Numbers and Product Descriptions



Syncro AS Single loop Analogue Addressable Control Panels

A range of EN54-2 & EN54-2 loop fully networkable addressable control panels

- H81161M2** Syncro AS single loop - Hochiki Protocol
- H80161M2** Syncro AS single loop - Hochiki Protocol c/w enable keyswitch
- A81161M2** Syncro AS single loop - Apollo Protocol
- A80161M2** Syncro AS single loop - Apollo Protocol c/w enable keyswitch
- V81161M2** Syncro AS single loop - Argus Vega Protocol
- V80161M2** Syncro AS single loop - Argus Vega Protocol c/w enable keyswitch



Syncro AS Two loop Analogue Addressable Control Panels

A range of EN54-2 & EN54-2 loop fully networkable addressable control panels

- H81162M2** Syncro AS Two loop - Hochiki Protocol
- H80162M2** Syncro AS Two loop - Hochiki Protocol c/w enable keyswitch
- A81162M2** Syncro AS Two loop - Apollo Protocol
- A80162M2** Syncro AS Two loop - Apollo Protocol c/w enable keyswitch
- V81162M2** Syncro AS Two loop - Argus Vega Protocol
- V80162M2** Syncro AS Two loop - Argus Vega Protocol c/w enable keyswitch



Syncro View repeater

A range of LCD repeater panel extending the controls and indications of the Syncro AS fire alarm control panel to other locations

- K67000M1** Syncro View Local LCD Repeater Panel no PSU
- K67001M1** Syncro View Local LCD Repeater Panel: c/w enable keyswitch
- K67750M1** Syncro View Local LCD Repeater Panel: c/w PSU
- K67751M1** Syncro View Local LCD Repeater Panel: c/w enable keyswitch & PSU



Syncro AS Installation accessories

A wide range of accessory products that can be used to enhance Syncro fire alarm systems

- X187LS** Software Download Lead Economy
- S187** Software Download Lead Standard Compatible with Syncro panels only **Important! Do not use on Solo panels as this will damage the panel**
- U187** USB to RS232 Serial Converter
- K768P2** Printer Module enclosure
- M1FCLGT** Semi-Flushing collar M1
- M2FCLGT** Semi-Flushing collar M2
- K18002** Vision window cover assembly (M2 size)



Syncro AS option cards

A range of option cards used to expand the capabilities of the Syncro AS Fire Contro Panel

- K586H** Syncro AS Loop 2 Extension Card: Hochiki Protocol
- K586A** Syncro AS Loop 2 Extension Card: Apollo Protocol
- K586V** Syncro AS Loop 2 Extension Card: Argus Vega Protocol
- K555** Syncro Fault Tolerant Network Card
- K560** Syncro I/O - 16 Channel I/O board
- K547** Syncro I/O - 8 Way Relay Extender Board
- K546** Syncro I/O - 6 Way Sounder Extender Board
- K545** Syncro I/O - 4 Way Conventional Detection Zone Module
- K16001M2** Syncro I/O Expansion Card Enclosure - no power supply
- K16750M2*** Syncro I/O Expansion Card Enclosure with 750mA power supply*
- K16250M2** Syncro I/O Expansion Card Enclosure with 2.5A power supply
- K16400M2** Syncro I/O Expansion Card Enclosure with 5.25A power supply



Vizulinx Alarm Management gateway

A multi-purpose interface module which facilitates remote alarm management by sending status messages through e-mail or text messaging. Supports Ethernet or USB GSM connectivity to internet. Vizulinx also provides interfacing to third party equipment by use of GPIO (General Purpose Inputs/Outputs) and Modbus


- K85000M2** Vizulinx Gateway Unit
- K85000** Vizulinx Gateway Module (Unboxed)
- K85001BLU** BMS license upgrade
- K85001BAC** BACNet license upgrade

Analogue Fire Detection Syncro AS Lite

Overview

Syncro AS Lite is a single loop, stand alone analogue addressable fire control panel. It combines compact and practical styling with the programming power and connectivity normally associated with much larger systems.

- Multi protocol panel – Supports Apollo, Argus Vega and Hochiki protocols
- Ideal for smaller standalone installations requiring only detection loop, for example – a shop
- Powerful cause and effect
- Approved and certified to EN54 – 2 / EN54-4



[Click here to Download:](#)

Part Numbers and Product Descriptions



Syncro AS Lite Analogue Addressable Control Panels

A range of cost effective EN54-2 & EN54-4 approved single loop non-networkable addressable fire alarm panels

- LA81161M2** Syncro AS Lite - Apollo Protocol
- LA80161M2** Syncro AS Lite - Apollo Protocol c/w enable keyswitch
- LV81161M2** Syncro AS Lite - Argus Vega Protocol
- LV80161M2** Syncro AS Lite - Argus Vega Protocol c/w enable keyswitch
- LH81161M2** Syncro AS Lite - Hochiki Protocol
- LH80161M2** Syncro AS Lite - Hochiki Protocol c/w enable keyswitch



Alarm Management Solution Vizulinx

Overview

Vizulinx is an alarm management solution which enables you to monitor your fire systems remotely, highly configurable using an embedded web server and EZ configuration wizard, Vizulinx provides a whole range of options for remote monitoring and system integration of Kentec fire alarm systems.

- > Monitor alarm activity on your workstation or device
- > Receive alerts by email or SMS
- > Easy user subscription function – opt in / opt out via text
- > Defined message notification for managers, engineers or building occupiers
- > Compatible with Modbus & BACnet protocols
- > Configuration through embedded web server
- > Internal memory event log
- > Isolated RS232 port

Example Uses of Input Applications:

- > Advanced notification of fire or lock down drills on the premises
- > Multiple Sprinkler Flow Valve
- > Multiple suppression systems
- > Leak Detection
- > Flood Detection
- > Access Control and Security System outputs
- > External Parameter Detection
- > Nurse Call and Assisted Living Systems
- > Critical Mains Supply Alerts from critical backup systems including freezer
- > Kitchen Suppression Systems



[Click here to Download:](#)

Part Numbers and Product Descriptions



Vizulinx Alarm Management gateway

A multi-purpose interface module which facilitates remote alarm management by sending status messages through e-mail or text messaging. Supports Ethernet or USB GSM connectivity to internet. Vizulinx also provides interfacing to third party equipment by use of GPIO (General Purpose Inputs/Outputs) and Modbus

- K85000M2** Vizulinx Gateway Unit
- K85000** Vizulinx Gateway Module(Unboxed)
- K85001BLU** BMS license upgrade
- K85001BAC** BACNet license upgrade



Units 25 & 26
Fawkes Avenue
Questor Dartford
Kent - DA1 1JQ
United Kingdom

+44 (0)1322 222121

This briefing is intended as general guidance and is not a substitute for detailed advice in specific circumstances. Although great care has been taken in the compilation and preparation of this edition to ensure accuracy, Kentec cannot in any circumstances accept responsibility for errors, omissions or advice given or for any losses arising from reliance upon information contained in this publication.

© Kentec Electronics Limited 2021

BR 13 Distributors Rev.01 07/21



Certificate No. FM 32987
BS EN ISO 9001:2015



Certificate No. EMS 518118
BS EN ISO 14001:2015



Certificate No. 360
BS EN ISO 9001:2015



Fire Industry Association



360d/01