

60 SERIES CAMERAS MOUNTS AND ACCESSORIES

Honeywell's 60 Series mounts and accessories provide a wide range of installation options for the Honeywell 60 Series IP cameras, including junction box, in ceiling mount bracket, wall mount bracket, pole mount bracket, corner mount bracket, etc.

The mounts provide easy cable routing with no exposed wiring, and the cameras can be installed, adjusted, and tested without repositioning the housing. All of the mounts and accessories are suitable for indoor or outdoor use.

The junction box, pendant mount bracket, wall mount bracket, pendant mount cap and pendant mount adapter are constructed of die-casting aluminum. The in ceiling mount bracket is made of SECC steel. The pole mount bracket, corner mount bracket is made of SPCC steel.

MARKET OPPORTUNITIES

Honeywell's 60 Series mounts and accessories provide excellent value at an attractive price, featuring simple, clean lines, and rugged construction for a wide range of mounting options.



HA60BB1
Junction Box



HA60JCBH2*
Dome Junction Box



HA35PLM01
Pole Mount Bracket



HA35CNM01
Corner Mount Adapter



HA60WLMB1
Wall Mount Bracket



HA60WLM4F
Wall Mount Bracket



HA60WLM3
Wall Mount Bracket



HA60PMC4FI
Pendant Mount Adapter



HA60PMC4FO
Pendant Mount Adapter



HA35PCM04B
Camera Cap



HA35CLM01
Pendant Mount



HA35CLM02
Pendant Extension Mount



HA60WIF
Wifi Dongle



HA60CB3I
Indoor Bubble Clear



HA60CB4I
Outdoor Bubble Clear



HA60SB3I
Indoor Bubble Smoke



HA60SB4I
Outdoor Bubble Smoke



HA60ICK
Indoor Dome Inceiling Mount Kit



HA60APR
Outdoor Dome Adapter Plate and Rubber



HA60WLMZI
Wall Mount Bracket



HA60WLMZL
Wall Mount Bracket



HA60PLMZI
Pole Mount Bracket



HA60CNMZI
Corner Mount Bracket



HA60CLM01
Pendant Mount



HA60CLM02
Pendant Extension Mount



HA35JCBHBB
Bullet Junction Box



HAS1PTD
PT Driver



HAS1PTDP
PT Driver Pendant Mount



HA60JCBPT
PT Driver Junction Box



HA60ICMM
In-Ceiling Mount Bracket



HA30PMB01
Pendant Mounting Base



HA30PME02
Pendant Mount Extend Bracket



HA60PCMZ
Pendant Mount Cap



HA60MLMM
Multi-Sensor Camera Wall Mount Bracket



HA60PLMM
Multi-Sensor Pole Mount Bracket



HA60CNMM
Multi-Sensor Corner Mount Bracket

* HA60JCBH2 - coming in 2026

MOUNTS AND ACCESSORIES

COMPATIBLE 60 SERIES CAMERAS

MODEL	HC60W34R2I HC60W32R2I	HC60W44R2I HC60W42R2I	HC60WB4R2I HC60WB2R2I HC60WB4R5I	HC60WZ4R40WI HC60WZ4R40KI HC60WZ8R40WI HC60WZ8R40KI	HC60W35R2P-V HC60W35R4P-V	HC60W45R2P-V	HC60WFCR1-V	HC60WB5R2P-V HC60WB5R5P-V
HA60BB1 								
HA60JCBH2 								
HA60WLMZI 								
HA60WLMZL 								
HA35PLM01 		+HA60JCBH2 or +HA60WLM4F or +HA60WLMB1 +HA60PMC4FO 	+HA60BB1 			+HA60JCBH2 or +HA60WLM4F or +HA60WLMB1 +HA60PMC4FO 	+HA60JCBH2 	+HA60BB1 
HA35CNM01 		+HA60JCBH2 or +HA60WLM4F or +HA60WLMB1 +HA60PMC4FO 	+HA60BB1 			+HA60JCBH2 or +HA60WLM4F or +HA60WLMB1 +HA60PMC4FO 	+HA60JCBH2 	+HA60BB1 
HA60PLMZI 				+HA60WLMZI or +HA60WLMZL 				
HA60CNMZI 				+HA60WLMZI or +HA60WLMZL 				
HA60WLMB1 		+HA60PMC4FO 				+HA60PMC4FO 		
HA60WLM3 								
HA60WLM4F 								
HA60PMC4FI 		+Pendant mount bracket (bracket and installation not included) 				+Pendant mount bracket (bracket and installation not included) 	+Pendant mount bracket (bracket and installation not included) 	

MOUNTS AND ACCESSORIES

COMPATIBLE 60 SERIES CAMERAS

MODEL	HC60W34R2I HC60W32R2I	HC60W44R2I HC60W42R2I	HC60WB4R2I HC60WB2R2I HC60WB4R5I	HC60WZ4R40WI HC60WZ4R40KI HC60WZ8R40WI HC60WZ8R40KI	HC60W35R2P-V HC60W35R4P-V	HC60W45R2P-V	HC60WFCR1-V	HC60WB5R2P-V HC60WB5R5P-V
HA60PMC4FO 		+Pendant mount bracket (bracket and installation not included) +HA35CLM01 or +HA35CLM01 or +HA35CLM02 				+Pendant mount bracket (bracket and installation not included) +HA35CLM01 or +HA35CLM01 or +HA35CLM02 	+Pendant mount bracket (bracket and installation not included) +HA35CLM01 or +HA35CLM01 or +HA35CLM02 	
HA35PCM04B 			+HA35CLM01 or +HA35CLM01 or +HA35CLM02 					+HA35CLM01 or +HA35CLM01 or +HA35CLM02 
HA60CB3I 					✓			
HA60CB4I 						✓		
HA60SB3I 					✓			
HA60SB4I 						✓		
HA60ICK 					Included in camera package 			
HA60APR 						Included in camera package 	 Included in camera package	
HA60WIF 					✓	✓		✓
HA60CLM01 				+HA60CLM02 				
HA60CLM02 				+HA60CLM01 				
HA35CLM01 		+HA60PMC4FO 	+HA35PCM04B 			+HA60PMC4FO 	+HA60PMC4FO 	+HA35PCM04B 
HA35CLM02 		+HA35CLM01 HA60PMC4FO 	+HA35CLM01 HA35PCM04B 			+HA35CLM01 HA60PMC4FO 	+HA35CLM01 HA60PMC4FO 	+HA35CLM01 HA35PCM04B 

MOUNTS AND ACCESSORIES

COMPATIBLE 60 SERIES CAMERAS

MODEL	HC60WM20R1
HA60ICMM	
HA30PMB01	+HA30PME02 +HA60PCMZ 
HA30PME02	+HA30PMB01 +HA60PCMZ 
HA60PCMZ	+HA30PMB01 +HA30PME02 
HA60MLMM	
HA60PLMM	+HA60MLMM 
HA60CNMM	+HA60MLMM 

MOUNTS AND ACCESSORIES

COMPATIBLE 60 SERIES CAMERAS

MODEL	HC60TB4R1VT09 HC60TB4R4VT15 HC60TB4R2VT25 HC60TB4R2VT35 HC60TB4R2VT50
HA35JCBHBB	 
HA35CNM01	+HA35JCBHBB  
HA35PLM01	+HA35JCBHBB  
HA35PCM04B	+HA35JCBHBB  
HA35CLM01	+HA35PCM04B +HA35JCBHBB  
HA35CLM02	+HA35PCM04B +HA35CLM01 +HA35JCBHBB  
HAS1PTD	 
HAS1PTDP	 
HA60JCBPT	 

MOUNTS AND ACCESSORIES


SPECIFICATIONS

MODEL	INDOOR/ OUTDOOR	CONSTRUCTION	COLOR	WEIGHT	DIMENSIONS
HA60BB1	Indoor/outdoor	ADC12	RAL 7022 (Dark Gray)	0.4 kg (0.8 lb)	Ø 105.0mm x 56.0 mm (Ø 4.13" x 2.2")
HA60JCBH2	Indoor/outdoor	ADC12	RAL 9003 (Signal White)	0.55 kg (1.21 lb)	Ø 159.0mm x 51.6 mm (Ø 6.26" x 2.03")
HA60PLMZI	Indoor/outdoor	SPCC	RAL 9003 (Signal White)	3.2 kg (7.05 lb)	200 mm x 67.2 mm x 320 mm (7.87" x 2.65" x 12.6")
HA60CNMZI	Indoor/outdoor	SPCC	RAL 9003 (Signal White)	1.56 kg (3.44 lb)	247.6 mm x 180 mm x 143.5 mm (9.75" x 7.09" x 5.65")
HA60WLMZI	Indoor/outdoor	ADC12	RAL 9003 (Signal White)	0.59 kg (1.3 lb)	109 mm x 164 mm x 209.3 mm (4.29" x 6.46" x 8.24")
HA60WLMZL	Indoor/outdoor	ADC12	RAL 9003 (Signal White)	0.99 kg (2.18 lb)	109 mm x 164 mm x 279.3 mm (4.29" x 6.46" x 11.0")
HA60WLM3	Indoor	Plastic	RAL 9003 (Signal White)	0.08 kg (0.2 lb)	Ø 121.1 mm x 153.3 mm x 97.0 mm (Ø 4.77" x 6.04 x 3.82")
HA60WLM4F	Indoor/outdoor	ADC12	RAL 9003 (Signal White)	1.28 kg (2.82 lb)	Ø 166.2mmx139.3mmx278.7mm (6.54"x5.48"x10.97")
HA60PMC4FI	Indoor/outdoor	ADC12	RAL 9003 (Signal White)	0.76 kg (1.68 lb)	Ø166.2 mm x 72 mm (Ø6.54" x 2.83")
HA60PMC4FO	Indoor/outdoor	ADC12	RAL 9003 (Signal White)	0.75 kg (1.65 lb)	Ø166.2 mm x 72 mm (Ø6.54" x 2.83")
HA60ICK	Indoor	Plastic	White	0.08 kg (0.176 lb)	Ø 161 mm x 64.2 mm (Ø 6.34" x 2.53")
HA60APR	Indoor/outdoor	Aluminium / rubber	RAL 9003 (Signal White)	0.271 kg (0.6 lb)	Ø 158.0mmx3.5mm(Ø 6.22"x0.14")
HA60CLM01	Indoor/outdoor	Aluminum (ADC12)	RAL 9003 (Signal White)	0.24 kg (0.53 lb)	Ø 121 mm x 38 mm (Ø 4.77" x 1.50")
HA60CLM02	Indoor/outdoor	Aluminium	RAL 9003 (Signal White)	0.86 kg (1.90 lb)	Ø 56 mm x 352 mm (Ø 2.20" x 13.86")
HA60ICMM	Indoor/outdoor	Aluminum	Silver	1.13 kg (2.49 lb)	660.00 mm x 20.00 mm x 40.00 mm (25.98" x 0.79" x 1.57")
HA30PMB01	Indoor/outdoor	Aluminum	RAL 9003 (Signal White)	1.63 lb (0.74 k g)	Ø 160 mm x 90 mm (Ø 6.3" x 3.54")
HA30PME02	Indoor/outdoor	Aluminum	RAL 9003 (Signal White)	1.98 lb (0.9 kg)	Ø 50.8 mm x 400 mm (Ø 2" x 15.75")
HA60PCMZ	Indoor/outdoor	Aluminum	RAL 9003 (Signal White)	1.0 lb (0.5 kg)	Ø 154.2 mm x 71.7 mm (Ø 6.1" x 2.8")
HA60MLMM	Indoor/outdoor	Aluminum	RAL 9003 (Signal White)	1.40 kg (3.08 lb)	276.00 mm x 202.00 mm x 140.00 mm (10.86" x 7.95" x 5.51")
HA60PLMM	Indoor/outdoor	SPCC steel	White	1.24 kg (2.73 lb)	240.0 mm x 156.7 mm x 68.9 mm (9.45" x 6.16" x 2.71")
HA60CNMM	Indoor/outdoor	SPCC steel	White	4.00 kg (8.81 lb)	233.40 mm x 341.60 mm x 240.00 mm(9.19" x 13.45" x 9.45")
HA35JCBHBB	Indoor/outdoor	ADC12	RAL 9003 (Signal White)	0.17 kg (0.37 lb)	Ø120.5 mm x 37 mm (Ø4.74" x 1.46")
HA35CNM01	Indoor/outdoor	Aluminum	RAL 9003 (Signal White)	0.5 kg (1.1 lb)	170.0 mm x 176.5 mm x 103.3 mm (6.69" x 6.95" x 4.07")
HA35PLM01	Indoor/outdoor	Aluminum+SUS304	RAL 9003 (Signal White)	0.31 kg (0.68 lb)	170.0 mm x 130.2 mm x 46 mm (6.69" x 5.13" x 1.81")
HA35PCM04B	Indoor/outdoor	ADC12	RAL 9003 (Signal White)	0.52 kg (1.15 lb)	133.6 mm x 76.7 mm (Ø5.26" x 3.02")
HA60WLMB1	Indoor/outdoor	ADC12	RAL 9003 (Signal White)	0.4 kg (0.90 lb)	222.7mm x 118.0 mmx 118.0 mm (8.77" x 4.65" x 4.65")
HA35CLM01	Indoor/outdoor	ADC12	RAL 9003 (Signal White)	0.3 kg (0.70 lb)	Ø140.0 mm x 52.2 mm (Ø5.51" x 2.06")
HA35CLM02	Indoor/outdoor	Aluminum	RAL 9003 (Signal White)	0.3 kg (0.70 lb)	Ø38.0 mm x 252.0 mm (Ø1.50" x 9.92")
HAS1PTD	Indoor/outdoor	ADC12	RAL 9003 (Signal White)	11.2 kg (24.7 lb)	210.4 mm x 210 mm x 498.8 mm (8.28"x8.27"x19.64")
HAS1PTDP	Indoor/Outdoor	ADC12	RAL 9003 (Signal White)	11.2 kg (24.7 lb)	498.8 mm x 210.4 mm x 210 mm (19.64" x 8.28" x 8.27")
HA60JCBPT	Indoor/Outdoor	SECC	RAL 9003 (Signal White)	10.3 kg (22.71 lb)	400.0 mm x 205.0 mm x 501.0mm(15.75" x 8.07" x 19.72")
HA60CB3I	Indoor	PC	Clear	0.048 kg (0.106 lb)	Ø102.9 mm x 58.4 mm (Ø4.05" x 2.30")
HA60CB4I	Indoor/Outdoor	PC	Clear	0.048 kg (0.106 lb)	Ø102.9mm x 58.4 mm (Ø4.05" x 2.30")
HA60SB3I	Indoor	PC	Smoke	0.048 kg (0.106 lb)	Ø102.9mm x 58.4 mm (Ø4.05" x 2.30")
HA60SB4I	Indoor/Outdoor	PC	Smoke	0.048 kg (0.106 lb)	Ø102.9mm x 58.4 mm (Ø4.05" x 2.30")


MOUNTS AND ACCESSORIES

DIMENSIONS

HA60BB1




HA60JCBH2




MOUNTS AND ACCESSORIES

DIMENSIONS

HA60WLM3




HA60PLMZ1




MOUNTS AND ACCESSORIES

DIMENSIONS

HA60CNMZI




HA60WLMZI




MOUNTS AND ACCESSORIES

DIMENSIONS

HA60WLMZL




HA60WLM4F




MOUNTS AND ACCESSORIES

DIMENSIONS

HA60PMC4FI




HA60PMC4FO




MOUNTS AND ACCESSORIES

DIMENSIONS

HA60CLM01




HA60CLM02




MOUNTS AND ACCESSORIES

DIMENSIONS


HA60ICMM



HA30PMB01




HA30PME02




MOUNTS AND ACCESSORIES

DIMENSIONS

HA60PCMZ




HA60MLMM




MOUNTS AND ACCESSORIES

DIMENSIONS

HA60PLMM




HA60CNMM




MOUNTS AND ACCESSORIES

DIMENSIONS


HA35JCBHBB



HAS1PTD




HA60WLMB1




MOUNTS AND ACCESSORIES

DIMENSIONS

HA35PCM04B




HA35CNM01




MOUNTS AND ACCESSORIES

DIMENSIONS

HA35CLM01




HA35CLM02




MOUNTS AND ACCESSORIES

DIMENSIONS

HA35PLM01



HA60SB3I / HA60SB4I / HA60CB3I / HA60CB4I




HAS1PTDP




MOUNTS AND ACCESSORIES

DIMENSIONS

HA60ICK



HA60APR



MOUNTS AND ACCESSORIES

ORDERING

MODEL	DESCRIPTION	MODEL	DESCRIPTION
HA60BB1	60S outdoor bullet junction box	HA60WIF	60S wifi dongle and USB adapter for camera configuration
HA60JCBH2	60S dome junction box	HA60CB3I	60S indoor dome camera bubble replacement (clear) - for HC60W35R2P-V and HC60W35R4P-V
HA60PLMZI	60S PTZ pole mount bracket, white	HA60CB4I	60S outdoor dome camera bubble replacement (clear) - for HC60W45R2P-V
HA60CNMZI	60S PTZ corner mount bracket, white	HA60SB3I	60S indoor dome camera bubble replacement (smoke) - for HC60W35R2P-V and HC60W35R4P-V
HA60WLMZI	60S PTZ wall mount bracket, white, 1.5NPT female	HA60SB4I	60S outdoor dome camera bubble replacement (smoke) - for HC60W45R2P-V
HA60WLM3	60S wall mount bracket for 3 inch dome, white	HA60ICK	60S indoor dome in-ceiling mount kit
HA60WLM4F	60S wall mount bracket, with cap	HA60APR	60S outdoor dome adapter plate and rubber
HA60PMC4FI	60S outdoor dome fisheye cap 3/4NPT female	HA60CLM01	60S pendent mount base, 1.5NPT female
HA60PMC4FO	60S outdoor dome fisheye cap 1.5NPT male	HA60CLM02	60S pendent extension mount, 1.5NPT male
HA60ICMM	60S multi-sensor in-ceiling mount bracket	HA60PCMZ	60S pendant mount cap, 1.5NPT female
HA30PMB01	30S pendant mount base	HA60MLMM	60S multi-sensor camera wall mount bracket
HA30PME02	30S pendant mount extend bracket	HA60PLMM	60S multi-sensor pole mount bracket
HA60CNMM	60S multi-sensor corner mount bracket	HA60WLMZL	60S 1.5NPT longer wall mount, 1.5NPT female
HA35JCBHBB	35S bullet junction box , IP66	HA60WLMB1	60S wall mount bracket, 1.5NPT female
HAS1PTD	Bi-spectrum bullet PT driver	HA35CLM01	35S ceiling mount base with adapter
HA60JCBPT	60S Bi-spectrum PT driver junction box	HA35CLM02	35S ceiling mount pendent extension, 252mm
HA35PCM04B	35S cap for pendent mount, 1.5NPT male	HA35CNM01	35S corner mount bracket
HAS1PTDP	Bi-spectrum bullet PT driver pendant mount	HA35PLM01	35S pole mount bracket

For more information

buildings.honeywell.com/security

Honeywell Commercial Security

715 Peachtree St. NE
Atlanta, GA 30308
1.800.323.4576
www.honeywell.com

Honeywell reserves the right, without notification, to make changes in product design or specifications.

HSV-SEC-60 Series-MNTS-ACC-05-US(0925)DS-Y
© 2025 Honeywell International Inc.

Honeywell