

EN



MANUFACTURER'S DECLARATION OF CONFORMITY

FOR

Product identification:

Model/type: Refer to model listing Initial year affixing CE Mark: 2019
 Category (description): Magnetic contacts/ housings
 Brand: Aritech

Manufacturer: KGS Fire & Security B.V.
 Kelvinstraat 7
 6003 DH Weert
 The Netherlands
 Phone: 31-495-583000
 Fax: 31-495-583085

Authorised Representative in EU: -

Concerning	A sample of the product has been tested by	Test report reference	Applied standards
RoHS	Manufacturer	RoHS_(2011_65_EU+2015_863)_07 RoHS_(2011_65_EU+2015_863)_DoC_1087T-N_DC140 RoHS_(2011_65_EU+2015_863)_DoC_IM1820TINF_8 RoHS_(2011_65_EU+2015_863)_DoC_other RoHS_(2011_65_EU+2015_863)_08	EN IEC 63000:2018

Restrictions on putting into service / requirements for authorization of use

☒ Not Applicable ☐ None ☐ 


Means of conformity

We declare under our sole responsibility that this product is in conformity with Directives: 93/68/EEC (Marking) and 2011/65/EU (RoHS), amended by 2015/863 and 2017/2102, and complies with the essential requirements and all other relevant provisions of the Directives based on test results using harmonized standards in accordance with the Directives mentioned.

Model listing (List of all product variants or models for which this declaration is valid)

Model	Description
1076D-G	1 RECESSED STEEL DOOR/DPDT, GRAY
1076D-N	1 RECESSED STEEL DOOR/DPDT, WHITE
1078CT-N	3/4 DIA. RECESSED TERMINAL SWITCH STEEL DOOR/CLOSED LOOP, WHITE
1078-G	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, GRAY
1078-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, WHITE
1078W-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP/WIDE GAP, WHITE
1087T-N	SURFACE TERMINAL/SPDT, WHITE
3012-N	RECESSED CLIP MOUNT PLUNGER
AB451	STROBE AMBER/AS-395
AB570	METAL INNER COVER

Signature of representative / manufacturer:




Wojciech Pastuszek, Compliance Team Leader
 KGS Fire & Security B.V.
 Kelvinstraat 7, 6003 DH Weert,
 The Netherlands

Place: Gdańsk, Poland
Date: 13 August 2026

AB611	BEACON LENS PC COVER, AMBER
AB612	BEACON LENS FOR PC COVER, BLUE
AB613	BEACON LENS FOR PC COVER, RED
AB630	BEACON LENS INOX CIVER TRANPERANT
AC1300FEPP	AIMANT PORTE PASTIL
AC9700MAGN	MAGNET SPACER IM9700 LEGRANDE
AC9700REED	REED SPACER IM9700 LEGRANDE
AMGR2-10	(10 PACK) ANTI-MASK GRADE 2 EASY WIRING
AS250	INDOOR SPEAKER
AS390TAMPER	TAMPER ASSEMBLY
AS600S19	RED COVER / AMBER LENS
AS610DUM	OUTDOOR SIRENE DUMMY
BC4007BC1	JUNCTION BOX OVP 000012-02
BC4010BC1	JUNCTION BOX OVP 000012-03
CH9001GR1	SHOCK B/T M00105-01
DC101	STANDARD GAP SURF. 4 WIRES
DC101B	ARITECH,MAC,SURFACE MOUNT,8" SUPERVISED LOOP WIRE WITH SPECIAL PACKAGING
DC101-D	ARITECH,SURFACE MOUNT,WIRE LEADS,SPVD,VDS
DC101R4.7	DC101,W/2,4.7K,RES,IN,SER & PAR,SFT,SPVD
DC101S60	DC101 WITH 6 METER CABLE
DC102	DC102 ARITECH (FORMERLY 1085T-N4)
DC102B	ARITECH,MAC,SURFACE MOUNT,BROWN
DC102R4.7	CONTACT WITH 4.7K RES (WHITE)
DC104	BIASED HIGH SEC. SCREWS
DC105	COMBINATION FLUSH-SURF. MNT.
DC105S8	DC105 NEW VERSION, CONTACT
DC106	STANDARD GAP FLUSH
DC106R4.7	1072 ARITECH DC106 W/TWO 4.7K RES'S, 1/SER, 1/PAR8FT VDS SPV LP SPL PKG
DC106S9	DC106 WITH 3M FLYING LEEDS
DC107	LONG GAP FLUSH
DC107R4.7	1078C ARITECH DC107 W/TWO 4.7K RES'S, 1/SER,1PAR 8FT VDS SPV LP, SPC PKG
DC107S60	CONTACT WITH 6 METER VDS CABLE
DC108	OVERHEAD DOORCONTACT
DC108R4.7	2202A ARITECH W/4.7K RES SER, 8FT ARM CBL, SUP LOOP
DC109	INDUSTRIAL DOOR CONTACT
DC113	PLUNGER SWITCH F.VERTICAL MOU
DC114	ADJUSTABLE PLUNGER SWITCH
DC116	SURFACE MOUNT CONTACT
DC118	OVERHEAD CONTACT 4 WIRE
DC120	CONTACT DC120 1125W-N1
DC120S60	1125W N1 ARITECH W/6 METERS(20FT)VDS CBL
DC121	CONTACT
DC121S60	CONTACT 6 METERS VdS CABLE
DC123	1087T N6 ARITECH DC123
DC124	CONTACT
DC127	CONTACT
DC134	CONTACT
DC137	CONTACT
DC140	OVERHEAD DOORCONTACT
DC141	CONTACT
DC142	CONTACT
DC1901	HOUSING DC101
DC1906	(1 PLATE = QTY 1) SPACER FOR DC101/103 WHITE
DC1906B	SPACER FOR DC101/103 BROWN


Signature of representative / manufacturer:



Wojciech Pastuszak, Compliance Team Leader
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
The Netherlands

DC1906T	(1 PLATE = QTY 1) SPACER FOR DC103/104 WHITE
DC1912	L BRACKET
DC193	L BRACKET FOR DC102
DC501	1005 ARITECH DC501 W/2 METERS (7FT) VDS SPV LP SPL PKG NAT
DC555	DC555 W/6FT VDS CBL, SPVD LOOP
DC888	1078CW WITH 6FT VDS CBL SPVD
ES007	JUNCTION BOX OVP 000012-02
ES010	JUNCTION BOX, WHITE, 8+2 TERMINALS
ES070W	8-WAY JUNC.BOX REED TAMP BEIGE
ES071W	16WAY JUNC BOX REED TAMP BEIGE
IM1340FENF02BC	MAG CT PL FL 2
IM1340TINF02BC	MAG CT PL FL 4 W 000016-01
IM1340TINF05BC	MAG CT PL FL 4 W 000016-01
IM1440FENF02BC	MAG CT PL SF 4 W 000013-01
IM1440FENF05BC	MAG CT PL SF 4 W 000013-01
IM1640PAG	MAG CT PLAS SF C/W CBL
IM1640PAG01JB	SURFACE MNT CONTACT 1M AMOURED CABLE INCL JUNCT BOX
IM1640PSG	MAG CT PLAS SF W/O CBL
IM1740FENF*81	MAG CT MT HD 4 W 000024-01
IM1820TINF*8	MAG CT PL SF 2 W SINGLE
IM1920TINF*8	MAG CT PL SF 2 W DOUBLE
IM9700FENFBB	M.C. IM9700 A VIS. FERRILE
IM9700MAGNL	MAG CONT SCR TERM MAGN LEGRANDE
IM9700REEDL	MAG CONT SCR TERM REED LEGRANDE
MBC390	PC BOARD ASSY
MM201	SURF. MNT CONT. NFA2P
MM340	CONTACT
MM440	CONTACT
MM740	CONTACT
R1125-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125T-N	MULTIPLES OF 10 ONLY, CONTACT 3/8 DIA. RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125TW-N	3/8 DIA RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
R1125W-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
SB01	SWIVEL BRACKET/WALL MOUNT (USED WITH AP750, AP475, AP950AM)
SB02	SWIVEL BRACKET/WALL MOUNT (USED WITH EV100 DD100)
SC2202SAAAB01	MAG CT MT 4 W

Signature of representative / manufacturer:



Wojciech Pastuszek, Compliance Team Leader
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
The Netherlands

CZ



PROHLÁŠENÍ VÝROBCE O SHODĚ

PRO

Identifikace produktu:

Model/typ: Viz Seznam modelů První rok přidělení označení CE: 2019
Kategorie (popis): Magnetic contacts/ housings
Značka: Aritech

Výrobce: KGS Fire & Security B.V.
Kelvinstraat 7
6003 DH Weert
The Netherlands
Phone: 31-495-583000
Fax: 31-495-583085

**Zplnomocněný
zástupce pro EU:** -

Ve věci	Vzorek produktu byl testován společností	Reference protokolu o testování	Použití normy
RoHS	Manufacturer	RoHS_(2011_65_EU+2015_863)_07 RoHS_(2011_65_EU+2015_863)_DoC_1087T-N_DC140 RoHS_(2011_65_EU+2015_863)_DoC_IM1820TINF_8 RoHS_(2011_65_EU+2015_863)_DoC_other RoHS_(2011_65_EU+2015_863)_08	EN IEC 63000:2018

Omezení pro uvádění do provozu / požadavky na povolení k používání

☒ Nevztahuje se

☐ Žádné

☐ 


Způsob zajištění shody

Na vlastní odpovědnost prohlašujeme, že tento produkt splňuje požadavky následujících směrnic: 93/68/EEC (značení) a 2011/65/EU (RoHS), ve znění 2015/863 a 2017/2102, a splňuje základní požadavky a všechna další příslušná ustanovení směrnic na základě výsledků testů při použití harmonizovaných norem v souladu s uvedenými směrnici.

Seznam modelů (seznam všech variant nebo modelů produktů, pro které je toto prohlášení platné):

Model	Popis
1076D-G	1 RECESSED STEEL DOOR/DPDT, GRAY
1076D-N	1 RECESSED STEEL DOOR/DPDT, WHITE
1078CT-N	3/4 DIA. RECESSED TERMINAL SWITCH STEEL DOOR/CLOSED LOOP, WHITE
1078-G	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, GRAY
1078-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, WHITE
1078W-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP/WIDE GAP, WHITE
1087T-N	SURFACE TERMINAL/SPDT, WHITE
3012-N	RECESSED CLIP MOUNT PLUNGER
AB451	STROBE AMBER/AS-395
AB570	METAL INNER COVER
AB611	BEACON LENS PC COVER, AMBER
AB612	BEACON LENS FOR PC COVER, BLUE

Podpis zástupce/výrobce:




Wojciech Pastuszak, vedoucí pro zajištění souladu
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Nizozemsko

Místo : Gdańsk, Polsko
Datum : 13 August 2026

AB613	BEACON LENS FOR PC COVER, RED
AB630	BEACON LENS INOX CIVER TRANPERANT
AC1300FEPP	AIMANT PORTE PASTIL
AC9700MAGN	MAGNET SPACER IM9700 LEGRANDE
AC9700REED	REED SPACER IM9700 LEGRANDE
AMGR2-10	(10 PACK) ANTI-MASK GRADE 2 EASY WIRING
AS250	INDOOR SPEAKER
AS390TAMPER	TAMPER ASSEMBLY
AS600S19	RED COVER / AMBER LENS
AS610DUM	OUTDOOR SIRENE DUMMY
BC4007BC1	JUNCTION BOX OVP 000012-02
BC4010BC1	JUNCTION BOX OVP 000012-03
CH9001GR1	SHOCK B/T M00105-01
DC101	STANDARD GAP SURF. 4 WIRES
DC101B	ARITECH,MAC,SURFACE MOUNT,8" SUPERVISED LOOP WIRE WITH SPECIAL PACKAGING
DC101-D	ARITECH,SURFACE MOUNT,WIRE LEADS,SPVD,VDS
DC101R4.7	DC101,W/2,4.7K,RES,IN,SER & PAR,SFT,SPVD
DC101S60	DC101 WITH 6 METER CABLE
DC102	DC102 ARITECH (FORMERLY 1085T-N4)
DC102B	ARITECH,MAC,SURFACE MOUNT,BROWN
DC102R4.7	CONTACT WITH 4.7K RES (WHITE)
DC104	BIASED HIGH SEC. SCREWS
DC105	COMBINATION FLUSH-SURF. MNT.
DC105S8	DC105 NEW VERSION, CONTACT
DC106	STANDARD GAP FLUSH
DC106R4.7	1072 ARITECH DC106 W/TWO 4.7K RES'S, 1/SER, 1/PAR8FT VDS SPV LP SPL PKG
DC106S9	DC106 WITH 3M FLYING LEEDS
DC107	LONG GAP FLUSH
DC107R4.7	1078C ARITECH DC107 W/TWO 4.7K RES'S, 1/SER,1PAR 8FT VDS SPV LP, SPC PKG
DC107S60	CONTACT WITH 6 METER VDS CABLE
DC108	OVERHEAD DOORCONTACT
DC108R4.7	2202A ARITECH W/4.7K RES SER, 8FT ARM CBL, SUP LOOP
DC109	INDUSTRIAL DOOR CONTACT
DC113	PLUNGER SWITCH F.VERTICAL MOU
DC114	ADJUSTABLE PLUNGER SWITCH
DC116	SURFACE MOUNT CONTACT
DC118	OVERHEAD CONTACT 4 WIRE
DC120	CONTACT DC120 1125W-N1
DC120S60	1125W N1 ARITECH W/6 METERS(20FT)VDS CBL
DC121	CONTACT
DC121S60	CONTACT 6 METERS VdS CABLE
DC123	1087T N6 ARITECH DC123
DC124	CONTACT
DC127	CONTACT
DC134	CONTACT
DC137	CONTACT
DC140	OVERHEAD DOORCONTACT
DC141	CONTACT
DC142	CONTACT
DC1901	HOUSING DC101
DC1906	(1 PLATE = QTY 1) SPACER FOR DC101/103 WHITE
DC1906B	SPACER FOR DC101/103 BROWN
DC1906T	(1 PLATE = QTY 1) SPACER FOR DC103/104 WHITE
DC1912	L BRACKET


Podpis zástupce/výrobce:



Wojciech Pastuszak, vedoucí pro zajištění souladu
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Nizozemsko

DC193	L BRACKET FOR DC102
DC501	1005 ARITECH DC501 W/2 METERS (7FT) VDS SPV LP SPL PKG NAT
DC555	DC555 W/6FT VDS CBL, SPVD LOOP
DC888	1078CW WITH 6FT VDS CBL SPVD
ES007	JUNCTION BOX OVP 000012-02
ES010	JUNCTION BOX, WHITE, 8+2 TERMINALS
ES070W	8-WAY JUNC.BOX REED TAMP BEIGE
ES071W	16WAY JUNC BOX REED TAMP BEIGE
IM1340FENF02BC	MAG CT PL FL 2
IM1340TINF02BC	MAG CT PL FL 4 W 000016-01
IM1340TINF05BC	MAG CT PL FL 4 W 000016-01
IM1440FENF02BC	MAG CT PL SF 4 W 000013-01
IM1440FENF05BC	MAG CT PL SF 4 W 000013-01
IM1640PAG	MAG CT PLAS SF C/W CBL
IM1640PAG01JB	SURFACE MNT CONTACT 1M AMOURED CABLE INCL JUNCT BOX
IM1640PSG	MAG CT PLAS SF W/O CBL
IM1740FENF*81	MAG CT MT HD 4 W 000024-01
IM1820TINF*8	MAG CT PL SF 2 W SINGLE
IM1920TINF*8	MAG CT PL SF 2 W DOUBLE
IM9700FENFBB	M.C. IM9700 A VIS. FERRILE
IM9700MAGNL	MAG CONT SCR TERM MAGN LEGRANDE
IM9700REEDL	MAG CONT SCR TERM REED LEGRANDE
MBC390	PC BOARD ASSY
MM201	SURF. MNT CONT. NFA2P
MM340	CONTACT
MM440	CONTACT
MM740	CONTACT
R1125-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125T-N	MULTIPLES OF 10 ONLY, CONTACT 3/8 DIA. RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125TW-N	3/8 DIA RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
R1125W-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
SB01	SWIVEL BRACKET/WALL MOUNT (USED WITH AP750, AP475, AP950AM)
SB02	SWIVEL BRACKET/WALL MOUNT (USED WITH EV100 DD100)
SC2202SAAAB01	MAG CT MT 4 W

Podpis zástupce/výrobce:



Wojciech Pastuszek, vedoucí pro zajištění souladu
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Nizozemsko

DA



PRODUCENTENS OVERENSSTEMMELSESERKLÆRING FOR

Produktidentifikation:

Model/type: Se modelliste Første år med CE-mærke: 2019

Kategori (beskrivelse): Magnetic contacts/ housings

Mærke: Aritech

Producent:

KGS Fire & Security B.V.
Kelvinstraat 7
6003 DH Weert
The Netherlands
Phone: 31-495-583000
Fax: 31-495-583085

EU-Bemyndigede

-

Repræsentant:

Angående	En prøve af produktet er blevet testet af:	Testrapportreference	Anvendte standarder
RoHS	Manufacturer	RoHS_(2011_65_EU+2015_863)_07 RoHS_(2011_65_EU+2015_863)_DoC_1087T-N_DC140 RoHS_(2011_65_EU+2015_863)_DoC_IM1820TINF_8 RoHS_(2011_65_EU+2015_863)_DoC_other RoHS_(2011_65_EU+2015_863)_08	EN IEC 63000:2018

Begrænsninger vedrørende ibrugtagning/krav til godkendelse af brug


Ikke relevant



Ingen


Overensstemmelsesattestation


Vi erklærer under vores eneansvar, at dette produkt er i overensstemmelse med direktiverne: 93/68/EØF (mærkning) og 2011/65/EU (RoHS), ændret ved 2015/863 og 2017/2102, og overholder de væsentlige krav og alle andre bestemmelser i direktiverne baseret på testresultater med brug af harmoniserede standarder i henhold til de nævnte direktiver.

Modelliste (liste over alle produktvarianter eller -modeller, som denne erklæring gælder for)

Model	Beskrivelse
1076D-G	1 RECESSED STEEL DOOR/DPDT, GRAY
1076D-N	1 RECESSED STEEL DOOR/DPDT, WHITE
1078CT-N	3/4 DIA. RECESSED TERMINAL SWITCH STEEL DOOR/CLOSED LOOP, WHITE
1078-G	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, GRAY
1078-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, WHITE
1078W-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP/WIDE GAP, WHITE
1087T-N	SURFACE TERMINAL/SPDT, WHITE
3012-N	RECESSED CLIP MOUNT PLUNGER
AB451	STROBE AMBER/AS-395
AB570	METAL INNER COVER

Repræsentantens/producentens underskrift:

Wojciech Pastuszek, Compliance Team Leader
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Holland


Sted: Gdańsk, Polen


Dato: 13 August 2026

Side 7 af 60

Dok. Nr.: 01.109d

AB611	BEACON LENS PC COVER, AMBER
AB612	BEACON LENS FOR PC COVER, BLUE
AB613	BEACON LENS FOR PC COVER, RED
AB630	BEACON LENS INOX CIVER TRANPERANT
AC1300FEPP	AIMANT PORTE PASTIL
AC9700MAGN	MAGNET SPACER IM9700 LEGRANDE
AC9700REED	REED SPACER IM9700 LEGRANDE
AMGR2-10	(10 PACK) ANTI-MASK GRADE 2 EASY WIRING
AS250	INDOOR SPEAKER
AS390TAMPER	TAMPER ASSEMBLY
AS600S19	RED COVER / AMBER LENS
AS610DUM	OUTDOOR SIRENE DUMMY
BC4007BC1	JUNCTION BOX OVP 000012-02
BC4010BC1	JUNCTION BOX OVP 000012-03
CH9001GR1	SHOCK B/T M00105-01
DC101	STANDARD GAP SURF. 4 WIRES
DC101B	ARITECH,MAC,SURFACE MOUNT,8" SUPERVISED LOOP WIRE WITH SPECIAL PACKAGING
DC101-D	ARITECH,SURFACE MOUNT,WIRE LEADS,SPVD,VDS
DC101R4.7	DC101,W/2,4.7K,RES,IN,SER & PAR,SFT,SPVD
DC101S60	DC101 WITH 6 METER CABLE
DC102	DC102 ARITECH (FORMERLY 1085T-N4)
DC102B	ARITECH,MAC,SURFACE MOUNT,BROWN
DC102R4.7	CONTACT WITH 4.7K RES (WHITE)
DC104	BIASED HIGH SEC. SCREWS
DC105	COMBINATION FLUSH-SURF. MNT.
DC105S8	DC105 NEW VERSION, CONTACT
DC106	STANDARD GAP FLUSH
DC106R4.7	1072 ARITECH DC106 W/TWO 4.7K RES'S, 1/SER, 1/PAR8FT VDS SPV LP SPL PKG
DC106S9	DC106 WITH 3M FLYING LEEDS
DC107	LONG GAP FLUSH
DC107R4.7	1078C ARITECH DC107 W/TWO 4.7K RES'S, 1/SER,1PAR 8FT VDS SPV LP, SPC PKG
DC107S60	CONTACT WITH 6 METER VDS CABLE
DC108	OVERHEAD DOORCONTACT
DC108R4.7	2202A ARITECH W/4.7K RES SER, 8FT ARM CBL, SUP LOOP
DC109	INDUSTRIAL DOOR CONTACT
DC113	PLUNGER SWITCH F.VERTICAL MOU
DC114	ADJUSTABLE PLUNGER SWITCH
DC116	SURFACE MOUNT CONTACT
DC118	OVERHEAD CONTACT 4 WIRE
DC120	CONTACT DC120 1125W-N1
DC120S60	1125W N1 ARITECH W/6 METERS(20FT)VDS CBL
DC121	CONTACT
DC121S60	CONTACT 6 METERS VdS CABLE
DC123	1087T N6 ARITECH DC123
DC124	CONTACT
DC127	CONTACT
DC134	CONTACT
DC137	CONTACT
DC140	OVERHEAD DOORCONTACT
DC141	CONTACT
DC142	CONTACT
DC1901	HOUSING DC101
DC1906	(1 PLATE = QTY 1) SPACER FOR DC101/103 WHITE
DC1906B	SPACER FOR DC101/103 BROWN


Repræsentantens/producentens underskrift:



Wojciech Pastuszak, Compliance Team Leader
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Holland

DC1906T	(1 PLATE = QTY 1) SPACER FOR DC103/104 WHITE
DC1912	L BRACKET
DC193	L BRACKET FOR DC102
DC501	1005 ARITECH DC501 W/2 METERS (7FT) VDS SPV LP SPL PKG NAT
DC555	DC555 W/6FT VDS CBL, SPVD LOOP
DC888	1078CW WITH 6FT VDS CBL SPVD
ES007	JUNCTION BOX OVP 000012-02
ES010	JUNCTION BOX, WHITE, 8+2 TERMINALS
ES070W	8-WAY JUNC.BOX REED TAMP BEIGE
ES071W	16WAY JUNC BOX REED TAMP BEIGE
IM1340FENF02BC	MAG CT PL FL 2
IM1340TINF02BC	MAG CT PL FL 4 W 000016-01
IM1340TINF05BC	MAG CT PL FL 4 W 000016-01
IM1440FENF02BC	MAG CT PL SF 4 W 000013-01
IM1440FENF05BC	MAG CT PL SF 4 W 000013-01
IM1640PAG	MAG CT PLAS SF C/W CBL
IM1640PAG01JB	SURFACE MNT CONTACT 1M AMOURED CABLE INCL JUNCT BOX
IM1640PSG	MAG CT PLAS SF W/O CBL
IM1740FENF*81	MAG CT MT HD 4 W 000024-01
IM1820TINF*8	MAG CT PL SF 2 W SINGLE
IM1920TINF*8	MAG CT PL SF 2 W DOUBLE
IM9700FENFBB	M.C. IM9700 A VIS. FERRILE
IM9700MAGNL	MAG CONT SCR TERM MAGN LEGRANDE
IM9700REEDL	MAG CONT SCR TERM REED LEGRANDE
MBC390	PC BOARD ASSY
MM201	SURF. MNT CONT. NFA2P
MM340	CONTACT
MM440	CONTACT
MM740	CONTACT
R1125-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125T-N	MULTIPLES OF 10 ONLY, CONTACT 3/8 DIA. RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125TW-N	3/8 DIA RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
R1125W-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
SB01	SWIVEL BRACKET/WALL MOUNT (USED WITH AP750, AP475, AP950AM)
SB02	SWIVEL BRACKET/WALL MOUNT (USED WITH EV100 DD100)
SC2202SAAAB01	MAG CT MT 4 W

Repræsentantens/producentens underskrift:



Wojciech Pastuszek, Compliance Team Leader
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Holland

DE



KONFORMITÄTSERKLÄRUNG DES HERSTELLERS

FÜR

Produktbezeichnung:

Modell/Typ: Siehe Modellauflistung

Erste Anbringung der CE-
Kennzeichnung im Jahr: 2019

Kategorie (Beschreibung): Magnetic contacts/ housings

Marke: Aritech

Hersteller:

KGS Fire & Security B.V.
Kelvinstraat 7
6003 DH Weert
The Netherlands
Phone: 31-495-583000
Fax: 31-495-583085

EU-Bevollmächtigter: -

Betr.	Eine Stichprobenprüfung des Produkts wurde durchgeführt von	Bezugnahme auf Prüfbericht	Angewandte Normen
RoHS	Manufacturer	RoHS_(2011_65_EU+2015_863)_07 RoHS_(2011_65_EU+2015_863)_DoC_1087T-N_DC140 RoHS_(2011_65_EU+2015_863)_DoC_IM1820TINF_8 RoHS_(2011_65_EU+2015_863)_DoC_other RoHS_(2011_65_EU+2015_863)_08	EN IEC 63000:2018

Beschränkungen der Inbetriebnahme/Anforderungen für die Nutzungsgenehmigung



Nicht zutreffend



Keine




Konformitätsnachweis

Wir erklären in alleiniger Verantwortung, dass das Produkt folgenden Richtlinien entspricht: 93/68/EWG (Kennzeichnung) sowie 2011/65/EU (RoHS), ergänzt durch 2015/863 und 2017/2102. Weiterhin entspricht das Produkt allen grundlegenden Anforderungen und den anderen relevanten Bestimmungen der Richtlinien gemäß der Prüfergebnisse aufgrund harmonisierter Normen in Übereinstimmung mit den hier aufgeführten Richtlinien.

Modellauflistung (Liste sämtlicher Produktvarianten oder Modelle, für die diese Erklärung gilt)

Modell	Beschreibung
1076D-G	1 RECESSED STEEL DOOR/DPDT, GRAY
1076D-N	1 RECESSED STEEL DOOR/DPDT, WHITE
1078CT-N	3/4 DIA. RECESSED TERMINAL SWITCH STEEL DOOR/CLOSED LOOP, WHITE
1078-G	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, GRAY
1078-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, WHITE
1078W-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP/WIDE GAP, WHITE
1087T-N	SURFACE TERMINAL/SPDT, WHITE

Signatur des Bevollmächtigten/Herstellers:



Wojciech Pastuszak, Compliance Team Leader
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Niederlande

Ort: Danzig, Polen


Datum: 13 August 2026

Seite 10 von 60

Dok. Nr.: 01.109d

3012-N	RECESSED CLIP MOUNT PLUNGER
AB451	STROBE AMBER/AS-395
AB570	METAL INNER COVER
AB611	BEACON LENS PC COVER, AMBER
AB612	BEACON LENS FOR PC COVER, BLUE
AB613	BEACON LENS FOR PC COVER, RED
AB630	BEACON LENS INOX CIVER TRANPERANT
AC1300FEPP	AIMANT PORTE PASTIL
AC9700MAGN	MAGNET SPACER IM9700 LEGRANDE
AC9700REED	REED SPACER IM9700 LEGRANDE
AMGR2-10	(10 PACK) ANTI-MASK GRADE 2 EASY WIRING
AS250	INDOOR SPEAKER
AS390TAMPER	TAMPER ASSEMBLY
AS600S19	RED COVER / AMBER LENS
AS610DUM	OUTDOOR SIRENE DUMMY
BC4007BC1	JUNCTION BOX OVP 000012-02
BC4010BC1	JUNCTION BOX OVP 000012-03
CH9001GR1	SHOCK B/T M00105-01
DC101	STANDARD GAP SURF. 4 WIRES
DC101B	ARITECH,MAC,SURFACE MOUNT,8" SUPERVISED LOOP WIRE WITH SPECIAL PACKAGING
DC101-D	ARITECH,SURFACE MOUNT,WIRE LEADS,SPVD,VDS
DC101R4.7	DC101,W/2,4.7K,RES,IN,SER & PAR,SFT,SPVD
DC101S60	DC101 WITH 6 METER CABLE
DC102	DC102 ARITECH (FORMERLY 1085T-N4)
DC102B	ARITECH,MAC,SURFACE MOUNT,BROWN
DC102R4.7	CONTACT WITH 4.7K RES (WHITE)
DC104	BIASED HIGH SEC. SCREWS
DC105	COMBINATION FLUSH-SURF. MNT.
DC105S8	DC105 NEW VERSION, CONTACT
DC106	STANDARD GAP FLUSH
DC106R4.7	1072 ARITECH DC106 W/TWO 4.7K RES'S, 1/SER, 1/PAR8FT VDS SPV LP SPL PKG
DC106S9	DC106 WITH 3M FLYING LEEDS
DC107	LONG GAP FLUSH
DC107R4.7	1078C ARITECH DC107 W/TWO 4.7K RES'S, 1/SER,1PAR 8FT VDS SPV LP, SPC PKG
DC107S60	CONTACT WITH 6 METER VDS CABLE
DC108	OVERHEAD DOORCONTACT
DC108R4.7	2202A ARITECH W/4.7K RES SER, 8FT ARM CBL, SUP LOOP
DC109	INDUSTRIAL DOOR CONTACT
DC113	PLUNGER SWITCH F.VERTICAL MOU
DC114	ADJUSTABLE PLUNGER SWITCH
DC116	SURFACE MOUNT CONTACT
DC118	OVERHEAD CONTACT 4 WIRE
DC120	CONTACT DC120 1125W-N1
DC120S60	1125W N1 ARITECH W/6 METERS(20FT)VDS CBL
DC121	CONTACT
DC121S60	CONTACT 6 METERS VdS CABLE
DC123	1087T N6 ARITECH DC123
DC124	CONTACT
DC127	CONTACT
DC134	CONTACT
DC137	CONTACT
DC140	OVERHEAD DOORCONTACT
DC141	CONTACT
DC142	CONTACT


Signatur des Bevollmächtigten/Herstellers:



Wojciech Pastuszek, Compliance Team Leader
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Niederlande

DC1901	HOUSING DC101
DC1906	(1 PLATE = QTY 1) SPACER FOR DC101/103 WHITE
DC1906B	SPACER FOR DC101/103 BROWN
DC1906T	(1 PLATE = QTY 1) SPACER FOR DC103/104 WHITE
DC1912	L BRACKET
DC193	L BRACKET FOR DC102
DC501	1005 ARITECH DC501 W/2 METERS (7FT) VDS SPV LP SPL PKG NAT
DC555	DC555 W/6FT VDS CBL, SPVD LOOP
DC888	1078CW WITH 6FT VDS CBL SPVD
ES007	JUNCTION BOX OVP 000012-02
ES010	JUNCTION BOX, WHITE, 8+2 TERMINALS
ES070W	8-WAY JUNC.BOX REED TAMP BEIGE
ES071W	16WAY JUNC BOX REED TAMP BEIGE
IM1340FENF02BC	MAG CT PL FL 2
IM1340TINF02BC	MAG CT PL FL 4 W 000016-01
IM1340TINF05BC	MAG CT PL FL 4 W 000016-01
IM1440FENF02BC	MAG CT PL SF 4 W 000013-01
IM1440FENF05BC	MAG CT PL SF 4 W 000013-01
IM1640PAG	MAG CT PLAS SF C/W CBL
IM1640PAG01JB	SURFACE MNT CONTACT 1M AMOURED CABLE INCL JUNCT BOX
IM1640PSG	MAG CT PLAS SF W/O CBL
IM1740FENF*81	MAG CT MT HD 4 W 000024-01
IM1820TINF*8	MAG CT PL SF 2 W SINGLE
IM1920TINF*8	MAG CT PL SF 2 W DOUBLE
IM9700FENFBB	M.C. IM9700 A VIS. FERRILE
IM9700MAGNL	MAG CONT SCR TERM MAGN LEGRANDE
IM9700REEDL	MAG CONT SCR TERM REED LEGRANDE
MBC390	PC BOARD ASSY
MM201	SURF. MNT CONT. NFA2P
MM340	CONTACT
MM440	CONTACT
MM740	CONTACT
R1125-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125T-N	MULTIPLES OF 10 ONLY, CONTACT 3/8 DIA. RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125TW-N	3/8 DIA RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
R1125W-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
SB01	SWIVEL BRACKET/WALL MOUNT (USED WITH AP750, AP475, AP950AM)
SB02	SWIVEL BRACKET/WALL MOUNT (USED WITH EV100 DD100)
SC2202SAAAB01	MAG CT MT 4 W

Signatur des Bevollmächtigten/Herstellers:



Wojciech Pastuszek, Compliance Team Leader
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Niederlande

Ort: Danzig, Polen
Datum: 13 August 2026

EL



ΔΗΛΩΣΗ ΣΥΜΜΟΡΦΩΣΗΣ ΤΟΥ ΚΑΤΑΣΚΕΥΑΣΤΗ

ΓΙΑ

Στοιχεία προϊόντος:

Μοντέλο / Τύπος: Ανατρέξτε στη λίστα μοντέλων

Έτος πρώτης επίθεσης του
σήματος CE: 2019

Κατηγορία (περιγραφή): Magnetic contacts/ housings

Επωνυμία: Aritech

Κατασκευαστής:
KGS Fire & Security B.V.
Kelvinstraat 7
6003 DH Weert
The Netherlands
Phone: 31-495-583000
Fax: 31-495-583085

Εξουσιοδοτημένος
αντιπρόσωπος στην ΕΕ: -

Πεδίο	Ένα δείγμα του προϊόντος έχει ελεγχθεί από:	Αρ. αναφοράς ελέγχου	Εφαρμοσμένα πρότυπα
RoHS	Manufacturer	RoHS_(2011_65_EU+2015_863)_07 RoHS_(2011_65_EU+2015_863)_DoC_1087T- N_DC140 RoHS_(2011_65_EU+2015_863)_DoC_IM1820TINF_8 RoHS_(2011_65_EU+2015_863)_DoC_other RoHS_(2011_65_EU+2015_863)_08	EN IEC 63000:2018

Περιορισμοί λειτουργίας / απαιτήσεις για έγκριση χρήσης

☒ Δεν ισχύει

☐ Δεν υπάρχουν



Μέσα συμμόρφωσης


Δηλώνουμε, με δική μας ευθύνη, ότι αυτό το προϊόν συμμορφώνεται με την Οδηγία 93/68/ΕΟΚ (Σήμανση) και την Οδηγία 2011/65/ΕΕ (Περιορισμός της χρήσης ορισμένων επικίνδυνων ουσιών σε ηλεκτρικό και ηλεκτρονικό εξοπλισμό), όπως ισχύει τροποποιημένη από τις Οδηγίες 2015/863 και 2017/2102, και συμμορφώνεται με τις ουσιαστικές απαιτήσεις και όλες τις άλλες σχετικές διατάξεις των Οδηγιών με βάση τα αποτελέσματα των δοκιμών που έγιναν με τη χρήση εναρμονισμένων προτύπων, σύμφωνα με τις αναφερόμενες Οδηγίες.

Λίστα μοντέλων (Λίστα με όλες τις εκδόσεις ή τα μοντέλα προϊόντων για τα οποία ισχύει αυτή η δήλωση)

Μοντέλο	Περιγραφή
1076D-G	1 RECESSED STEEL DOOR/DPDT, GRAY
1076D-N	1 RECESSED STEEL DOOR/DPDT, WHITE
1078CT-N	3/4 DIA. RECESSED TERMINAL SWITCH STEEL DOOR/CLOSED LOOP, WHITE
1078-G	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, GRAY
1078-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, WHITE
1078W-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP/WIDE GAP, WHITE

Υπογραφή αντιπροσώπου / κατασκευαστή:

Wojciech Pastuszek, Compliance Team Leader
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Ολλανδία




Τόπος: Γκντανσκ, Πολωνία
Ημερομηνία: 13 August 2026

Σελίδα 13 από 60

Αρ. εγγράφου: 01.109d

1087T-N	SURFACE TERMINAL/SPDT, WHITE
3012-N	RECESSED CLIP MOUNT PLUNGER
AB451	STROBE AMBER/AS-395
AB570	METAL INNER COVER
AB611	BEACON LENS PC COVER, AMBER
AB612	BEACON LENS FOR PC COVER, BLUE
AB613	BEACON LENS FOR PC COVER, RED
AB630	BEACON LENS INOX CIVER TRANPERANT
AC1300FEPP	AIMANT PORTE PASTIL
AC9700MAGN	MAGNET SPACER IM9700 LEGRANDE
AC9700REED	REED SPACER IM9700 LEGRANDE
AMGR2-10	(10 PACK) ANTI-MASK GRADE 2 EASY WIRING
AS250	INDOOR SPEAKER
AS390TAMPER	TAMPER ASSEMBLY
AS600S19	RED COVER / AMBER LENS
AS610DUM	OUTDOOR SIRENE DUMMY
BC4007BC1	JUNCTION BOX OVP 000012-02
BC4010BC1	JUNCTION BOX OVP 000012-03
CH9001GR1	SHOCK B/T M00105-01
DC101	STANDARD GAP SURF. 4 WIRES
DC101B	ARITECH,MAC,SURFACE MOUNT,8" SUPERVISED LOOP WIRE WITH SPECIAL PACKAGING
DC101-D	ARITECH,SURFACE MOUNT,WIRE LEADS,SPVD,VDS
DC101R4.7	DC101,W/2,4.7K,RES,IN,SER & PAR,SFT,SPVD
DC101S60	DC101 WITH 6 METER CABLE
DC102	DC102 ARITECH (FORMERLY 1085T-N4)
DC102B	ARITECH,MAC,SURFACE MOUNT,BROWN
DC102R4.7	CONTACT WITH 4.7K RES (WHITE)
DC104	BIASED HIGH SEC. SCREWS
DC105	COMBINATION FLUSH-SURF. MNT.
DC105S8	DC105 NEW VERSION, CONTACT
DC106	STANDARD GAP FLUSH
DC106R4.7	1072 ARITECH DC106 W/TWO 4.7K RES'S, 1/SER, 1/PAR8FT VDS SPV LP SPL PKG
DC106S9	DC106 WITH 3M FLYING LEEDS
DC107	LONG GAP FLUSH
DC107R4.7	1078C ARITECH DC107 W/TWO 4.7K RES'S, 1/SER,1PAR 8FT VDS SPV LP, SPC PKG
DC107S60	CONTACT WITH 6 METER VDS CABLE
DC108	OVERHEAD DOORCONTACT
DC108R4.7	2202A ARITECH W/4.7K RES SER, 8FT ARM CBL, SUP LOOP
DC109	INDUSTRIAL DOOR CONTACT
DC113	PLUNGER SWITCH F.VERTICAL MOU
DC114	ADJUSTABLE PLUNGER SWITCH
DC116	SURFACE MOUNT CONTACT
DC118	OVERHEAD CONTACT 4 WIRE
DC120	CONTACT DC120 1125W-N1
DC120S60	1125W N1 ARITECH W/6 METERS(20FT)VDS CBL
DC121	CONTACT
DC121S60	CONTACT 6 METERS VdS CABLE
DC123	1087T N6 ARITECH DC123
DC124	CONTACT
DC127	CONTACT
DC134	CONTACT
DC137	CONTACT
DC140	OVERHEAD DOORCONTACT
DC141	CONTACT


Υπογραφή αντιπροσώπου / κατασκευαστή:



Wojciech Pastuszek, Compliance Team Leader
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Ολλανδία

DC142	CONTACT
DC1901	HOUSING DC101
DC1906	(1 PLATE = QTY 1) SPACER FOR DC101/103 WHITE
DC1906B	SPACER FOR DC101/103 BROWN
DC1906T	(1 PLATE = QTY 1) SPACER FOR DC103/104 WHITE
DC1912	L BRACKET
DC193	L BRACKET FOR DC102
DC501	1005 ARITECH DC501 W/2 METERS (7FT) VDS SPV LP SPL PKG NAT
DC555	DC555 W/6FT VDS CBL, SPVD LOOP
DC888	1078CW WITH 6FT VDS CBL SPVD
ES007	JUNCTION BOX OVP 000012-02
ES010	JUNCTION BOX, WHITE, 8+2 TERMINALS
ES070W	8-WAY JUNC.BOX REED TAMP BEIGE
ES071W	16WAY JUNC BOX REED TAMP BEIGE
IM1340FENF02BC	MAG CT PL FL 2
IM1340TINF02BC	MAG CT PL FL 4 W 000016-01
IM1340TINF05BC	MAG CT PL FL 4 W 000016-01
IM1440FENF02BC	MAG CT PL SF 4 W 000013-01
IM1440FENF05BC	MAG CT PL SF 4 W 000013-01
IM1640PAG	MAG CT PLAS SF C/W CBL
IM1640PAG01JB	SURFACE MNT CONTACT 1M AMOURED CABLE INCL JUNCT BOX
IM1640PSG	MAG CT PLAS SF W/O CBL
IM1740FENF*81	MAG CT MT HD 4 W 000024-01
IM1820TINF*8	MAG CT PL SF 2 W SINGLE
IM1920TINF*8	MAG CT PL SF 2 W DOUBLE
IM9700FENFBB	M.C. IM9700 A VIS. FERRILE
IM9700MAGNL	MAG CONT SCR TERM MAGN LEGRANDE
IM9700REEDL	MAG CONT SCR TERM REED LEGRANDE
MBC390	PC BOARD ASSY
MM201	SURF. MNT CONT. NFA2P
MM340	CONTACT
MM440	CONTACT
MM740	CONTACT
R1125-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125T-N	MULTIPLES OF 10 ONLY, CONTACT 3/8 DIA. RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125TW-N	3/8 DIA RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
R1125W-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
SB01	SWIVEL BRACKET/WALL MOUNT (USED WITH AP750, AP475, AP950AM)
SB02	SWIVEL BRACKET/WALL MOUNT (USED WITH EV100 DD100)
SC2202SAAAB01	MAG CT MT 4 W

Υπογραφή αντιπροσώπου / κατασκευαστή:



Wojciech Pastuszek, Compliance Team Leader
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Ολλανδία

ES



DECLARACIÓN DE CONFORMIDAD DEL FABRICANTE

PARA

Identificación del producto:

Tipo de modelo: Consulte la lista de modelos. Año inicial de la inclusión de la marca CE: 2019

Categoría (descripción): Magnetic contacts/ housings

Marca: Aritech

Fabricante: KGS Fire & Security B.V.
Kelvinstraat 7
6003 DH Weert
The Netherlands
Phone: 31-495-583000
Fax: 31-495-583085

**Representante
autorizado en la UE:** -

En relación con	Responsable de la prueba de la muestra del producto	Informe de referencia de la prueba	Normas aplicadas
RoHS	Manufacturer	RoHS_(2011_65_EU+2015_863)_07 RoHS_(2011_65_EU+2015_863)_DoC_1087T-N_DC140 RoHS_(2011_65_EU+2015_863)_DoC_IM1820TINF_8 RoHS_(2011_65_EU+2015_863)_DoC_other RoHS_(2011_65_EU+2015_863)_08	EN IEC 63000:2018

Restricciones de puesta en servicio / requisitos de autorización de uso

☒ No aplicable

☐ Ninguna




Medio de conformidad

Declaramos, bajo nuestra responsabilidad, que este producto se ha fabricado de acuerdo con la siguientes directivas: 93/68/CEE (marcado) y 2011/65/UE (RoHS), corregida por 2015/863 y 2017/2102, y cumple los requisitos básicos y todas las demás disposiciones pertinentes de las directivas según los resultados de las pruebas mediante normas armonizadas de acuerdo con las directivas mencionadas.

Lista de modelos (lista de todos los modelos o las variantes de productos para los que esta declaración es válida)

Modelo	Descripción
1076D-G	1 RECESSED STEEL DOOR/DPDT, GRAY
1076D-N	1 RECESSED STEEL DOOR/DPDT, WHITE
1078CT-N	3/4 DIA. RECESSED TERMINAL SWITCH STEEL DOOR/CLOSED LOOP, WHITE
1078-G	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, GRAY
1078-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, WHITE
1078W-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP/WIDE GAP, WHITE
1087T-N	SURFACE TERMINAL/SPDT, WHITE

Firma del representante / fabricante:




Wojciech Pastuszak, director de conformidad
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Los países bajos

Lugar: Gdansk, Polonia
Fecha: 13 August 2026

3012-N	RECESSED CLIP MOUNT PLUNGER
AB451	STROBE AMBER/AS-395
AB570	METAL INNER COVER
AB611	BEACON LENS PC COVER, AMBER
AB612	BEACON LENS FOR PC COVER, BLUE
AB613	BEACON LENS FOR PC COVER, RED
AB630	BEACON LENS INOX CIVER TRANPERANT
AC1300FEPP	AIMANT PORTE PASTIL
AC9700MAGN	MAGNET SPACER IM9700 LEGRANDE
AC9700REED	REED SPACER IM9700 LEGRANDE
AMGR2-10	(10 PACK) ANTI-MASK GRADE 2 EASY WIRING
AS250	INDOOR SPEAKER
AS390TAMPER	TAMPER ASSEMBLY
AS600S19	RED COVER / AMBER LENS
AS610DUM	OUTDOOR SIRENE DUMMY
BC4007BC1	JUNCTION BOX OVP 000012-02
BC4010BC1	JUNCTION BOX OVP 000012-03
CH9001GR1	SHOCK B/T M00105-01
DC101	STANDARD GAP SURF. 4 WIRES
DC101B	ARITECH,MAC,SURFACE MOUNT,8" SUPERVISED LOOP WIRE WITH SPECIAL PACKAGING
DC101-D	ARITECH,SURFACE MOUNT,WIRE LEADS,SPVD,VDS
DC101R4.7	DC101,W/2,4.7K,RES,IN,SER & PAR,SFT,SPVD
DC101S60	DC101 WITH 6 METER CABLE
DC102	DC102 ARITECH (FORMERLY 1085T-N4)
DC102B	ARITECH,MAC,SURFACE MOUNT,BROWN
DC102R4.7	CONTACT WITH 4.7K RES (WHITE)
DC104	BIASED HIGH SEC. SCREWS
DC105	COMBINATION FLUSH-SURF. MNT.
DC105S8	DC105 NEW VERSION, CONTACT
DC106	STANDARD GAP FLUSH
DC106R4.7	1072 ARITECH DC106 W/TWO 4.7K RES'S, 1/SER, 1/PAR8FT VDS SPV LP SPL PKG
DC106S9	DC106 WITH 3M FLYING LEEDS
DC107	LONG GAP FLUSH
DC107R4.7	1078C ARITECH DC107 W/TWO 4.7K RES'S, 1/SER,1PAR 8FT VDS SPV LP, SPC PKG
DC107S60	CONTACT WITH 6 METER VDS CABLE
DC108	OVERHEAD DOORCONTACT
DC108R4.7	2202A ARITECH W/4.7K RES SER, 8FT ARM CBL, SUP LOOP
DC109	INDUSTRIAL DOOR CONTACT
DC113	PLUNGER SWITCH F.VERTICAL MOU
DC114	ADJUSTABLE PLUNGER SWITCH
DC116	SURFACE MOUNT CONTACT
DC118	OVERHEAD CONTACT 4 WIRE
DC120	CONTACT DC120 1125W-N1
DC120S60	1125W N1 ARITECH W/6 METERS(20FT)VDS CBL
DC121	CONTACT
DC121S60	CONTACT 6 METERS VdS CABLE
DC123	1087T N6 ARITECH DC123
DC124	CONTACT
DC127	CONTACT
DC134	CONTACT
DC137	CONTACT
DC140	OVERHEAD DOORCONTACT
DC141	CONTACT
DC142	CONTACT


Firma del representante / fabricante:



Wojciech Pastuszak, director de conformidad
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Los países bajos

DC1901	HOUSING DC101
DC1906	(1 PLATE = QTY 1) SPACER FOR DC101/103 WHITE
DC1906B	SPACER FOR DC101/103 BROWN
DC1906T	(1 PLATE = QTY 1) SPACER FOR DC103/104 WHITE
DC1912	L BRACKET
DC193	L BRACKET FOR DC102
DC501	1005 ARITECH DC501 W/2 METERS (7FT) VDS SPV LP SPL PKG NAT
DC555	DC555 W/6FT VDS CBL, SPVD LOOP
DC888	1078CW WITH 6FT VDS CBL SPVD
ES007	JUNCTION BOX OVP 000012-02
ES010	JUNCTION BOX, WHITE, 8+2 TERMINALS
ES070W	8-WAY JUNC.BOX REED TAMP BEIGE
ES071W	16WAY JUNC BOX REED TAMP BEIGE
IM1340FENF02BC	MAG CT PL FL 2
IM1340TINF02BC	MAG CT PL FL 4 W 000016-01
IM1340TINF05BC	MAG CT PL FL 4 W 000016-01
IM1440FENF02BC	MAG CT PL SF 4 W 000013-01
IM1440FENF05BC	MAG CT PL SF 4 W 000013-01
IM1640PAG	MAG CT PLAS SF C/W CBL
IM1640PAG01JB	SURFACE MNT CONTACT 1M AMOURED CABLE INCL JUNCT BOX
IM1640PSG	MAG CT PLAS SF W/O CBL
IM1740FENF*81	MAG CT MT HD 4 W 000024-01
IM1820TINF*8	MAG CT PL SF 2 W SINGLE
IM1920TINF*8	MAG CT PL SF 2 W DOUBLE
IM9700FENFBB	M.C. IM9700 A VIS. FERRILE
IM9700MAGNL	MAG CONT SCR TERM MAGN LEGRANDE
IM9700REEDL	MAG CONT SCR TERM REED LEGRANDE
MBC390	PC BOARD ASSY
MM201	SURF. MNT CONT. NFA2P
MM340	CONTACT
MM440	CONTACT
MM740	CONTACT
R1125-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125T-N	MULTIPLES OF 10 ONLY, CONTACT 3/8 DIA. RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125TW-N	3/8 DIA RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
R1125W-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
SB01	SWIVEL BRACKET/WALL MOUNT (USED WITH AP750, AP475, AP950AM)
SB02	SWIVEL BRACKET/WALL MOUNT (USED WITH EV100 DD100)
SC2202SAAAB01	MAG CT MT 4 W

Firma del representante / fabricante:



Wojciech Pastuszek, director de conformidad
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Los países bajos

ET



TOOTJA VASTAVUSDEKLARATSIOON

Toote andmed:

Mudel/tüüp: Vaadake mudeli loendit Esimene CE-vastavusmärgise kinnitamise aasta: 2019

Kategooria (kirjeldus): Magnetic contacts/ housings

Tootemark: Aritech

Tootja:
KGS Fire & Security B.V.
Kelvinstraat 7
6003 DH Weert
The Netherlands
Phone: 31-495-583000
Fax: 31-495-583085

Volitatud esindaja ELis: -

Mille suhtes	Toote proovi on katsetanud	Katsearuande viide	Rakendatud standardid
RoHS	Manufacturer	RoHS_(2011_65_EU+2015_863)_07 RoHS_(2011_65_EU+2015_863)_DoC_1087T-N_DC140 RoHS_(2011_65_EU+2015_863)_DoC_IM1820TINF_8 RoHS_(2011_65_EU+2015_863)_DoC_other RoHS_(2011_65_EU+2015_863)_08	EN IEC 63000:2018

Kasutusele võtmise piirangud / kasutusloa nõuded
☒ Ei ole kohaldatav

☐ Puudub


Vastavusmeetmed

Kinnitame ainuisikuliselt, et see toode vastab direktiividele: 93/68/EMÜ (märgistus) ja 2011/65/EL (ohtlike ainete kasutamise piiramise direktiiv, RoHS), mida on muudetud direktiividega 2015/863 ja 2017/2102, ning vastab direktiivide põhinõuetele ja kõigile muudele asjakohastele sätetele, mis põhinevad katsetulemustel, kasutades nimetatud direktiividele vastavaid ühtlustatud standardeid.

Mudelite loend (kõigi tootevariantide või -mudelite loetelu, mille puhul see deklaratsioon kehtib)

Mudel	Kirjeldus
1076D-G	1 RECESSED STEEL DOOR/DPDT, GRAY
1076D-N	1 RECESSED STEEL DOOR/DPDT, WHITE
1078CT-N	3/4 DIA. RECESSED TERMINAL SWITCH STEEL DOOR/CLOSED LOOP, WHITE
1078-G	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, GRAY
1078-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, WHITE
1078W-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP/WIDE GAP, WHITE
1087T-N	SURFACE TERMINAL/SPDT, WHITE
3012-N	RECESSED CLIP MOUNT PLUNGER
AB451	STROBE AMBER/AS-395

Esindaja/tootja allkiri:




Wojciech Pastuszak, vastavusjuht
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Holland

Koht: Gdańsk, Poola
Kuupäev: 13 August 2026

AB570	METAL INNER COVER
AB611	BEACON LENS PC COVER, AMBER
AB612	BEACON LENS FOR PC COVER, BLUE
AB613	BEACON LENS FOR PC COVER, RED
AB630	BEACON LENS INOX CIVER TRANPERANT
AC1300FEPP	AIMANT PORTE PASTIL
AC9700MAGN	MAGNET SPACER IM9700 LEGRANDE
AC9700REED	REED SPACER IM9700 LEGRANDE
AMGR2-10	(10 PACK) ANTI-MASK GRADE 2 EASY WIRING
AS250	INDOOR SPEAKER
AS390TAMPER	TAMPER ASSEMBLY
AS600S19	RED COVER / AMBER LENS
AS610DUM	OUTDOOR SIRENE DUMMY
BC4007BC1	JUNCTION BOX OVP 000012-02
BC4010BC1	JUNCTION BOX OVP 000012-03
CH9001GR1	SHOCK B/T M00105-01
DC101	STANDARD GAP SURF. 4 WIRES
DC101B	ARITECH,MAC,SURFACE MOUNT,8" SUPERVISED LOOP WIRE WITH SPECIAL PACKAGING
DC101-D	ARITECH,SURFACE MOUNT,WIRE LEADS,SPVD,VDS
DC101R4.7	DC101,W/2,4.7K,RES,IN,SER & PAR,SFT,SPVD
DC101S60	DC101 WITH 6 METER CABLE
DC102	DC102 ARITECH (FORMERLY 1085T-N4)
DC102B	ARITECH,MAC,SURFACE MOUNT,BROWN
DC102R4.7	CONTACT WITH 4.7K RES (WHITE)
DC104	BIASED HIGH SEC. SCREWS
DC105	COMBINATION FLUSH-SURF. MNT.
DC105S8	DC105 NEW VERSION, CONTACT
DC106	STANDARD GAP FLUSH
DC106R4.7	1072 ARITECH DC106 W/TWO 4.7K RES'S, 1/SER, 1/PAR8FT VDS SPV LP SPL PKG
DC106S9	DC106 WITH 3M FLYING LEEDS
DC107	LONG GAP FLUSH
DC107R4.7	1078C ARITECH DC107 W/TWO 4.7K RES'S, 1/SER,1PAR 8FT VDS SPV LP, SPC PKG
DC107S60	CONTACT WITH 6 METER VDS CABLE
DC108	OVERHEAD DOORCONTACT
DC108R4.7	2202A ARITECH W/4.7K RES SER, 8FT ARM CBL, SUP LOOP
DC109	INDUSTRIAL DOOR CONTACT
DC113	PLUNGER SWITCH F.VERTICAL MOU
DC114	ADJUSTABLE PLUNGER SWITCH
DC116	SURFACE MOUNT CONTACT
DC118	OVERHEAD CONTACT 4 WIRE
DC120	CONTACT DC120 1125W-N1
DC120S60	1125W N1 ARITECH W/6 METERS(20FT)VDS CBL
DC121	CONTACT
DC121S60	CONTACT 6 METERS VdS CABLE
DC123	1087T N6 ARITECH DC123
DC124	CONTACT
DC127	CONTACT
DC134	CONTACT
DC137	CONTACT
DC140	OVERHEAD DOORCONTACT
DC141	CONTACT
DC142	CONTACT
DC1901	HOUSING DC101
DC1906	(1 PLATE = QTY 1) SPACER FOR DC101/103 WHITE


Esindaja/tootja allkiri:



Wojciech Pastuszek, vastavusjuht
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Holland

DC1906B	SPACER FOR DC101/103 BROWN
DC1906T	(1 PLATE = QTY 1) SPACER FOR DC103/104 WHITE
DC1912	L BRACKET
DC193	L BRACKET FOR DC102
DC501	1005 ARITECH DC501 W/2 METERS (7FT) VDS SPV LP SPL PKG NAT
DC555	DC555 W/6FT VDS CBL, SPVD LOOP
DC888	1078CW WITH 6FT VDS CBL SPVD
ES007	JUNCTION BOX OVP 000012-02
ES010	JUNCTION BOX, WHITE, 8+2 TERMINALS
ES070W	8-WAY JUNC.BOX REED TAMP BEIGE
ES071W	16WAY JUNC BOX REED TAMP BEIGE
IM1340FENF02BC	MAG CT PL FL 2
IM1340TINF02BC	MAG CT PL FL 4 W 000016-01
IM1340TINF05BC	MAG CT PL FL 4 W 000016-01
IM1440FENF02BC	MAG CT PL SF 4 W 000013-01
IM1440FENF05BC	MAG CT PL SF 4 W 000013-01
IM1640PAG	MAG CT PLAS SF C/W CBL
IM1640PAG01JB	SURFACE MNT CONTACT 1M AMOURED CABLE INCL JUNCT BOX
IM1640PSG	MAG CT PLAS SF W/O CBL
IM1740FENF*81	MAG CT MT HD 4 W 000024-01
IM1820TINF*8	MAG CT PL SF 2 W SINGLE
IM1920TINF*8	MAG CT PL SF 2 W DOUBLE
IM9700FENFBB	M.C. IM9700 A VIS. FERRILE
IM9700MAGNL	MAG CONT SCR TERM MAGN LEGRANDE
IM9700REEDL	MAG CONT SCR TERM REED LEGRANDE
MBC390	PC BOARD ASSY
MM201	SURF. MNT CONT. NFA2P
MM340	CONTACT
MM440	CONTACT
MM740	CONTACT
R1125-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125T-N	MULTIPLES OF 10 ONLY, CONTACT 3/8 DIA. RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125TW-N	3/8 DIA RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
R1125W-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
SB01	SWIVEL BRACKET/WALL MOUNT (USED WITH AP750, AP475, AP950AM)
SB02	SWIVEL BRACKET/WALL MOUNT (USED WITH EV100 DD100)
SC2202SAAAB01	MAG CT MT 4 W

Esindaja/tootja allkiri:



Wojciech Pastuszek, vastavusjuht
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Holland

FI

CE VALMISTAJAN VAATIMUSTENMUKAISUUSVAKUUTUS TUOTTEELLE

Tuotetunnus:

Malli/tyyppi: Katso malliluettelo CE-merkinnän alkuperäinen kiinnitysvuosi: 2019

Luokka (kuvaus): Magnetic contacts/ housings

Tuotemerkki: Aritech

Valmistaja:

KGS Fire & Security B.V.
Kelvinstraat 7
6003 DH Weert
The Netherlands
Phone: 31-495-583000
Fax: 31-495-583085

Valtuutettu edustaja

EU:ssa: -

Koskien direktiiviä	Tuotteen näytekappaleen on testannut	Testiraporttiviite	Sovellettavat standardit
RoHS	Manufacturer	RoHS_(2011_65_EU+2015_863)_07 RoHS_(2011_65_EU+2015_863)_DoC_1087T- N_DC140 RoHS_(2011_65_EU+2015_863)_DoC_IM1820TINF_8 RoHS_(2011_65_EU+2015_863)_DoC_other RoHS_(2011_65_EU+2015_863)_08	EN IEC 63000:2018

Käyttöönottoa koskevat rajoitukset / käytön sallimisen edellytykset
☒ Ei sovellu


☐ Ei ole

☐ 
Vaatimustenmukaisuus

Vakuutamme yksinomaisella vastuullamme, että tämä tuote on seuraavien direktiivien mukainen: 93/68/EEC (merkintä) ja 2011/65/EU (RoHS) jota on muutettu direktiiveillä 2015/863 ja 2017/2102. Vakuutamme, että tuote on direktiivien olennaisten vaatimusten ja kaikkien muiden olennaisten määräysten mukainen perustuen tuloksiin testeistä, joissa on käytetty yhdenmukaistettuja standardeja mainittujen direktiivien mukaisesti.

Malliluettelo (luettelo kaikista tuoteversioista tai -malleista, joita tämä vakuutus koskee)

Malli	Kuvaus
1076D-G	1 RECESSED STEEL DOOR/DPDT, GRAY
1076D-N	1 RECESSED STEEL DOOR/DPDT, WHITE
1078CT-N	3/4 DIA. RECESSED TERMINAL SWITCH STEEL DOOR/CLOSED LOOP, WHITE
1078-G	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, GRAY
1078-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, WHITE
1078W-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP/WIDE GAP, WHITE
1087T-N	SURFACE TERMINAL/SPDT, WHITE
3012-N	RECESSED CLIP MOUNT PLUNGER

Edustajan/valmistajan allekirjoitus:


Wojciech Pastuszak, vaatimustenmukaisuusjohtaja
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Alankomaat

Paikka: Gdańsk, Puola


Päivämäärä: 13 August 2026

Sivu 22/60

Asiak. nro: 01.109d

AB451	STROBE AMBER/AS-395
AB570	METAL INNER COVER
AB611	BEACON LENS PC COVER, AMBER
AB612	BEACON LENS FOR PC COVER, BLUE
AB613	BEACON LENS FOR PC COVER, RED
AB630	BEACON LENS INOX CIVER TRANPERANT
AC1300FEPP	AIMANT PORTE PASTIL
AC9700MAGN	MAGNET SPACER IM9700 LEGRANDE
AC9700REED	REED SPACER IM9700 LEGRANDE
AMGR2-10	(10 PACK) ANTI-MASK GRADE 2 EASY WIRING
AS250	INDOOR SPEAKER
AS390TAMPER	TAMPER ASSEMBLY
AS600S19	RED COVER / AMBER LENS
AS610DUM	OUTDOOR SIRENE DUMMY
BC4007BC1	JUNCTION BOX OVP 000012-02
BC4010BC1	JUNCTION BOX OVP 000012-03
CH9001GR1	SHOCK B/T M00105-01
DC101	STANDARD GAP SURF. 4 WIRES
DC101B	ARITECH,MAC,SURFACE MOUNT,8" SUPERVISED LOOP WIRE WITH SPECIAL PACKAGING
DC101-D	ARITECH,SURFACE MOUNT,WIRE LEADS,SPVD,VDS
DC101R4.7	DC101,W/2,4.7K,RES,IN,SER & PAR,SFT,SPVD
DC101S60	DC101 WITH 6 METER CABLE
DC102	DC102 ARITECH (FORMERLY 1085T-N4)
DC102B	ARITECH,MAC,SURFACE MOUNT,BROWN
DC102R4.7	CONTACT WITH 4.7K RES (WHITE)
DC104	BIASED HIGH SEC. SCREWS
DC105	COMBINATION FLUSH-SURF. MNT.
DC105S8	DC105 NEW VERSION, CONTACT
DC106	STANDARD GAP FLUSH
DC106R4.7	1072 ARITECH DC106 W/TWO 4.7K RES'S, 1/SER, 1/PAR8FT VDS SPV LP SPL PKG
DC106S9	DC106 WITH 3M FLYING LEEDS
DC107	LONG GAP FLUSH
DC107R4.7	1078C ARITECH DC107 W/TWO 4.7K RES'S, 1/SER,1PAR 8FT VDS SPV LP, SPC PKG
DC107S60	CONTACT WITH 6 METER VDS CABLE
DC108	OVERHEAD DOORCONTACT
DC108R4.7	2202A ARITECH W/4.7K RES SER, 8FT ARM CBL, SUP LOOP
DC109	INDUSTRIAL DOOR CONTACT
DC113	PLUNGER SWITCH F.VERTICAL MOU
DC114	ADJUSTABLE PLUNGER SWITCH
DC116	SURFACE MOUNT CONTACT
DC118	OVERHEAD CONTACT 4 WIRE
DC120	CONTACT DC120 1125W-N1
DC120S60	1125W N1 ARITECH W/6 METERS(20FT)VDS CBL
DC121	CONTACT
DC121S60	CONTACT 6 METERS VdS CABLE
DC123	1087T N6 ARITECH DC123
DC124	CONTACT
DC127	CONTACT
DC134	CONTACT
DC137	CONTACT
DC140	OVERHEAD DOORCONTACT
DC141	CONTACT
DC142	CONTACT
DC1901	HOUSING DC101


Edustajan/valmistajan allekirjoitus:



Wojciech Pastuszek, vaatimustenmukaisuusjohtaja
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Alankomaat

DC1906	(1 PLATE = QTY 1) SPACER FOR DC101/103 WHITE
DC1906B	SPACER FOR DC101/103 BROWN
DC1906T	(1 PLATE = QTY 1) SPACER FOR DC103/104 WHITE
DC1912	L BRACKET
DC193	L BRACKET FOR DC102
DC501	1005 ARITECH DC501 W/2 METERS (7FT) VDS SPV LP SPL PKG NAT
DC555	DC555 W/6FT VDS CBL, SPVD LOOP
DC888	1078CW WITH 6FT VDS CBL SPVD
ES007	JUNCTION BOX OVP 000012-02
ES010	JUNCTION BOX, WHITE, 8+2 TERMINALS
ES070W	8-WAY JUNC.BOX REED TAMP BEIGE
ES071W	16WAY JUNC BOX REED TAMP BEIGE
IM1340FENF02BC	MAG CT PL FL 2
IM1340TINF02BC	MAG CT PL FL 4 W 000016-01
IM1340TINF05BC	MAG CT PL FL 4 W 000016-01
IM1440FENF02BC	MAG CT PL SF 4 W 000013-01
IM1440FENF05BC	MAG CT PL SF 4 W 000013-01
IM1640PAG	MAG CT PLAS SF C/W CBL
IM1640PAG01JB	SURFACE MNT CONTACT 1M AMOURED CABLE INCL JUNCT BOX
IM1640PSG	MAG CT PLAS SF W/O CBL
IM1740FENF*81	MAG CT MT HD 4 W 000024-01
IM1820TINF*8	MAG CT PL SF 2 W SINGLE
IM1920TINF*8	MAG CT PL SF 2 W DOUBLE
IM9700FENFBB	M.C. IM9700 A VIS. FERRILE
IM9700MAGNL	MAG CONT SCR TERM MAGN LEGRANDE
IM9700REEDL	MAG CONT SCR TERM REED LEGRANDE
MBC390	PC BOARD ASSY
MM201	SURF. MNT CONT. NFA2P
MM340	CONTACT
MM440	CONTACT
MM740	CONTACT
R1125-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125T-N	MULTIPLES OF 10 ONLY, CONTACT 3/8 DIA. RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125TW-N	3/8 DIA RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
R1125W-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
SB01	SWIVEL BRACKET/WALL MOUNT (USED WITH AP750, AP475, AP950AM)
SB02	SWIVEL BRACKET/WALL MOUNT (USED WITH EV100 DD100)
SC2202SAAAB01	MAG CT MT 4 W

Edustajan/valmistajan allekirjoitus:



Wojciech Pastuszek, vaatimustenmukaisuusjohtaja
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Alankomaat

FR



DÉCLARATION DE CONFORMITÉ DU FABRICANT

POUR

Identification du produit :

Modèle/type : Voir la liste des modèles Année initiale en regard du symbole CE : 2019

Catégorie (description) : Magnetic contacts/ housings

Marque : Aritech

Fabricant : KGS Fire & Security B.V.
Kelvinstraat 7
6003 DH Weert
The Netherlands
Phone: 31-495-583000
Fax: 31-495-583085

Mandataire dans l'UE : -

Concernant	Un échantillon du produit a été testé par	Référence du rapport de test	Normes appliquées
RoHS	Manufacturer	RoHS_(2011_65_EU+2015_863)_07 RoHS_(2011_65_EU+2015_863)_DoC_1087T-N_DC140 RoHS_(2011_65_EU+2015_863)_DoC_IM1820TINF_8 RoHS_(2011_65_EU+2015_863)_DoC_other RoHS_(2011_65_EU+2015_863)_08	EN IEC 63000:2018

Restrictions de mise en service/exigences avant autorisation d'usage
☒ Non applicable

☐ Aucune


Mesures de conformité

Nous déclarons sous notre seule responsabilité que ce produit est conforme aux directives 93/68/EEC (Marquage) et 2011/65/EU (RoHS), modifiée par les directives 2015/863 et 2017/2102, et est conforme aux exigences essentielles et autres dispositions pertinentes des directives en fonction des résultats de test obtenus à l'aide de normes harmonisées, conformément aux directives concernées.

Liste des modèles (liste de tous les modèles/versions de produits auxquels cette déclaration s'applique)

Modèle	Description
1076D-G	1 RECESSED STEEL DOOR/DPDT, GRAY
1076D-N	1 RECESSED STEEL DOOR/DPDT, WHITE
1078CT-N	3/4 DIA. RECESSED TERMINAL SWITCH STEEL DOOR/CLOSED LOOP, WHITE
1078-G	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, GRAY
1078-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, WHITE
1078W-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP/WIDE GAP, WHITE
1087T-N	SURFACE TERMINAL/SPDT, WHITE
3012-N	RECESSED CLIP MOUNT PLUNGER

Signature du représentant/fabricant :



Wojciech Pastuszak, Chargé de la conformité
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Pays-Bas

Lieu : Gdańsk, Pologne


Date : 13 August 2026

Page 25 sur 60

Doc. n° : 01.109d

AB451	STROBE AMBER/AS-395
AB570	METAL INNER COVER
AB611	BEACON LENS PC COVER, AMBER
AB612	BEACON LENS FOR PC COVER, BLUE
AB613	BEACON LENS FOR PC COVER, RED
AB630	BEACON LENS INOX CIVER TRANPERANT
AC1300FEPP	AIMANT PORTE PASTIL
AC9700MAGN	MAGNET SPACER IM9700 LEGRANDE
AC9700REED	REED SPACER IM9700 LEGRANDE
AMGR2-10	(10 PACK) ANTI-MASK GRADE 2 EASY WIRING
AS250	INDOOR SPEAKER
AS390TAMPER	TAMPER ASSEMBLY
AS600S19	RED COVER / AMBER LENS
AS610DUM	OUTDOOR SIRENE DUMMY
BC4007BC1	JUNCTION BOX OVP 000012-02
BC4010BC1	JUNCTION BOX OVP 000012-03
CH9001GR1	SHOCK B/T M00105-01
DC101	STANDARD GAP SURF. 4 WIRES
DC101B	ARITECH,MAC,SURFACE MOUNT,8" SUPERVISED LOOP WIRE WITH SPECIAL PACKAGING
DC101-D	ARITECH,SURFACE MOUNT,WIRE LEADS,SPVD,VDS
DC101R4.7	DC101,W/2,4.7K,RES,IN,SER & PAR,SFT,SPVD
DC101S60	DC101 WITH 6 METER CABLE
DC102	DC102 ARITECH (FORMERLY 1085T-N4)
DC102B	ARITECH,MAC,SURFACE MOUNT,BROWN
DC102R4.7	CONTACT WITH 4.7K RES (WHITE)
DC104	BIASED HIGH SEC. SCREWS
DC105	COMBINATION FLUSH-SURF. MNT.
DC105S8	DC105 NEW VERSION, CONTACT
DC106	STANDARD GAP FLUSH
DC106R4.7	1072 ARITECH DC106 W/TWO 4.7K RES'S, 1/SER, 1/PAR8FT VDS SPV LP SPL PKG
DC106S9	DC106 WITH 3M FLYING LEEDS
DC107	LONG GAP FLUSH
DC107R4.7	1078C ARITECH DC107 W/TWO 4.7K RES'S, 1/SER,1PAR 8FT VDS SPV LP, SPC PKG
DC107S60	CONTACT WITH 6 METER VDS CABLE
DC108	OVERHEAD DOORCONTACT
DC108R4.7	2202A ARITECH W/4.7K RES SER, 8FT ARM CBL, SUP LOOP
DC109	INDUSTRIAL DOOR CONTACT
DC113	PLUNGER SWITCH F.VERTICAL MOU
DC114	ADJUSTABLE PLUNGER SWITCH
DC116	SURFACE MOUNT CONTACT
DC118	OVERHEAD CONTACT 4 WIRE
DC120	CONTACT DC120 1125W-N1
DC120S60	1125W N1 ARITECH W/6 METERS(20FT)VDS CBL
DC121	CONTACT
DC121S60	CONTACT 6 METERS VdS CABLE
DC123	1087T N6 ARITECH DC123
DC124	CONTACT
DC127	CONTACT
DC134	CONTACT
DC137	CONTACT
DC140	OVERHEAD DOORCONTACT
DC141	CONTACT
DC142	CONTACT
DC1901	HOUSING DC101


Signature du représentant/fabricant :



Wojciech Pastuszek, Chargé de la conformité
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Pays-Bas

DC1906	(1 PLATE = QTY 1) SPACER FOR DC101/103 WHITE
DC1906B	SPACER FOR DC101/103 BROWN
DC1906T	(1 PLATE = QTY 1) SPACER FOR DC103/104 WHITE
DC1912	L BRACKET
DC193	L BRACKET FOR DC102
DC501	1005 ARITECH DC501 W/2 METERS (7FT) VDS SPV LP SPL PKG NAT
DC555	DC555 W/6FT VDS CBL, SPVD LOOP
DC888	1078CW WITH 6FT VDS CBL SPVD
ES007	JUNCTION BOX OVP 000012-02
ES010	JUNCTION BOX, WHITE, 8+2 TERMINALS
ES070W	8-WAY JUNC.BOX REED TAMP BEIGE
ES071W	16WAY JUNC BOX REED TAMP BEIGE
IM1340FENF02BC	MAG CT PL FL 2
IM1340TINF02BC	MAG CT PL FL 4 W 000016-01
IM1340TINF05BC	MAG CT PL FL 4 W 000016-01
IM1440FENF02BC	MAG CT PL SF 4 W 000013-01
IM1440FENF05BC	MAG CT PL SF 4 W 000013-01
IM1640PAG	MAG CT PLAS SF C/W CBL
IM1640PAG01JB	SURFACE MNT CONTACT 1M AMOURED CABLE INCL JUNCT BOX
IM1640PSG	MAG CT PLAS SF W/O CBL
IM1740FENF*81	MAG CT MT HD 4 W 000024-01
IM1820TINF*8	MAG CT PL SF 2 W SINGLE
IM1920TINF*8	MAG CT PL SF 2 W DOUBLE
IM9700FENFBB	M.C. IM9700 A VIS. FERRILE
IM9700MAGNL	MAG CONT SCR TERM MAGN LEGRANDE
IM9700REEDL	MAG CONT SCR TERM REED LEGRANDE
MBC390	PC BOARD ASSY
MM201	SURF. MNT CONT. NFA2P
MM340	CONTACT
MM440	CONTACT
MM740	CONTACT
R1125-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125T-N	MULTIPLES OF 10 ONLY, CONTACT 3/8 DIA. RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125TW-N	3/8 DIA RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
R1125W-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
SB01	SWIVEL BRACKET/WALL MOUNT (USED WITH AP750, AP475, AP950AM)
SB02	SWIVEL BRACKET/WALL MOUNT (USED WITH EV100 DD100)
SC2202SAAAB01	MAG CT MT 4 W

Signature du représentant/fabricant :



Wojciech Pastuszek, Chargé de la conformité
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Pays-Bas

HR

CE IZJAVA O SUKLADNOSTI PROIZVOĐAČA

ZA

Identifikacija proizvoda:

Model/tip: Pogledajte popis modela Početna godina postavljanja CE oznake: 2019
 Kategorija (opis): Magnetic contacts/ housings
 Marka: Aritech

Proizvođač: KGS Fire & Security B.V.
 Kelvinstraat 7
 6003 DH Weert
 The Netherlands
 Phone: 31-495-583000
 Fax: 31-495-583085

Ovlašteni zastupnik u EU: -

Odnosi se na	Uzorak proizvoda testirao je	Izvešće o ispitivanju	Primijenjeni standardi
RoHS	Manufacturer	RoHS_(2011_65_EU+2015_863)_07 RoHS_(2011_65_EU+2015_863)_DoC_1087T-N_DC140 RoHS_(2011_65_EU+2015_863)_DoC_IM1820TINF_8 RoHS_(2011_65_EU+2015_863)_DoC_other RoHS_(2011_65_EU+2015_863)_08	EN IEC 63000:2018

Ograničenja stavljanja u uporabu / zahtjevi za odobrenje uporabe

☒ Nije primjenjivo ☐ Nema ograničenja ☐ 


Sredstva sukladnosti

Izjavljujemo na vlastitu odgovornost da je ovaj proizvod u skladu s direktivama: 93/68/EEZ (označavanje) i 2011/65/EU (Direktiva za ograničavanje upotrebe određenih opasnih supstanci, RoHS), koja je izmijenjena direktivama 2015/863 i 2017/2102, te je u skladu s osnovnim zahtjevima i svim ostalim relevantnim odredbama ovih direktiva na temelju rezultata ispitivanja koristeći usklađene standarde, a u skladu s navedenim direktivama.

Popis modela (popis svih inačica ili modela proizvoda za koje vrijedi ova izjava)

Model	Opis
1076D-G	1 RECESSED STEEL DOOR/DPDT, GRAY
1076D-N	1 RECESSED STEEL DOOR/DPDT, WHITE
1078CT-N	3/4 DIA. RECESSED TERMINAL SWITCH STEEL DOOR/CLOSED LOOP, WHITE
1078-G	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, GRAY
1078-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, WHITE
1078W-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP/WIDE GAP, WHITE
1087T-N	SURFACE TERMINAL/SPDT, WHITE
3012-N	RECESSED CLIP MOUNT PLUNGER
AB451	STROBE AMBER/AS-395

Potpis predstavnika / proizvođača:



Wojciech Pastuszek, voditelj Odjela za usklađenost
 KGS Fire & Security B.V.
 Kelvinstraat 7, 6003 DH Weert,
 Nizozemska


Mjesto: Gdanjsk, Poljska
 Datum: 13 August 2026

Stranica 28 od 60

Br. dokumenta: 01.109d

AB570	METAL INNER COVER
AB611	BEACON LENS PC COVER, AMBER
AB612	BEACON LENS FOR PC COVER, BLUE
AB613	BEACON LENS FOR PC COVER, RED
AB630	BEACON LENS INOX CIVER TRANPERANT
AC1300FEPP	AIMANT PORTE PASTIL
AC9700MAGN	MAGNET SPACER IM9700 LEGRANDE
AC9700REED	REED SPACER IM9700 LEGRANDE
AMGR2-10	(10 PACK) ANTI-MASK GRADE 2 EASY WIRING
AS250	INDOOR SPEAKER
AS390TAMPER	TAMPER ASSEMBLY
AS600S19	RED COVER / AMBER LENS
AS610DUM	OUTDOOR SIRENE DUMMY
BC4007BC1	JUNCTION BOX OVP 000012-02
BC4010BC1	JUNCTION BOX OVP 000012-03
CH9001GR1	SHOCK B/T M00105-01
DC101	STANDARD GAP SURF. 4 WIRES
DC101B	ARITECH,MAC,SURFACE MOUNT,8" SUPERVISED LOOP WIRE WITH SPECIAL PACKAGING
DC101-D	ARITECH,SURFACE MOUNT,WIRE LEADS,SPVD,VDS
DC101R4.7	DC101,W/2,4.7K,RES,IN,SER & PAR,SFT,SPVD
DC101S60	DC101 WITH 6 METER CABLE
DC102	DC102 ARITECH (FORMERLY 1085T-N4)
DC102B	ARITECH,MAC,SURFACE MOUNT,BROWN
DC102R4.7	CONTACT WITH 4.7K RES (WHITE)
DC104	BIASED HIGH SEC. SCREWS
DC105	COMBINATION FLUSH-SURF. MNT.
DC105S8	DC105 NEW VERSION, CONTACT
DC106	STANDARD GAP FLUSH
DC106R4.7	1072 ARITECH DC106 W/TWO 4.7K RES'S, 1/SER, 1/PAR8FT VDS SPV LP SPL PKG
DC106S9	DC106 WITH 3M FLYING LEEDS
DC107	LONG GAP FLUSH
DC107R4.7	1078C ARITECH DC107 W/TWO 4.7K RES'S, 1/SER,1PAR 8FT VDS SPV LP, SPC PKG
DC107S60	CONTACT WITH 6 METER VDS CABLE
DC108	OVERHEAD DOORCONTACT
DC108R4.7	2202A ARITECH W/4.7K RES SER, 8FT ARM CBL, SUP LOOP
DC109	INDUSTRIAL DOOR CONTACT
DC113	PLUNGER SWITCH F.VERTICAL MOU
DC114	ADJUSTABLE PLUNGER SWITCH
DC116	SURFACE MOUNT CONTACT
DC118	OVERHEAD CONTACT 4 WIRE
DC120	CONTACT DC120 1125W-N1
DC120S60	1125W N1 ARITECH W/6 METERS(20FT)VDS CBL
DC121	CONTACT
DC121S60	CONTACT 6 METERS VdS CABLE
DC123	1087T N6 ARITECH DC123
DC124	CONTACT
DC127	CONTACT
DC134	CONTACT
DC137	CONTACT
DC140	OVERHEAD DOORCONTACT
DC141	CONTACT
DC142	CONTACT
DC1901	HOUSING DC101
DC1906	(1 PLATE = QTY 1) SPACER FOR DC101/103 WHITE


Potpis predstavnika / proizvođača:



Wojciech Pastuszak, voditelj Odjela za usklađenost
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Nizozemska

DC1906B	SPACER FOR DC101/103 BROWN
DC1906T	(1 PLATE = QTY 1) SPACER FOR DC103/104 WHITE
DC1912	L BRACKET
DC193	L BRACKET FOR DC102
DC501	1005 ARITECH DC501 W/2 METERS (7FT) VDS SPV LP SPL PKG NAT
DC555	DC555 W/6FT VDS CBL, SPVD LOOP
DC888	1078CW WITH 6FT VDS CBL SPVD
ES007	JUNCTION BOX OVP 000012-02
ES010	JUNCTION BOX, WHITE, 8+2 TERMINALS
ES070W	8-WAY JUNC.BOX REED TAMP BEIGE
ES071W	16WAY JUNC BOX REED TAMP BEIGE
IM1340FENF02BC	MAG CT PL FL 2
IM1340TINF02BC	MAG CT PL FL 4 W 000016-01
IM1340TINF05BC	MAG CT PL FL 4 W 000016-01
IM1440FENF02BC	MAG CT PL SF 4 W 000013-01
IM1440FENF05BC	MAG CT PL SF 4 W 000013-01
IM1640PAG	MAG CT PLAS SF C/W CBL
IM1640PAG01JB	SURFACE MNT CONTACT 1M AMOURED CABLE INCL JUNCT BOX
IM1640PSG	MAG CT PLAS SF W/O CBL
IM1740FENF*81	MAG CT MT HD 4 W 000024-01
IM1820TINF*8	MAG CT PL SF 2 W SINGLE
IM1920TINF*8	MAG CT PL SF 2 W DOUBLE
IM9700FENFBB	M.C. IM9700 A VIS. FERRILE
IM9700MAGNL	MAG CONT SCR TERM MAGN LEGRANDE
IM9700REEDL	MAG CONT SCR TERM REED LEGRANDE
MBC390	PC BOARD ASSY
MM201	SURF. MNT CONT. NFA2P
MM340	CONTACT
MM440	CONTACT
MM740	CONTACT
R1125-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125T-N	MULTIPLES OF 10 ONLY, CONTACT 3/8 DIA. RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125TW-N	3/8 DIA RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
R1125W-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
SB01	SWIVEL BRACKET/WALL MOUNT (USED WITH AP750, AP475, AP950AM)
SB02	SWIVEL BRACKET/WALL MOUNT (USED WITH EV100 DD100)
SC2202SAAAB01	MAG CT MT 4 W

Potpis predstavnika / proizvođača:



Wojciech Pastuszek, voditelj Odjela za usklađenost
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Nizozemska

HU



A GYÁRTÓ MEGFELELŐSÉGI NYILATKOZATA

AZ ALÁBBIAKRA VONATKOZÓAN

Termékazonosító:

Modell/típus: Lásd: modellek felsorolása

A CE-jelölés elhelyezésének első éve: 2019

Kategória (leírás): Magnetic contacts/ housings

Márka: Aritech

Gyártó:

KGS Fire & Security B.V.

Kelvinstraat 7

6003 DH Weert

The Netherlands

Phone: 31-495-583000

Fax: 31-495-583085

Meghatalmazott

képviselő az EU -ban: -

Irányelv	Termékminta tesztelését végezte	Vizsgálati jelentés hivatkozása	Alkalmazott szabványok
RoHS	Manufacturer	RoHS_(2011_65_EU+2015_863)_07 RoHS_(2011_65_EU+2015_863)_DoC_1087T-N_DC140 RoHS_(2011_65_EU+2015_863)_DoC_IM1820TINF_8 RoHS_(2011_65_EU+2015_863)_DoC_other RoHS_(2011_65_EU+2015_863)_08	EN IEC 63000:2018


Üzembe helyezési korlátozások/használatbavételi engedélyre vonatkozó követelmények☒ Nem alkalmazható☐ Egyik sem**A megfelelőség módjai**

Kizárólagos felelősségünk tudatában kijelentjük, hogy a termék megfelel az alábbi irányelveknek: 93/68/EGK (jelölés) továbbá a 2015/863 és 2017/2102 rendelet által módosított 2011/65/EU (RoHS), és megfelel az alapvető követelményeknek és az irányelvek minden más vonatkozó rendelkezésének az említett irányelvekkel összhangban lévő harmonizált szabványok felhasználásával végzett vizsgálatok eredményei alapján.

Modellek felsorolása (Azon termékváltozatok vagy modellek listája, amelyekre ez a nyilatkozat érvényes)

Modell	Leírás
1076D-G	1 RECESSED STEEL DOOR/DPDT, GRAY
1076D-N	1 RECESSED STEEL DOOR/DPDT, WHITE
1078CT-N	3/4 DIA. RECESSED TERMINAL SWITCH STEEL DOOR/CLOSED LOOP, WHITE
1078-G	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, GRAY
1078-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, WHITE
1078W-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP/WIDE GAP, WHITE
1087T-N	SURFACE TERMINAL/SPDT, WHITE
3012-N	RECESSED CLIP MOUNT PLUNGER

A képviselő/gyártó aláírása:



Wojciech Pastuszak, megfelelőségi vezető

KGS Fire & Security B.V.

Kelvinstraat 7, 6003 DH Weert,

Hollandia

Hely: Gdańsk, Lengyelország


Dátum: 13 August 2026

31/60. oldal

Dokumentum száma: 01.109d

AB451	STROBE AMBER/AS-395
AB570	METAL INNER COVER
AB611	BEACON LENS PC COVER, AMBER
AB612	BEACON LENS FOR PC COVER, BLUE
AB613	BEACON LENS FOR PC COVER, RED
AB630	BEACON LENS INOX CIVER TRANPERANT
AC1300FEPP	AIMANT PORTE PASTIL
AC9700MAGN	MAGNET SPACER IM9700 LEGRANDE
AC9700REED	REED SPACER IM9700 LEGRANDE
AMGR2-10	(10 PACK) ANTI-MASK GRADE 2 EASY WIRING
AS250	INDOOR SPEAKER
AS390TAMPER	TAMPER ASSEMBLY
AS600S19	RED COVER / AMBER LENS
AS610DUM	OUTDOOR SIRENE DUMMY
BC4007BC1	JUNCTION BOX OVP 000012-02
BC4010BC1	JUNCTION BOX OVP 000012-03
CH9001GR1	SHOCK B/T M00105-01
DC101	STANDARD GAP SURF. 4 WIRES
DC101B	ARITECH,MAC,SURFACE MOUNT,8" SUPERVISED LOOP WIRE WITH SPECIAL PACKAGING
DC101-D	ARITECH,SURFACE MOUNT,WIRE LEADS,SPVD,VDS
DC101R4.7	DC101,W/2,4.7K,RES,IN,SER & PAR,SFT,SPVD
DC101S60	DC101 WITH 6 METER CABLE
DC102	DC102 ARITECH (FORMERLY 1085T-N4)
DC102B	ARITECH,MAC,SURFACE MOUNT,BROWN
DC102R4.7	CONTACT WITH 4.7K RES (WHITE)
DC104	BIASED HIGH SEC. SCREWS
DC105	COMBINATION FLUSH-SURF. MNT.
DC105S8	DC105 NEW VERSION, CONTACT
DC106	STANDARD GAP FLUSH
DC106R4.7	1072 ARITECH DC106 W/TWO 4.7K RES'S, 1/SER, 1/PAR8FT VDS SPV LP SPL PKG
DC106S9	DC106 WITH 3M FLYING LEEDS
DC107	LONG GAP FLUSH
DC107R4.7	1078C ARITECH DC107 W/TWO 4.7K RES'S, 1/SER,1PAR 8FT VDS SPV LP, SPC PKG
DC107S60	CONTACT WITH 6 METER VDS CABLE
DC108	OVERHEAD DOORCONTACT
DC108R4.7	2202A ARITECH W/4.7K RES SER, 8FT ARM CBL, SUP LOOP
DC109	INDUSTRIAL DOOR CONTACT
DC113	PLUNGER SWITCH F.VERTICAL MOU
DC114	ADJUSTABLE PLUNGER SWITCH
DC116	SURFACE MOUNT CONTACT
DC118	OVERHEAD CONTACT 4 WIRE
DC120	CONTACT DC120 1125W-N1
DC120S60	1125W N1 ARITECH W/6 METERS(20FT)VDS CBL
DC121	CONTACT
DC121S60	CONTACT 6 METERS VdS CABLE
DC123	1087T N6 ARITECH DC123
DC124	CONTACT
DC127	CONTACT
DC134	CONTACT
DC137	CONTACT
DC140	OVERHEAD DOORCONTACT
DC141	CONTACT
DC142	CONTACT
DC1901	HOUSING DC101


A képviselő/gyártó aláírása:



Wojciech Pastuszek, megfelelőségi vezető
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Hollandia

DC1906	(1 PLATE = QTY 1) SPACER FOR DC101/103 WHITE
DC1906B	SPACER FOR DC101/103 BROWN
DC1906T	(1 PLATE = QTY 1) SPACER FOR DC103/104 WHITE
DC1912	L BRACKET
DC193	L BRACKET FOR DC102
DC501	1005 ARITECH DC501 W/2 METERS (7FT) VDS SPV LP SPL PKG NAT
DC555	DC555 W/6FT VDS CBL, SPVD LOOP
DC888	1078CW WITH 6FT VDS CBL SPVD
ES007	JUNCTION BOX OVP 000012-02
ES010	JUNCTION BOX, WHITE, 8+2 TERMINALS
ES070W	8-WAY JUNC.BOX REED TAMP BEIGE
ES071W	16WAY JUNC BOX REED TAMP BEIGE
IM1340FENF02BC	MAG CT PL FL 2
IM1340TINF02BC	MAG CT PL FL 4 W 000016-01
IM1340TINF05BC	MAG CT PL FL 4 W 000016-01
IM1440FENF02BC	MAG CT PL SF 4 W 000013-01
IM1440FENF05BC	MAG CT PL SF 4 W 000013-01
IM1640PAG	MAG CT PLAS SF C/W CBL
IM1640PAG01JB	SURFACE MNT CONTACT 1M AMOURED CABLE INCL JUNCT BOX
IM1640PSG	MAG CT PLAS SF W/O CBL
IM1740FENF*81	MAG CT MT HD 4 W 000024-01
IM1820TINF*8	MAG CT PL SF 2 W SINGLE
IM1920TINF*8	MAG CT PL SF 2 W DOUBLE
IM9700FENFBB	M.C. IM9700 A VIS. FERRILE
IM9700MAGNL	MAG CONT SCR TERM MAGN LEGRANDE
IM9700REEDL	MAG CONT SCR TERM REED LEGRANDE
MBC390	PC BOARD ASSY
MM201	SURF. MNT CONT. NFA2P
MM340	CONTACT
MM440	CONTACT
MM740	CONTACT
R1125-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125T-N	MULTIPLES OF 10 ONLY, CONTACT 3/8 DIA. RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125TW-N	3/8 DIA RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
R1125W-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
SB01	SWIVEL BRACKET/WALL MOUNT (USED WITH AP750, AP475, AP950AM)
SB02	SWIVEL BRACKET/WALL MOUNT (USED WITH EV100 DD100)
SC2202SAAAB01	MAG CT MT 4 W

A képviselő/gyártó aláírása:



Wojciech Pastuszek, megfelelőségi vezető
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Hollandia

IT



DICHIARAZIONE DI CONFORMITÀ DEL PRODUTTORE

PER

**Identificazione del
prodotto:**

Modello/tipo: Fare riferimento all'elenco dei modelli

Anno iniziale di applicazione del 2019
marchio CE:

Categoria (descrizione): Magnetic contacts/ housings

Marca: Aritech

Fabbricante: KGS Fire & Security B.V.
Kelvinstraat 7
6003 DH Weert
The Netherlands
Phone: 31-495-583000
Fax: 31-495-583085

**Rappresentante
autorizzato in UE:**

-

Relativo a	Un campione del prodotto è stato testato da	Riferimento report di test	Standard applicati
RoHS	Manufacturer	RoHS_(2011_65_EU+2015_863)_07 RoHS_(2011_65_EU+2015_863)_DoC_1087T-N_DC140 RoHS_(2011_65_EU+2015_863)_DoC_IM1820TINF_8 RoHS_(2011_65_EU+2015_863)_DoC_other RoHS_(2011_65_EU+2015_863)_08	EN IEC 63000:2018

Restrizioni sulla messa in servizio/requisiti per l'autorizzazione all'uso
☒ Non applicabile

☐ Nessuna.

Conformità


Il produttore dichiara, sotto la propria responsabilità, che questo prodotto è conforme alle Direttive: 93/68/EEC (marchio) e 2011/65/EU (RoHS), modificata da 2015/863 e 2017/2102 ed è conforme ai requisiti essenziali e a tutte le altre relative disposizioni delle Direttive in base ai risultati del test che utilizzano standard armonizzati in conformità con le Direttive citate.

Elenco di modelli (elenco di tutte le varianti di prodotto o modelli per cui questa dichiarazione è valida)

Modello	Descrizione
1076D-G	1 RECESSED STEEL DOOR/DPDT, GRAY
1076D-N	1 RECESSED STEEL DOOR/DPDT, WHITE
1078CT-N	3/4 DIA. RECESSED TERMINAL SWITCH STEEL DOOR/CLOSED LOOP, WHITE
1078-G	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, GRAY
1078-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, WHITE
1078W-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP/WIDE GAP, WHITE
1087T-N	SURFACE TERMINAL/SPDT, WHITE


Firma del rappresentante/produttore:

Wojciech Pastuszak, Compliance Team Leader
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Paesi Bassi


Luogo: Danzica, Polonia
Data: 13 August 2026

3012-N	RECESSED CLIP MOUNT PLUNGER
AB451	STROBE AMBER/AS-395
AB570	METAL INNER COVER
AB611	BEACON LENS PC COVER, AMBER
AB612	BEACON LENS FOR PC COVER, BLUE
AB613	BEACON LENS FOR PC COVER, RED
AB630	BEACON LENS INOX CIVER TRANPERANT
AC1300FEPP	AIMANT PORTE PASTIL
AC9700MAGN	MAGNET SPACER IM9700 LEGRANDE
AC9700REED	REED SPACER IM9700 LEGRANDE
AMGR2-10	(10 PACK) ANTI-MASK GRADE 2 EASY WIRING
AS250	INDOOR SPEAKER
AS390TAMPER	TAMPER ASSEMBLY
AS600S19	RED COVER / AMBER LENS
AS610DUM	OUTDOOR SIRENE DUMMY
BC4007BC1	JUNCTION BOX OVP 000012-02
BC4010BC1	JUNCTION BOX OVP 000012-03
CH9001GR1	SHOCK B/T M00105-01
DC101	STANDARD GAP SURF. 4 WIRES
DC101B	ARITECH,MAC,SURFACE MOUNT,8" SUPERVISED LOOP WIRE WITH SPECIAL PACKAGING
DC101-D	ARITECH,SURFACE MOUNT,WIRE LEADS,SPVD,VDS
DC101R4.7	DC101,W/2,4.7K,RES,IN,SER & PAR,SFT,SPVD
DC101S60	DC101 WITH 6 METER CABLE
DC102	DC102 ARITECH (FORMERLY 1085T-N4)
DC102B	ARITECH,MAC,SURFACE MOUNT,BROWN
DC102R4.7	CONTACT WITH 4.7K RES (WHITE)
DC104	BIASED HIGH SEC. SCREWS
DC105	COMBINATION FLUSH-SURF. MNT.
DC105S8	DC105 NEW VERSION, CONTACT
DC106	STANDARD GAP FLUSH
DC106R4.7	1072 ARITECH DC106 W/TWO 4.7K RES'S, 1/SER, 1/PAR8FT VDS SPV LP SPL PKG
DC106S9	DC106 WITH 3M FLYING LEEDS
DC107	LONG GAP FLUSH
DC107R4.7	1078C ARITECH DC107 W/TWO 4.7K RES'S, 1/SER,1PAR 8FT VDS SPV LP, SPC PKG
DC107S60	CONTACT WITH 6 METER VDS CABLE
DC108	OVERHEAD DOORCONTACT
DC108R4.7	2202A ARITECH W/4.7K RES SER, 8FT ARM CBL, SUP LOOP
DC109	INDUSTRIAL DOOR CONTACT
DC113	PLUNGER SWITCH F.VERTICAL MOU
DC114	ADJUSTABLE PLUNGER SWITCH
DC116	SURFACE MOUNT CONTACT
DC118	OVERHEAD CONTACT 4 WIRE
DC120	CONTACT DC120 1125W-N1
DC120S60	1125W N1 ARITECH W/6 METERS(20FT)VDS CBL
DC121	CONTACT
DC121S60	CONTACT 6 METERS VdS CABLE
DC123	1087T N6 ARITECH DC123
DC124	CONTACT
DC127	CONTACT
DC134	CONTACT
DC137	CONTACT
DC140	OVERHEAD DOORCONTACT
DC141	CONTACT
DC142	CONTACT


Firma del rappresentante/produttore:



Wojciech Pastuszak, Compliance Team Leader
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Paesi Bassi

DC1901	HOUSING DC101
DC1906	(1 PLATE = QTY 1) SPACER FOR DC101/103 WHITE
DC1906B	SPACER FOR DC101/103 BROWN
DC1906T	(1 PLATE = QTY 1) SPACER FOR DC103/104 WHITE
DC1912	L BRACKET
DC193	L BRACKET FOR DC102
DC501	1005 ARITECH DC501 W/2 METERS (7FT) VDS SPV LP SPL PKG NAT
DC555	DC555 W/6FT VDS CBL, SPVD LOOP
DC888	1078CW WITH 6FT VDS CBL SPVD
ES007	JUNCTION BOX OVP 000012-02
ES010	JUNCTION BOX, WHITE, 8+2 TERMINALS
ES070W	8-WAY JUNC.BOX REED TAMP BEIGE
ES071W	16WAY JUNC BOX REED TAMP BEIGE
IM1340FENF02BC	MAG CT PL FL 2
IM1340TINF02BC	MAG CT PL FL 4 W 000016-01
IM1340TINF05BC	MAG CT PL FL 4 W 000016-01
IM1440FENF02BC	MAG CT PL SF 4 W 000013-01
IM1440FENF05BC	MAG CT PL SF 4 W 000013-01
IM1640PAG	MAG CT PLAS SF C/W CBL
IM1640PAG01JB	SURFACE MNT CONTACT 1M AMOURED CABLE INCL JUNCT BOX
IM1640PSG	MAG CT PLAS SF W/O CBL
IM1740FENF*81	MAG CT MT HD 4 W 000024-01
IM1820TINF*8	MAG CT PL SF 2 W SINGLE
IM1920TINF*8	MAG CT PL SF 2 W DOUBLE
IM9700FENFBB	M.C. IM9700 A VIS. FERRILE
IM9700MAGNL	MAG CONT SCR TERM MAGN LEGRANDE
IM9700REEDL	MAG CONT SCR TERM REED LEGRANDE
MBC390	PC BOARD ASSY
MM201	SURF. MNT CONT. NFA2P
MM340	CONTACT
MM440	CONTACT
MM740	CONTACT
R1125-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125T-N	MULTIPLES OF 10 ONLY, CONTACT 3/8 DIA. RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125TW-N	3/8 DIA RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
R1125W-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
SB01	SWIVEL BRACKET/WALL MOUNT (USED WITH AP750, AP475, AP950AM)
SB02	SWIVEL BRACKET/WALL MOUNT (USED WITH EV100 DD100)
SC2202SAAAB01	MAG CT MT 4 W

Firma del rappresentante/produttore:



Wojciech Pastuszek, Compliance Team Leader
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Paesi Bassi

LT



GAMINTOJO ATITIKTIES DEKLARACIJA

DĖL

Gaminio identifikavimas:

Modelis / tipas: Žr. modelių sąrašą

Pirmi metai ženklinant CE ženklą: 2019

Kategorija (apibūdinimas): Magnetic contacts/ housings

Prekės ženklas: Aritech

Gamintojas:

KGS Fire & Security B.V.
Kelvinstraat 7
6003 DH Weert
The Netherlands
Phone: 31-495-583000
Fax: 31-495-583085

Įgaliotasis atstovas ES: -

Dėl	Gaminio pavyzdį išbandė	Bandymo ataskaitos nuoroda	Taikomi standartai
RoHS	Manufacturer	RoHS_(2011_65_EU+2015_863)_07 RoHS_(2011_65_EU+2015_863)_DoC_1087T-N_DC140 RoHS_(2011_65_EU+2015_863)_DoC_IM1820TINF_8 RoHS_(2011_65_EU+2015_863)_DoC_other RoHS_(2011_65_EU+2015_863)_08	EN IEC 63000:2018

Eksploatacijos pradžios apribojimai / naudojimo leidimo reikalavimai

☒ Netaikoma☐ Nėra


Atitikties priemonės

Mes tik savo atsakomybe pareiškiame, kad šis gaminys atitinka direktyvas: 93/68/EEB (ženklinimas) ir 2011/65/ES (RoHS) su pakeitimais, padarytais 2015/863 ir 2017/2102, ir atitinka esminius reikalavimus ir visas kitas atitinkamas direktyvų nuostatas, pagrįstas bandymų rezultatais, naudojant suderintus standartus pagal minėtas direktyvas.

Modelių sąrašas (visų gaminių variantų ar modelių, kuriems galioja ši deklaracija, sąrašas)

Modelis	Apibūdinimas
1076D-G	1 RECESSED STEEL DOOR/DPDT, GRAY
1076D-N	1 RECESSED STEEL DOOR/DPDT, WHITE
1078CT-N	3/4 DIA. RECESSED TERMINAL SWITCH STEEL DOOR/CLOSED LOOP, WHITE
1078-G	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, GRAY
1078-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, WHITE
1078W-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP/WIDE GAP, WHITE
1087T-N	SURFACE TERMINAL/SPDT, WHITE
3012-N	RECESSED CLIP MOUNT PLUNGER
AB451	STROBE AMBER/AS-395
AB570	METAL INNER COVER
AB611	BEACON LENS PC COVER, AMBER

Atstovo / gamintojo parašas:



Wojciech Pastuszak, atitikties vadovas
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Nyderlandai

Vieta: Gdanskas, Lenkija


Data: 13 August 2026

37 p. iš 60

Dok. Nr.: 01.109d

AB612	BEACON LENS FOR PC COVER, BLUE
AB613	BEACON LENS FOR PC COVER, RED
AB630	BEACON LENS INOX CIVER TRANPERANT
AC1300FEPP	AIMANT PORTE PASTIL
AC9700MAGN	MAGNET SPACER IM9700 LEGRANDE
AC9700REED	REED SPACER IM9700 LEGRANDE
AMGR2-10	(10 PACK) ANTI-MASK GRADE 2 EASY WIRING
AS250	INDOOR SPEAKER
AS390TAMPER	TAMPER ASSEMBLY
AS600S19	RED COVER / AMBER LENS
AS610DUM	OUTDOOR SIRENE DUMMY
BC4007BC1	JUNCTION BOX OVP 000012-02
BC4010BC1	JUNCTION BOX OVP 000012-03
CH9001GR1	SHOCK B/T M00105-01
DC101	STANDARD GAP SURF. 4 WIRES
DC101B	ARITECH,MAC,SURFACE MOUNT,8" SUPERVISED LOOP WIRE WITH SPECIAL PACKAGING
DC101-D	ARITECH,SURFACE MOUNT,WIRE LEADS,SPVD,VDS
DC101R4.7	DC101,W/2,4.7K,RES,IN,SER & PAR,SFT,SPVD
DC101S60	DC101 WITH 6 METER CABLE
DC102	DC102 ARITECH (FORMERLY 1085T-N4)
DC102B	ARITECH,MAC,SURFACE MOUNT,BROWN
DC102R4.7	CONTACT WITH 4.7K RES (WHITE)
DC104	BIASED HIGH SEC. SCREWS
DC105	COMBINATION FLUSH-SURF. MNT.
DC105S8	DC105 NEW VERSION, CONTACT
DC106	STANDARD GAP FLUSH
DC106R4.7	1072 ARITECH DC106 W/TWO 4.7K RES'S, 1/SER, 1/PAR8FT VDS SPV LP SPL PKG
DC106S9	DC106 WITH 3M FLYING LEADS
DC107	LONG GAP FLUSH
DC107R4.7	1078C ARITECH DC107 W/TWO 4.7K RES'S, 1/SER,1PAR 8FT VDS SPV LP, SPC PKG
DC107S60	CONTACT WITH 6 METER VDS CABLE
DC108	OVERHEAD DOORCONTACT
DC108R4.7	2202A ARITECH W/4.7K RES SER, 8FT ARM CBL, SUP LOOP
DC109	INDUSTRIAL DOOR CONTACT
DC113	PLUNGER SWITCH F.VERTICAL MOU
DC114	ADJUSTABLE PLUNGER SWITCH
DC116	SURFACE MOUNT CONTACT
DC118	OVERHEAD CONTACT 4 WIRE
DC120	CONTACT DC120 1125W-N1
DC120S60	1125W N1 ARITECH W/6 METERS(20FT)VDS CBL
DC121	CONTACT
DC121S60	CONTACT 6 METERS VdS CABLE
DC123	1087T N6 ARITECH DC123
DC124	CONTACT
DC127	CONTACT
DC134	CONTACT
DC137	CONTACT
DC140	OVERHEAD DOORCONTACT
DC141	CONTACT
DC142	CONTACT
DC1901	HOUSING DC101
DC1906	(1 PLATE = QTY 1) SPACER FOR DC101/103 WHITE
DC1906B	SPACER FOR DC101/103 BROWN
DC1906T	(1 PLATE = QTY 1) SPACER FOR DC103/104 WHITE


Atstovo / gamintojo parašas:



Wojciech Pastuszek, atitikties vadovas
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Nyderlandai

DC1912	L BRACKET
DC193	L BRACKET FOR DC102
DC501	1005 ARITECH DC501 W/2 METERS (7FT) VDS SPV LP SPL PKG NAT
DC555	DC555 W/6FT VDS CBL, SPVD LOOP
DC888	1078CW WITH 6FT VDS CBL SPVD
ES007	JUNCTION BOX OVP 000012-02
ES010	JUNCTION BOX, WHITE, 8+2 TERMINALS
ES070W	8-WAY JUNC.BOX REED TAMP BEIGE
ES071W	16WAY JUNC BOX REED TAMP BEIGE
IM1340FENF02BC	MAG CT PL FL 2
IM1340TINF02BC	MAG CT PL FL 4 W 000016-01
IM1340TINF05BC	MAG CT PL FL 4 W 000016-01
IM1440FENF02BC	MAG CT PL SF 4 W 000013-01
IM1440FENF05BC	MAG CT PL SF 4 W 000013-01
IM1640PAG	MAG CT PLAS SF C/W CBL
IM1640PAG01JB	SURFACE MNT CONTACT 1M AMOURED CABLE INCL JUNCT BOX
IM1640PSG	MAG CT PLAS SF W/O CBL
IM1740FENF*81	MAG CT MT HD 4 W 000024-01
IM1820TINF*8	MAG CT PL SF 2 W SINGLE
IM1920TINF*8	MAG CT PL SF 2 W DOUBLE
IM9700FENFBB	M.C. IM9700 A VIS. FERRILE
IM9700MAGNL	MAG CONT SCR TERM MAGN LEGRANDE
IM9700REEDL	MAG CONT SCR TERM REED LEGRANDE
MBC390	PC BOARD ASSY
MM201	SURF. MNT CONT. NFA2P
MM340	CONTACT
MM440	CONTACT
MM740	CONTACT
R1125-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125T-N	MULTIPLES OF 10 ONLY, CONTACT 3/8 DIA. RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125TW-N	3/8 DIA RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
R1125W-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
SB01	SWIVEL BRACKET/WALL MOUNT (USED WITH AP750, AP475, AP950AM)
SB02	SWIVEL BRACKET/WALL MOUNT (USED WITH EV100 DD100)
SC2202SAAAB01	MAG CT MT 4 W

Atstovo / gamintojo parašas:



Wojciech Pastuszek, atitikties vadovas
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Nyderlandai

NL



CONFORMITEITSVERKLARING VAN DE FABRIKANT

VOOR

Productidentificatie:

Model/type: Raadpleeg de modellijst
Categorie (beschrijving): Magnetic contacts/ housings
Merk: Aritech

Eerste jaar met CE-markering: 2019

Fabrikant: KGS Fire & Security B.V.
Kelvinstraat 7
6003 DH Weert
The Netherlands
Phone: 31-495-583000
Fax: 31-495-583085

Gemachtigde in de EU: -

Met betrekking tot	Een sample van het product is getest door	Referentie testmelding	Toegepaste normen
RoHS	Manufacturer	RoHS_(2011_65_EU+2015_863)_07 RoHS_(2011_65_EU+2015_863)_DoC_1087T-N_DC140 RoHS_(2011_65_EU+2015_863)_DoC_IM1820TINF_8 RoHS_(2011_65_EU+2015_863)_DoC_other RoHS_(2011_65_EU+2015_863)_08	EN IEC 63000:2018

Beperkingen op het in gebruik nemen/vereisten voor autorisatie van gebruik

☒ Niet van toepassing

☐ Geen




Conformiteitsmiddelen

Wij verklaren onder onze eigen verantwoordelijkheid dat dit product in overeenstemming is met de richtlijnen: 93/68/EEG (markering) en 2011/65/EU (RoHS), zoals gewijzigd door 2015/863 en 2017/2102, en dat het product voldoet aan de essentiële vereisten en alle andere relevante bepalingen van de richtlijnen op basis van testresultaten aan de hand van geharmoniseerde normen, conform de genoemde richtlijnen.

Modellijst (lijst van alle productvarianten of modellen waarvoor deze verklaring geldig is)

Model	Beschrijving
1076D-G	1 RECESSED STEEL DOOR/DPDT, GRAY
1076D-N	1 RECESSED STEEL DOOR/DPDT, WHITE
1078CT-N	3/4 DIA. RECESSED TERMINAL SWITCH STEEL DOOR/CLOSED LOOP, WHITE
1078-G	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, GRAY
1078-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, WHITE
1078W-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP/WIDE GAP, WHITE
1087T-N	SURFACE TERMINAL/SPDT, WHITE

Handtekening vertegenwoordiger/fabrikant:




Wojciech Pastuszek, Compliance Team Leader
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Nederland

Plaats: Gdańsk, Polen
Datum: 13 August 2026

3012-N	RECESSED CLIP MOUNT PLUNGER
AB451	STROBE AMBER/AS-395
AB570	METAL INNER COVER
AB611	BEACON LENS PC COVER, AMBER
AB612	BEACON LENS FOR PC COVER, BLUE
AB613	BEACON LENS FOR PC COVER, RED
AB630	BEACON LENS INOX CIVER TRANPERANT
AC1300FEPP	AIMANT PORTE PASTIL
AC9700MAGN	MAGNET SPACER IM9700 LEGRANDE
AC9700REED	REED SPACER IM9700 LEGRANDE
AMGR2-10	(10 PACK) ANTI-MASK GRADE 2 EASY WIRING
AS250	INDOOR SPEAKER
AS390TAMPER	TAMPER ASSEMBLY
AS600S19	RED COVER / AMBER LENS
AS610DUM	OUTDOOR SIRENE DUMMY
BC4007BC1	JUNCTION BOX OVP 000012-02
BC4010BC1	JUNCTION BOX OVP 000012-03
CH9001GR1	SHOCK B/T M00105-01
DC101	STANDARD GAP SURF. 4 WIRES
DC101B	ARITECH,MAC,SURFACE MOUNT,8" SUPERVISED LOOP WIRE WITH SPECIAL PACKAGING
DC101-D	ARITECH,SURFACE MOUNT,WIRE LEADS,SPVD,VDS
DC101R4.7	DC101,W/2,4.7K,RES,IN,SER & PAR,SFT,SPVD
DC101S60	DC101 WITH 6 METER CABLE
DC102	DC102 ARITECH (FORMERLY 1085T-N4)
DC102B	ARITECH,MAC,SURFACE MOUNT,BROWN
DC102R4.7	CONTACT WITH 4.7K RES (WHITE)
DC104	BIASED HIGH SEC. SCREWS
DC105	COMBINATION FLUSH-SURF. MNT.
DC105S8	DC105 NEW VERSION, CONTACT
DC106	STANDARD GAP FLUSH
DC106R4.7	1072 ARITECH DC106 W/TWO 4.7K RES'S, 1/SER, 1/PAR8FT VDS SPV LP SPL PKG
DC106S9	DC106 WITH 3M FLYING LEEDS
DC107	LONG GAP FLUSH
DC107R4.7	1078C ARITECH DC107 W/TWO 4.7K RES'S, 1/SER,1PAR 8FT VDS SPV LP, SPC PKG
DC107S60	CONTACT WITH 6 METER VDS CABLE
DC108	OVERHEAD DOORCONTACT
DC108R4.7	2202A ARITECH W/4.7K RES SER, 8FT ARM CBL, SUP LOOP
DC109	INDUSTRIAL DOOR CONTACT
DC113	PLUNGER SWITCH F.VERTICAL MOU
DC114	ADJUSTABLE PLUNGER SWITCH
DC116	SURFACE MOUNT CONTACT
DC118	OVERHEAD CONTACT 4 WIRE
DC120	CONTACT DC120 1125W-N1
DC120S60	1125W N1 ARITECH W/6 METERS(20FT)VDS CBL
DC121	CONTACT
DC121S60	CONTACT 6 METERS VdS CABLE
DC123	1087T N6 ARITECH DC123
DC124	CONTACT
DC127	CONTACT
DC134	CONTACT
DC137	CONTACT
DC140	OVERHEAD DOORCONTACT
DC141	CONTACT
DC142	CONTACT


Handtekening vertegenwoordiger/fabrikant:



Wojciech Pastuszak, Compliance Team Leader
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Nederland

DC1901	HOUSING DC101
DC1906	(1 PLATE = QTY 1) SPACER FOR DC101/103 WHITE
DC1906B	SPACER FOR DC101/103 BROWN
DC1906T	(1 PLATE = QTY 1) SPACER FOR DC103/104 WHITE
DC1912	L BRACKET
DC193	L BRACKET FOR DC102
DC501	1005 ARITECH DC501 W/2 METERS (7FT) VDS SPV LP SPL PKG NAT
DC555	DC555 W/6FT VDS CBL, SPVD LOOP
DC888	1078CW WITH 6FT VDS CBL SPVD
ES007	JUNCTION BOX OVP 000012-02
ES010	JUNCTION BOX, WHITE, 8+2 TERMINALS
ES070W	8-WAY JUNC.BOX REED TAMP BEIGE
ES071W	16WAY JUNC BOX REED TAMP BEIGE
IM1340FENF02BC	MAG CT PL FL 2
IM1340TINF02BC	MAG CT PL FL 4 W 000016-01
IM1340TINF05BC	MAG CT PL FL 4 W 000016-01
IM1440FENF02BC	MAG CT PL SF 4 W 000013-01
IM1440FENF05BC	MAG CT PL SF 4 W 000013-01
IM1640PAG	MAG CT PLAS SF C/W CBL
IM1640PAG01JB	SURFACE MNT CONTACT 1M AMOURED CABLE INCL JUNCT BOX
IM1640PSG	MAG CT PLAS SF W/O CBL
IM1740FENF*81	MAG CT MT HD 4 W 000024-01
IM1820TINF*8	MAG CT PL SF 2 W SINGLE
IM1920TINF*8	MAG CT PL SF 2 W DOUBLE
IM9700FENFBB	M.C. IM9700 A VIS. FERRILE
IM9700MAGNL	MAG CONT SCR TERM MAGN LEGRANDE
IM9700REEDL	MAG CONT SCR TERM REED LEGRANDE
MBC390	PC BOARD ASSY
MM201	SURF. MNT CONT. NFA2P
MM340	CONTACT
MM440	CONTACT
MM740	CONTACT
R1125-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125T-N	MULTIPLES OF 10 ONLY, CONTACT 3/8 DIA. RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125TW-N	3/8 DIA RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
R1125W-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
SB01	SWIVEL BRACKET/WALL MOUNT (USED WITH AP750, AP475, AP950AM)
SB02	SWIVEL BRACKET/WALL MOUNT (USED WITH EV100 DD100)
SC2202SAAAB01	MAG CT MT 4 W

Handtekening vertegenwoordiger/fabrikant:



Wojciech Pastuszek, Compliance Team Leader
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Nederland

NO



PRODUSENTENS SAMSVARSERKLÆRING

FOR

Produktidentifikasjon:

Modell/type: Referer til modelloppføring
Kategori (beskrivelse): Magnetic contacts/ housings
Merke: Aritech

Første år påført CE-merke: 2019

Produsent:

KGS Fire & Security B.V.
Kelvinstraat 7
6003 DH Weert
The Netherlands
Phone: 31-495-583000
Fax: 31-495-583085

Autorisert

representant i EU: -

Angjeldende	En prøve av produktet har blitt testet av	Testrapportreferanse	Anvendte standarder
RoHS	Manufacturer	RoHS_(2011_65_EU+2015_863)_07 RoHS_(2011_65_EU+2015_863)_DoC_1087T-N_DC140 RoHS_(2011_65_EU+2015_863)_DoC_IM1820TINF_8 RoHS_(2011_65_EU+2015_863)_DoC_other RoHS_(2011_65_EU+2015_863)_08	EN IEC 63000:2018

Begrensninger på å sette i drift/krav til autorisering av bruk

☒ Ikke aktuelt

☐ Ingen




Samsvarsmetode

Vi erklærer etter eget ansvar at dette produktet er i samsvar med direktivene: 93/68/EØS (merking) og 2011/65/EU (RoHS), endret av 2015/863 og 2017/2102, og samsvarer med de vesentlige kravene og alle relevante bestemmelser av direktivene basert på testresultater ved hjelp av harmoniserte standarder i samsvar med de nevnte direktivene.

Modelloppføring (liste over alle produktvarianter eller modeller som erklæringen er gyldig for)

Modell	Beskrivelse
1076D-G	1 RECESSED STEEL DOOR/DPDT, GRAY
1076D-N	1 RECESSED STEEL DOOR/DPDT, WHITE
1078CT-N	3/4 DIA. RECESSED TERMINAL SWITCH STEEL DOOR/CLOSED LOOP, WHITE
1078-G	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, GRAY
1078-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, WHITE
1078W-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP/WIDE GAP, WHITE
1087T-N	SURFACE TERMINAL/SPDT, WHITE
3012-N	RECESSED CLIP MOUNT PLUNGER
AB451	STROBE AMBER/AS-395

Signatur fra representant/produsent:



Wojciech Pastuszek, samsvarsleder
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Nederland

Sted: Gdańsk, Polen


Dato: 13 August 2026

Side 43 av 60

dok. nr.: 01.109d

AB570	METAL INNER COVER
AB611	BEACON LENS PC COVER, AMBER
AB612	BEACON LENS FOR PC COVER, BLUE
AB613	BEACON LENS FOR PC COVER, RED
AB630	BEACON LENS INOX CIVER TRANPERANT
AC1300FEPP	AIMANT PORTE PASTIL
AC9700MAGN	MAGNET SPACER IM9700 LEGRANDE
AC9700REED	REED SPACER IM9700 LEGRANDE
AMGR2-10	(10 PACK) ANTI-MASK GRADE 2 EASY WIRING
AS250	INDOOR SPEAKER
AS390TAMPER	TAMPER ASSEMBLY
AS600S19	RED COVER / AMBER LENS
AS610DUM	OUTDOOR SIRENE DUMMY
BC4007BC1	JUNCTION BOX OVP 000012-02
BC4010BC1	JUNCTION BOX OVP 000012-03
CH9001GR1	SHOCK B/T M00105-01
DC101	STANDARD GAP SURF. 4 WIRES
DC101B	ARITECH,MAC,SURFACE MOUNT,8" SUPERVISED LOOP WIRE WITH SPECIAL PACKAGING
DC101-D	ARITECH,SURFACE MOUNT,WIRE LEADS,SPVD,VDS
DC101R4.7	DC101,W/2,4.7K,RES,IN,SER & PAR,SFT,SPVD
DC101S60	DC101 WITH 6 METER CABLE
DC102	DC102 ARITECH (FORMERLY 1085T-N4)
DC102B	ARITECH,MAC,SURFACE MOUNT,BROWN
DC102R4.7	CONTACT WITH 4.7K RES (WHITE)
DC104	BIASED HIGH SEC. SCREWS
DC105	COMBINATION FLUSH-SURF. MNT.
DC105S8	DC105 NEW VERSION, CONTACT
DC106	STANDARD GAP FLUSH
DC106R4.7	1072 ARITECH DC106 W/TWO 4.7K RES'S, 1/SER, 1/PAR8FT VDS SPV LP SPL PKG
DC106S9	DC106 WITH 3M FLYING LEEDS
DC107	LONG GAP FLUSH
DC107R4.7	1078C ARITECH DC107 W/TWO 4.7K RES'S, 1/SER,1PAR 8FT VDS SPV LP, SPC PKG
DC107S60	CONTACT WITH 6 METER VDS CABLE
DC108	OVERHEAD DOORCONTACT
DC108R4.7	2202A ARITECH W/4.7K RES SER, 8FT ARM CBL, SUP LOOP
DC109	INDUSTRIAL DOOR CONTACT
DC113	PLUNGER SWITCH F.VERTICAL MOU
DC114	ADJUSTABLE PLUNGER SWITCH
DC116	SURFACE MOUNT CONTACT
DC118	OVERHEAD CONTACT 4 WIRE
DC120	CONTACT DC120 1125W-N1
DC120S60	1125W N1 ARITECH W/6 METERS(20FT)VDS CBL
DC121	CONTACT
DC121S60	CONTACT 6 METERS VdS CABLE
DC123	1087T N6 ARITECH DC123
DC124	CONTACT
DC127	CONTACT
DC134	CONTACT
DC137	CONTACT
DC140	OVERHEAD DOORCONTACT
DC141	CONTACT
DC142	CONTACT
DC1901	HOUSING DC101
DC1906	(1 PLATE = QTY 1) SPACER FOR DC101/103 WHITE

Signatur fra representant/produsent:



Wojciech Pastuszak, samsvarsleder
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Nederland


Sted: Gdańsk, Polen
Dato: 13 August 2026

Side 44 av 60

dok. nr.: 01.109d

DC1906B	SPACER FOR DC101/103 BROWN
DC1906T	(1 PLATE = QTY 1) SPACER FOR DC103/104 WHITE
DC1912	L BRACKET
DC193	L BRACKET FOR DC102
DC501	1005 ARITECH DC501 W/2 METERS (7FT) VDS SPV LP SPL PKG NAT
DC555	DC555 W/6FT VDS CBL, SPVD LOOP
DC888	1078CW WITH 6FT VDS CBL SPVD
ES007	JUNCTION BOX OVP 000012-02
ES010	JUNCTION BOX, WHITE, 8+2 TERMINALS
ES070W	8-WAY JUNC.BOX REED TAMP BEIGE
ES071W	16WAY JUNC BOX REED TAMP BEIGE
IM1340FENF02BC	MAG CT PL FL 2
IM1340TINF02BC	MAG CT PL FL 4 W 000016-01
IM1340TINF05BC	MAG CT PL FL 4 W 000016-01
IM1440FENF02BC	MAG CT PL SF 4 W 000013-01
IM1440FENF05BC	MAG CT PL SF 4 W 000013-01
IM1640PAG	MAG CT PLAS SF C/W CBL
IM1640PAG01JB	SURFACE MNT CONTACT 1M AMOURED CABLE INCL JUNCT BOX
IM1640PSG	MAG CT PLAS SF W/O CBL
IM1740FENF*81	MAG CT MT HD 4 W 000024-01
IM1820TINF*8	MAG CT PL SF 2 W SINGLE
IM1920TINF*8	MAG CT PL SF 2 W DOUBLE
IM9700FENFBB	M.C. IM9700 A VIS. FERRILE
IM9700MAGNL	MAG CONT SCR TERM MAGN LEGRANDE
IM9700REEDL	MAG CONT SCR TERM REED LEGRANDE
MBC390	PC BOARD ASSY
MM201	SURF. MNT CONT. NFA2P
MM340	CONTACT
MM440	CONTACT
MM740	CONTACT
R1125-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125T-N	MULTIPLES OF 10 ONLY, CONTACT 3/8 DIA. RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125TW-N	3/8 DIA RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
R1125W-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
SB01	SWIVEL BRACKET/WALL MOUNT (USED WITH AP750, AP475, AP950AM)
SB02	SWIVEL BRACKET/WALL MOUNT (USED WITH EV100 DD100)
SC2202SAAAB01	MAG CT MT 4 W

Signatur fra representant/produsent:



Wojciech Pastuszek, samsvarsleder
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Nederland

PL



DEKLARACJA ZGODNOŚCI PRODUCENTA

DOTYCZY

Identyfikacja produktu:

Model/typ: Patrz lista modeli Rok początkowy umieszczenia znaku CE: 2019
Kategoria (opis): Magnetic contacts/ housings
Marka: Aritech

Producent: KGS Fire & Security B.V.
Kelvinstraat 7
6003 DH Weert
The Netherlands
Phone: 31-495-583000
Fax: 31-495-583085

**Upoważniony
przedstawiciel w UE:** -

Odniesienie do	Próbka została przetestowana przez	Raport z testu	Zastosowane normy
RoHS	Manufacturer	RoHS_(2011_65_EU+2015_863)_07 RoHS_(2011_65_EU+2015_863)_DoC_1087T-N_DC140 RoHS_(2011_65_EU+2015_863)_DoC_IM1820TINF_8 RoHS_(2011_65_EU+2015_863)_DoC_other RoHS_(2011_65_EU+2015_863)_08	EN IEC 63000:2018

Ograniczenia dotyczące dopuszczenia do użytku/wymagania dotyczące dopuszczenia do użytku

☒ Nie dotyczy ☐ Brak ☐ 


Środki zgodności

Deklarujemy na naszą wyłączną odpowiedzialność, że niniejszy produkt jest zgodny z dyrektywami: 93/68/EEC (Oznaczenia) oraz 2011/65/EU (RoHS - Ograniczenia dotyczące substancji niebezpiecznych), z poprawkami w 2015/863 i 2017/2102 oraz pozostaje w zgodzie z zasadniczymi wymogami i wszystkimi innymi stosownymi przepisami Dyrektyw w oparciu o wyniki badań przy użyciu zharmonizowanych norm zgodnie z wymienionymi dyrektywami..

Lista modeli (Wykaz wszystkich wariantów lub modeli produktu, dla których obowiązuje niniejsza deklaracja)

Model	Opis
1076D-G	1 RECESSED STEEL DOOR/DPDT, GRAY
1076D-N	1 RECESSED STEEL DOOR/DPDT, WHITE
1078CT-N	3/4 DIA. RECESSED TERMINAL SWITCH STEEL DOOR/CLOSED LOOP, WHITE
1078-G	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, GRAY
1078-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, WHITE
1078W-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP/WIDE GAP, WHITE
1087T-N	SURFACE TERMINAL/SPDT, WHITE
3012-N	RECESSED CLIP MOUNT PLUNGER

Podpis przedstawiciela/producenta:




Wojciech Pastuszek, Lider ds. zgodności z normami
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Holandia

Miejsce: Gdańsk, Polska
Data: 13 August 2026

AB451	STROBE AMBER/AS-395
AB570	METAL INNER COVER
AB611	BEACON LENS PC COVER, AMBER
AB612	BEACON LENS FOR PC COVER, BLUE
AB613	BEACON LENS FOR PC COVER, RED
AB630	BEACON LENS INOX CIVER TRANPERANT
AC1300FEPP	AIMANT PORTE PASTIL
AC9700MAGN	MAGNET SPACER IM9700 LEGRANDE
AC9700REED	REED SPACER IM9700 LEGRANDE
AMGR2-10	(10 PACK) ANTI-MASK GRADE 2 EASY WIRING
AS250	INDOOR SPEAKER
AS390TAMPER	TAMPER ASSEMBLY
AS600S19	RED COVER / AMBER LENS
AS610DUM	OUTDOOR SIRENE DUMMY
BC4007BC1	JUNCTION BOX OVP 000012-02
BC4010BC1	JUNCTION BOX OVP 000012-03
CH9001GR1	SHOCK B/T M00105-01
DC101	STANDARD GAP SURF. 4 WIRES
DC101B	ARITECH,MAC,SURFACE MOUNT,8" SUPERVISED LOOP WIRE WITH SPECIAL PACKAGING
DC101-D	ARITECH,SURFACE MOUNT,WIRE LEADS,SPVD,VDS
DC101R4.7	DC101,W/2,4.7K,RES,IN,SER & PAR,SFT,SPVD
DC101S60	DC101 WITH 6 METER CABLE
DC102	DC102 ARITECH (FORMERLY 1085T-N4)
DC102B	ARITECH,MAC,SURFACE MOUNT,BROWN
DC102R4.7	CONTACT WITH 4.7K RES (WHITE)
DC104	BIASED HIGH SEC. SCREWS
DC105	COMBINATION FLUSH-SURF. MNT.
DC105S8	DC105 NEW VERSION, CONTACT
DC106	STANDARD GAP FLUSH
DC106R4.7	1072 ARITECH DC106 W/TWO 4.7K RES'S, 1/SER, 1/PAR8FT VDS SPV LP SPL PKG
DC106S9	DC106 WITH 3M FLYING LEEDS
DC107	LONG GAP FLUSH
DC107R4.7	1078C ARITECH DC107 W/TWO 4.7K RES'S, 1/SER,1PAR 8FT VDS SPV LP, SPC PKG
DC107S60	CONTACT WITH 6 METER VDS CABLE
DC108	OVERHEAD DOORCONTACT
DC108R4.7	2202A ARITECH W/4.7K RES SER, 8FT ARM CBL, SUP LOOP
DC109	INDUSTRIAL DOOR CONTACT
DC113	PLUNGER SWITCH F.VERTICAL MOU
DC114	ADJUSTABLE PLUNGER SWITCH
DC116	SURFACE MOUNT CONTACT
DC118	OVERHEAD CONTACT 4 WIRE
DC120	CONTACT DC120 1125W-N1
DC120S60	1125W N1 ARITECH W/6 METERS(20FT)VDS CBL
DC121	CONTACT
DC121S60	CONTACT 6 METERS VdS CABLE
DC123	1087T N6 ARITECH DC123
DC124	CONTACT
DC127	CONTACT
DC134	CONTACT
DC137	CONTACT
DC140	OVERHEAD DOORCONTACT
DC141	CONTACT
DC142	CONTACT
DC1901	HOUSING DC101


Podpis przedstawiciela/producenta:



Wojciech Pastuszek, Lider ds. zgodności z normami
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Holandia

DC1906	(1 PLATE = QTY 1) SPACER FOR DC101/103 WHITE
DC1906B	SPACER FOR DC101/103 BROWN
DC1906T	(1 PLATE = QTY 1) SPACER FOR DC103/104 WHITE
DC1912	L BRACKET
DC193	L BRACKET FOR DC102
DC501	1005 ARITECH DC501 W/2 METERS (7FT) VDS SPV LP SPL PKG NAT
DC555	DC555 W/6FT VDS CBL, SPVD LOOP
DC888	1078CW WITH 6FT VDS CBL SPVD
ES007	JUNCTION BOX OVP 000012-02
ES010	JUNCTION BOX, WHITE, 8+2 TERMINALS
ES070W	8-WAY JUNC.BOX REED TAMP BEIGE
ES071W	16WAY JUNC BOX REED TAMP BEIGE
IM1340FENF02BC	MAG CT PL FL 2
IM1340TINF02BC	MAG CT PL FL 4 W 000016-01
IM1340TINF05BC	MAG CT PL FL 4 W 000016-01
IM1440FENF02BC	MAG CT PL SF 4 W 000013-01
IM1440FENF05BC	MAG CT PL SF 4 W 000013-01
IM1640PAG	MAG CT PLAS SF C/W CBL
IM1640PAG01JB	SURFACE MNT CONTACT 1M AMOURED CABLE INCL JUNCT BOX
IM1640PSG	MAG CT PLAS SF W/O CBL
IM1740FENF*81	MAG CT MT HD 4 W 000024-01
IM1820TINF*8	MAG CT PL SF 2 W SINGLE
IM1920TINF*8	MAG CT PL SF 2 W DOUBLE
IM9700FENFBB	M.C. IM9700 A VIS. FERRILE
IM9700MAGNL	MAG CONT SCR TERM MAGN LEGRANDE
IM9700REEDL	MAG CONT SCR TERM REED LEGRANDE
MBC390	PC BOARD ASSY
MM201	SURF. MNT CONT. NFA2P
MM340	CONTACT
MM440	CONTACT
MM740	CONTACT
R1125-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125T-N	MULTIPLES OF 10 ONLY, CONTACT 3/8 DIA. RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125TW-N	3/8 DIA RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
R1125W-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
SB01	SWIVEL BRACKET/WALL MOUNT (USED WITH AP750, AP475, AP950AM)
SB02	SWIVEL BRACKET/WALL MOUNT (USED WITH EV100 DD100)
SC2202SAAAB01	MAG CT MT 4 W

Podpis przedstawiciela/producenta:



Wojciech Pastuszek, Lider ds. zgodności z normami
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Holandia

PT

CE DECLARAÇÃO DE CONFORMIDADE DO FABRICANTE

PARA

Identificação do produto:

Modelo/tipo: Consulte a listagem de modelos Ano inicial de afixação da marcação CE: 2019

Categoria (descrição): Magnetic contacts/ housings

Marca: Aritech

Fabricante: KGS Fire & Security B.V.
Kelvinstraat 7
6003 DH Weert
The Netherlands
Phone: 31-495-583000
Fax: 31-495-583085

Mandatário na UE: -

Relativamente a	Foi testada uma amostra do produto por	Referência do relatório de teste	Normas aplicadas
RoHS	Manufacturer	RoHS_(2011_65_EU+2015_863)_07 RoHS_(2011_65_EU+2015_863)_DoC_1087T-N_DC140 RoHS_(2011_65_EU+2015_863)_DoC_IM1820T_INF_8 RoHS_(2011_65_EU+2015_863)_DoC_other RoHS_(2011_65_EU+2015_863)_08	EN IEC 63000:2018

Restrições de colocação em serviço/requisitos para autorização de utilização
☒ Não aplicável

☐ Nenhum


☐ 
Meios de conformidade

Declaramos, sob nossa única responsabilidade, que este produto está em conformidade com as Diretivas: 93/68/CEE (Marcação) e 2011/65/EU (RoHS), emendada pela 2015/863 e 2017/2102, e está em conformidade com os requisitos essenciais e todas as outras disposições relevantes das Diretivas baseadas em resultados de testes utilizando as normas harmonizadas de acordo com as Diretivas mencionadas.

Listagem de modelos (Lista de todas as variantes ou modelos de produtos para os quais esta variante é válida)

Modelo	Descrição
1076D-G	1 RECESSED STEEL DOOR/DPDT, GRAY
1076D-N	1 RECESSED STEEL DOOR/DPDT, WHITE

Assinatura do representante/fabricante:



Wojciech Pastuszak, Compliance Team Leader
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Países Baixos

Local: Gdańsk, Polónia


Data: 13 August 2026

Página 49 de 60

Doc. N.º: 01.109d

1078CT-N	3/4 DIA. RECESSED TERMINAL SWITCH STEEL DOOR/CLOSED LOOP, WHITE
1078-G	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, GRAY
1078-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, WHITE
1078W-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP/WIDE GAP, WHITE
1087T-N	SURFACE TERMINAL/SPDT, WHITE
3012-N	RECESSED CLIP MOUNT PLUNGER
AB451	STROBE AMBER/AS-395
AB570	METAL INNER COVER
AB611	BEACON LENS PC COVER, AMBER
AB612	BEACON LENS FOR PC COVER, BLUE
AB613	BEACON LENS FOR PC COVER, RED
AB630	BEACON LENS INOX CIVER TRANPERANT
AC1300FEPP	AIMANT PORTE PASTIL
AC9700MAGN	MAGNET SPACER IM9700 LEGRANDE
AC9700REED	REED SPACER IM9700 LEGRANDE
AMGR2-10	(10 PACK) ANTI-MASK GRADE 2 EASY WIRING
AS250	INDOOR SPEAKER
AS390TAMPER	TAMPER ASSEMBLY
AS600S19	RED COVER / AMBER LENS
AS610DUM	OUTDOOR SIRENE DUMMY
BC4007BC1	JUNCTION BOX OVP 000012-02
BC4010BC1	JUNCTION BOX OVP 000012-03
CH9001GR1	SHOCK B/T M00105-01
DC101	STANDARD GAP SURF. 4 WIRES
DC101B	ARITECH,MAC,SURFACE MOUNT,8" SUPERVISED LOOP WIRE WITH SPECIAL PACKAGING
DC101-D	ARITECH,SURFACE MOUNT,WIRE LEADS,SPVD,VDS
DC101R4.7	DC101,W/2,4.7K,RES,IN,SER & PAR,SFT,SPVD
DC101S60	DC101 WITH 6 METER CABLE
DC102	DC102 ARITECH (FORMERLY 1085T-N4)
DC102B	ARITECH,MAC,SURFACE MOUNT,BROWN
DC102R4.7	CONTACT WITH 4.7K RES (WHITE)
DC104	BIASED HIGH SEC. SCREWS
DC105	COMBINATION FLUSH-SURF. MNT.
DC105S8	DC105 NEW VERSION, CONTACT
DC106	STANDARD GAP FLUSH
DC106R4.7	1072 ARITECH DC106 W/TWO 4.7K RES'S, 1/SER, 1/PAR8FT VDS SPV LP SPL PKG
DC106S9	DC106 WITH 3M FLYING LEEDS
DC107	LONG GAP FLUSH
DC107R4.7	1078C ARITECH DC107 W/TWO 4.7K RES'S, 1/SER,1PAR 8FT VDS SPV LP, SPC PKG
DC107S60	CONTACT WITH 6 METER VDS CABLE
DC108	OVERHEAD DOORCONTACT
DC108R4.7	2202A ARITECH W/4.7K RES SER, 8FT ARM CBL, SUP LOOP
DC109	INDUSTRIAL DOOR CONTACT
DC113	PLUNGER SWITCH F.VERTICAL MOU
DC114	ADJUSTABLE PLUNGER SWITCH
DC116	SURFACE MOUNT CONTACT
DC118	OVERHEAD CONTACT 4 WIRE
DC120	CONTACT DC120 1125W-N1
DC120S60	1125W N1 ARITECH W/6 METERS(20FT)VDS CBL
DC121	CONTACT
DC121S60	CONTACT 6 METERS VdS CABLE
DC123	1087T N6 ARITECH DC123
DC124	CONTACT
DC127	CONTACT


Assinatura do representante/fabricante:



Wojciech Pastuszak, Compliance Team Leader
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Países Baixos

DC134	CONTACT
DC137	CONTACT
DC140	OVERHEAD DOORCONTACT
DC141	CONTACT
DC142	CONTACT
DC1901	HOUSING DC101
DC1906	(1 PLATE = QTY 1) SPACER FOR DC101/103 WHITE
DC1906B	SPACER FOR DC101/103 BROWN
DC1906T	(1 PLATE = QTY 1) SPACER FOR DC103/104 WHITE
DC1912	L BRACKET
DC193	L BRACKET FOR DC102
DC501	1005 ARITECH DC501 W/2 METERS (7FT) VDS SPV LP SPL PKG NAT
DC555	DC555 W/6FT VDS CBL, SPVD LOOP
DC888	1078CW WITH 6FT VDS CBL SPVD
ES007	JUNCTION BOX OVP 000012-02
ES010	JUNCTION BOX, WHITE, 8+2 TERMINALS
ES070W	8-WAY JUNC.BOX REED TAMP BEIGE
ES071W	16WAY JUNC BOX REED TAMP BEIGE
IM1340FENF02BC	MAG CT PL FL 2
IM1340TINF02BC	MAG CT PL FL 4 W 000016-01
IM1340TINF05BC	MAG CT PL FL 4 W 000016-01
IM1440FENF02BC	MAG CT PL SF 4 W 000013-01
IM1440FENF05BC	MAG CT PL SF 4 W 000013-01
IM1640PAG	MAG CT PLAS SF C/W CBL
IM1640PAG01JB	SURFACE MNT CONTACT 1M AMOURED CABLE INCL JUNCT BOX
IM1640PSG	MAG CT PLAS SF W/O CBL
IM1740FENF*81	MAG CT MT HD 4 W 000024-01
IM1820TINF*8	MAG CT PL SF 2 W SINGLE
IM1920TINF*8	MAG CT PL SF 2 W DOUBLE
IM9700FENFBB	M.C. IM9700 A VIS. FERRILE
IM9700MAGNL	MAG CONT SCR TERM MAGN LEGRANDE
IM9700REEDL	MAG CONT SCR TERM REED LEGRANDE
MBC390	PC BOARD ASSY
MM201	SURF. MNT CONT. NFA2P
MM340	CONTACT
MM440	CONTACT
MM740	CONTACT
R1125-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125T-N	MULTIPLES OF 10 ONLY, CONTACT 3/8 DIA. RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125TW-N	3/8 DIA RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
R1125W-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
SB01	SWIVEL BRACKET/WALL MOUNT (USED WITH AP750, AP475, AP950AM)
SB02	SWIVEL BRACKET/WALL MOUNT (USED WITH EV100 DD100)
SC2202SAAAB01	MAG CT MT 4 W

Assinatura do representante/fabricante:



Wojciech Pastuszak, Compliance Team Leader
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Países Baixos

SK



VYHLÁSENIE VÝROBCU O ZHODE

PRE

Identifikácia výrobku:

Model/typ: Pozrite si zoznam modelov
Kategória (opis): Magnetic contacts/ housings
Značka: Aritech

Umiestnenie označenia CE od roku: 2019

Výrobca: KGS Fire & Security B.V.
Kelvinstraat 7
6003 DH Weert
The Netherlands
Phone: 31-495-583000
Fax: 31-495-583085

**Splnomocnený
zástupca v EÚ:** -

Týka sa	Vzorku výrobku testovala spoločnosť	Odkaz na protokol o skúške	Použité normy
RoHS	Manufacturer	RoHS_(2011_65_EU+2015_863)_07 RoHS_(2011_65_EU+2015_863)_DoC_1087T-N_DC140 RoHS_(2011_65_EU+2015_863)_DoC_IM1820TINF_8 RoHS_(2011_65_EU+2015_863)_DoC_other RoHS_(2011_65_EU+2015_863)_08	EN IEC 63000:2018

Obmedzenia uvedenia do prevádzky/požiadavky na povolenie na používanie

☒ Nevzťahuje sa

☐ Žiadne




Prostriedky preukázania zhody

Vyhlasujeme na vlastnú zodpovednosť, že tento výrobok je v súlade s predpismi: smernica 93/68/EHS (značenie) a smernica 2011/65/EÚ (RoHS) v znení smerníc 2015/863 a 2017/2102 a je v súlade so základnými požiadavkami a všetkými ostatnými príslušnými ustanoveniami smerníc na základe výsledkov skúšok s použitím harmonizovaných noriem v súlade s uvedenými smernicami.

Zoznam modelov (zoznam všetkých variantov alebo modelov výrobku, pre ktoré platí toto vyhlásenie)

Model	Opis
1076D-G	1 RECESSED STEEL DOOR/DPDT, GRAY
1076D-N	1 RECESSED STEEL DOOR/DPDT, WHITE
1078CT-N	3/4 DIA. RECESSED TERMINAL SWITCH STEEL DOOR/CLOSED LOOP, WHITE
1078-G	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, GRAY
1078-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, WHITE
1078W-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP/WIDE GAP, WHITE
1087T-N	SURFACE TERMINAL/SPDT, WHITE
3012-N	RECESSED CLIP MOUNT PLUNGER
AB451	STROBE AMBER/AS-395
AB570	METAL INNER COVER

Podpis zástupcu/výrobcu:




Wojciech Pastuszak, vedúci oddelenia pre súlad s predpismi
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Holandsko

Miesto: Gdańsk, Poľsko
Dátum: 13 August 2026

AB611	BEACON LENS PC COVER, AMBER
AB612	BEACON LENS FOR PC COVER, BLUE
AB613	BEACON LENS FOR PC COVER, RED
AB630	BEACON LENS INOX CIVER TRANPERANT
AC1300FEPP	AIMANT PORTE PASTIL
AC9700MAGN	MAGNET SPACER IM9700 LEGRANDE
AC9700REED	REED SPACER IM9700 LEGRANDE
AMGR2-10	(10 PACK) ANTI-MASK GRADE 2 EASY WIRING
AS250	INDOOR SPEAKER
AS390TAMPER	TAMPER ASSEMBLY
AS600S19	RED COVER / AMBER LENS
AS610DUM	OUTDOOR SIRENE DUMMY
BC4007BC1	JUNCTION BOX OVP 000012-02
BC4010BC1	JUNCTION BOX OVP 000012-03
CH9001GR1	SHOCK B/T M00105-01
DC101	STANDARD GAP SURF. 4 WIRES
DC101B	ARITECH,MAC,SURFACE MOUNT,8" SUPERVISED LOOP WIRE WITH SPECIAL PACKAGING
DC101-D	ARITECH,SURFACE MOUNT,WIRE LEADS,SPVD,VDS
DC101R4.7	DC101,W/2,4.7K,RES,IN,SER & PAR,SFT,SPVD
DC101S60	DC101 WITH 6 METER CABLE
DC102	DC102 ARITECH (FORMERLY 1085T-N4)
DC102B	ARITECH,MAC,SURFACE MOUNT,BROWN
DC102R4.7	CONTACT WITH 4.7K RES (WHITE)
DC104	BIASED HIGH SEC. SCREWS
DC105	COMBINATION FLUSH-SURF. MNT.
DC105S8	DC105 NEW VERSION, CONTACT
DC106	STANDARD GAP FLUSH
DC106R4.7	1072 ARITECH DC106 W/TWO 4.7K RES'S, 1/SER, 1/PAR8FT VDS SPV LP SPL PKG
DC106S9	DC106 WITH 3M FLYING LEEDS
DC107	LONG GAP FLUSH
DC107R4.7	1078C ARITECH DC107 W/TWO 4.7K RES'S, 1/SER,1PAR 8FT VDS SPV LP, SPC PKG
DC107S60	CONTACT WITH 6 METER VDS CABLE
DC108	OVERHEAD DOORCONTACT
DC108R4.7	2202A ARITECH W/4.7K RES SER, 8FT ARM CBL, SUP LOOP
DC109	INDUSTRIAL DOOR CONTACT
DC113	PLUNGER SWITCH F.VERTICAL MOU
DC114	ADJUSTABLE PLUNGER SWITCH
DC116	SURFACE MOUNT CONTACT
DC118	OVERHEAD CONTACT 4 WIRE
DC120	CONTACT DC120 1125W-N1
DC120S60	1125W N1 ARITECH W/6 METERS(20FT)VDS CBL
DC121	CONTACT
DC121S60	CONTACT 6 METERS VdS CABLE
DC123	1087T N6 ARITECH DC123
DC124	CONTACT
DC127	CONTACT
DC134	CONTACT
DC137	CONTACT
DC140	OVERHEAD DOORCONTACT
DC141	CONTACT
DC142	CONTACT
DC1901	HOUSING DC101
DC1906	(1 PLATE = QTY 1) SPACER FOR DC101/103 WHITE
DC1906B	SPACER FOR DC101/103 BROWN


Podpis zástupcu/výrobce:



Wojciech Pastuszak, vedúci oddelenia pre súlad s predpismi
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Holandsko

DC1906T	(1 PLATE = QTY 1) SPACER FOR DC103/104 WHITE
DC1912	L BRACKET
DC193	L BRACKET FOR DC102
DC501	1005 ARITECH DC501 W/2 METERS (7FT) VDS SPV LP SPL PKG NAT
DC555	DC555 W/6FT VDS CBL, SPVD LOOP
DC888	1078CW WITH 6FT VDS CBL SPVD
ES007	JUNCTION BOX OVP 000012-02
ES010	JUNCTION BOX, WHITE, 8+2 TERMINALS
ES070W	8-WAY JUNC.BOX REED TAMP BEIGE
ES071W	16WAY JUNC BOX REED TAMP BEIGE
IM1340FENF02BC	MAG CT PL FL 2
IM1340TINF02BC	MAG CT PL FL 4 W 000016-01
IM1340TINF05BC	MAG CT PL FL 4 W 000016-01
IM1440FENF02BC	MAG CT PL SF 4 W 000013-01
IM1440FENF05BC	MAG CT PL SF 4 W 000013-01
IM1640PAG	MAG CT PLAS SF C/W CBL
IM1640PAG01JB	SURFACE MNT CONTACT 1M AMOURED CABLE INCL JUNCT BOX
IM1640PSG	MAG CT PLAS SF W/O CBL
IM1740FENF*81	MAG CT MT HD 4 W 000024-01
IM1820TINF*8	MAG CT PL SF 2 W SINGLE
IM1920TINF*8	MAG CT PL SF 2 W DOUBLE
IM9700FENFBB	M.C. IM9700 A VIS. FERRILE
IM9700MAGNL	MAG CONT SCR TERM MAGN LEGRANDE
IM9700REEDL	MAG CONT SCR TERM REED LEGRANDE
MBC390	PC BOARD ASSY
MM201	SURF. MNT CONT. NFA2P
MM340	CONTACT
MM440	CONTACT
MM740	CONTACT
R1125-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125T-N	MULTIPLES OF 10 ONLY, CONTACT 3/8 DIA. RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125TW-N	3/8 DIA RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
R1125W-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
SB01	SWIVEL BRACKET/WALL MOUNT (USED WITH AP750, AP475, AP950AM)
SB02	SWIVEL BRACKET/WALL MOUNT (USED WITH EV100 DD100)
SC2202SAAAB01	MAG CT MT 4 W

Podpis zástupcu/výrobce:



Wojciech Pastuszek, vedúci oddelenia pre súlad s predpismi
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Holandsko

SL



IZJAVA PROIZVAJALCA O SKLADNOSTI

ZA

Identifikacija izdelka:

Model/tip: Oglejte si seznam modelov
Kategorija (opis): Magnetic contacts/ housings
Blagovna znamka: Aritech

Začetno leto namestitve oznake CE: 2019

Proizvajalec:

KGS Fire & Security B.V.
Kelvinstraat 7
6003 DH Weert
The Netherlands
Phone: 31-495-583000
Fax: 31-495-583085

Pooblaščen zastopnik
v EU: -

Zadeva	Vzorec izdelka je preveril/a	Sklic na poročilo o preskusu	Uporabljeni standardi
RoHS	Manufacturer	RoHS_(2011_65_EU+2015_863)_07 RoHS_(2011_65_EU+2015_863)_DoC_1087T-N_DC140 RoHS_(2011_65_EU+2015_863)_DoC_IM1820TINF_8 RoHS_(2011_65_EU+2015_863)_DoC_other RoHS_(2011_65_EU+2015_863)_08	EN IEC 63000:2018

Omejitve pri začetku obratovanja/zahteve za odobritev uporabe
☒ Ni uporabno

☐ Brez


Sredstva za skladnost

Na lastno odgovornost izjavljamo, da je ta izdelek v skladu z direktivami: 93/68/EGS (označevanje) in 2011/65/EU (RoHS), spremenjeni z 2015/863 in 2017/2102, ter izpolnjuje bistvene zahteve in vse druge ustrezne določbe direktiv, ki temeljijo na rezultatih preskusov z uporabo usklajenih standardov v skladu z navedenimi direktivami.

Seznam modelov (seznam vseh različic ali modelov izdelkov, za katere velja ta izjava)

Model	Opis
1076D-G	1 RECESSED STEEL DOOR/DPDT, GRAY
1076D-N	1 RECESSED STEEL DOOR/DPDT, WHITE
1078CT-N	3/4 DIA. RECESSED TERMINAL SWITCH STEEL DOOR/CLOSED LOOP, WHITE
1078-G	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, GRAY
1078-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, WHITE
1078W-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP/WIDE GAP, WHITE
1087T-N	SURFACE TERMINAL/SPDT, WHITE
3012-N	RECESSED CLIP MOUNT PLUNGER
AB451	STROBE AMBER/AS-395
AB570	METAL INNER COVER

Podpis zastopnika/proizvajalca:




Wojciech Pastuszak, vodja Oddelka za skladnost
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Nizozemska

Kraj: Gdańsk, Poljska
Datum: 13 August 2026

AB611	BEACON LENS PC COVER, AMBER
AB612	BEACON LENS FOR PC COVER, BLUE
AB613	BEACON LENS FOR PC COVER, RED
AB630	BEACON LENS INOX CIVER TRANPERANT
AC1300FEPP	AIMANT PORTE PASTIL
AC9700MAGN	MAGNET SPACER IM9700 LEGRANDE
AC9700REED	REED SPACER IM9700 LEGRANDE
AMGR2-10	(10 PACK) ANTI-MASK GRADE 2 EASY WIRING
AS250	INDOOR SPEAKER
AS390TAMPER	TAMPER ASSEMBLY
AS600S19	RED COVER / AMBER LENS
AS610DUM	OUTDOOR SIRENE DUMMY
BC4007BC1	JUNCTION BOX OVP 000012-02
BC4010BC1	JUNCTION BOX OVP 000012-03
CH9001GR1	SHOCK B/T M00105-01
DC101	STANDARD GAP SURF. 4 WIRES
DC101B	ARITECH,MAC,SURFACE MOUNT,8" SUPERVISED LOOP WIRE WITH SPECIAL PACKAGING
DC101-D	ARITECH,SURFACE MOUNT,WIRE LEADS,SPVD,VDS
DC101R4.7	DC101,W/2,4.7K,RES,IN,SER & PAR,SFT,SPVD
DC101S60	DC101 WITH 6 METER CABLE
DC102	DC102 ARITECH (FORMERLY 1085T-N4)
DC102B	ARITECH,MAC,SURFACE MOUNT,BROWN
DC102R4.7	CONTACT WITH 4.7K RES (WHITE)
DC104	BIASED HIGH SEC. SCREWS
DC105	COMBINATION FLUSH-SURF. MNT.
DC105S8	DC105 NEW VERSION, CONTACT
DC106	STANDARD GAP FLUSH
DC106R4.7	1072 ARITECH DC106 W/TWO 4.7K RES'S, 1/SER, 1/PAR8FT VDS SPV LP SPL PKG
DC106S9	DC106 WITH 3M FLYING LEEDS
DC107	LONG GAP FLUSH
DC107R4.7	1078C ARITECH DC107 W/TWO 4.7K RES'S, 1/SER,1PAR 8FT VDS SPV LP, SPC PKG
DC107S60	CONTACT WITH 6 METER VDS CABLE
DC108	OVERHEAD DOORCONTACT
DC108R4.7	2202A ARITECH W/4.7K RES SER, 8FT ARM CBL, SUP LOOP
DC109	INDUSTRIAL DOOR CONTACT
DC113	PLUNGER SWITCH F.VERTICAL MOU
DC114	ADJUSTABLE PLUNGER SWITCH
DC116	SURFACE MOUNT CONTACT
DC118	OVERHEAD CONTACT 4 WIRE
DC120	CONTACT DC120 1125W-N1
DC120S60	1125W N1 ARITECH W/6 METERS(20FT)VDS CBL
DC121	CONTACT
DC121S60	CONTACT 6 METERS VdS CABLE
DC123	1087T N6 ARITECH DC123
DC124	CONTACT
DC127	CONTACT
DC134	CONTACT
DC137	CONTACT
DC140	OVERHEAD DOORCONTACT
DC141	CONTACT
DC142	CONTACT
DC1901	HOUSING DC101
DC1906	(1 PLATE = QTY 1) SPACER FOR DC101/103 WHITE
DC1906B	SPACER FOR DC101/103 BROWN


Podpis zastopnika/proizvajalca:



Wojciech Pastuszak, vodja Oddelka za skladnost
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Nizozemska

DC1906T	(1 PLATE = QTY 1) SPACER FOR DC103/104 WHITE
DC1912	L BRACKET
DC193	L BRACKET FOR DC102
DC501	1005 ARITECH DC501 W/2 METERS (7FT) VDS SPV LP SPL PKG NAT
DC555	DC555 W/6FT VDS CBL, SPVD LOOP
DC888	1078CW WITH 6FT VDS CBL SPVD
ES007	JUNCTION BOX OVP 000012-02
ES010	JUNCTION BOX, WHITE, 8+2 TERMINALS
ES070W	8-WAY JUNC.BOX REED TAMP BEIGE
ES071W	16WAY JUNC BOX REED TAMP BEIGE
IM1340FENF02BC	MAG CT PL FL 2
IM1340TINF02BC	MAG CT PL FL 4 W 000016-01
IM1340TINF05BC	MAG CT PL FL 4 W 000016-01
IM1440FENF02BC	MAG CT PL SF 4 W 000013-01
IM1440FENF05BC	MAG CT PL SF 4 W 000013-01
IM1640PAG	MAG CT PLAS SF C/W CBL
IM1640PAG01JB	SURFACE MNT CONTACT 1M AMOURED CABLE INCL JUNCT BOX
IM1640PSG	MAG CT PLAS SF W/O CBL
IM1740FENF*81	MAG CT MT HD 4 W 000024-01
IM1820TINF*8	MAG CT PL SF 2 W SINGLE
IM1920TINF*8	MAG CT PL SF 2 W DOUBLE
IM9700FENFBB	M.C. IM9700 A VIS. FERRILE
IM9700MAGNL	MAG CONT SCR TERM MAGN LEGRANDE
IM9700REEDL	MAG CONT SCR TERM REED LEGRANDE
MBC390	PC BOARD ASSY
MM201	SURF. MNT CONT. NFA2P
MM340	CONTACT
MM440	CONTACT
MM740	CONTACT
R1125-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125T-N	MULTIPLES OF 10 ONLY, CONTACT 3/8 DIA. RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125TW-N	3/8 DIA RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
R1125W-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
SB01	SWIVEL BRACKET/WALL MOUNT (USED WITH AP750, AP475, AP950AM)
SB02	SWIVEL BRACKET/WALL MOUNT (USED WITH EV100 DD100)
SC2202SAAAB01	MAG CT MT 4 W

Podpis zastopnika/proizvajalca:



Wojciech Pastuszek, vodja Oddelka za skladnost
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Nizozemska

SV



KONFORMITETSDEKLARATION

FÖR

Produktidentifikation:

Modell/typ: Se modellista Inledande år för CE-märkning: 2019

Kategori (beskrivning): Magnetic contacts/ housings

Märke: Aritech

Leverantör:

KGS Fire & Security B.V.
Kelvinstraat 7
6003 DH Weert
The Netherlands
Phone: 31-495-583000
Fax: 31-495-583085

Tillverkarens
representant i EU:

-

Angående	Ett produktprov har testats av	Testrapport-sf-referens	Tillämpade standarder
RoHS	Manufacturer	RoHS_(2011_65_EU+2015_863)_07 RoHS_(2011_65_EU+2015_863)_DoC_1087T-N_DC140 RoHS_(2011_65_EU+2015_863)_DoC_IM1820TINF_8 RoHS_(2011_65_EU+2015_863)_DoC_other RoHS_(2011_65_EU+2015_863)_08	EN IEC 63000:2018

Begränsningar för idrifttagning / krav för användningstillstånd
☒ Ej tillämpligt

☐ Ingen

☐ 
Konformitetsmetoder


Vi förklarar under vårt ensamma ansvar att denna produkt överensstämmer med direktiven: 93/68/EEC (märkning) och 2011/65/EU (RoHS), ändrad av 2015/863 och 2017/2102, och uppfyller de väsentliga kraven och alla andra relevanta bestämmelser i direktiven baserade på testresultat med användning av harmoniserade standarder i enlighet med nämnda direktiv.

Modellista (Lista över alla produktvarianter eller modeller för vilka denna deklaration är giltig)

Modell	Beskrivning
1076D-G	1 RECESSED STEEL DOOR/DPDT, GRAY
1076D-N	1 RECESSED STEEL DOOR/DPDT, WHITE
1078CT-N	3/4 DIA. RECESSED TERMINAL SWITCH STEEL DOOR/CLOSED LOOP, WHITE
1078-G	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, GRAY
1078-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP, WHITE
1078W-N	1 DIA. RECESSED STEEL DOOR/CLOSED LOOP/WIDE GAP, WHITE
1087T-N	SURFACE TERMINAL/SPDT, WHITE
3012-N	RECESSED CLIP MOUNT PLUNGER
AB451	STROBE AMBER/AS-395
AB570	METAL INNER COVER

Representantens/tillverkarens underskrift:

Wojciech Pastuszak, chef för efterlevnad
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Nederländerna



Plats: Gdańsk, Polen


Datum: 13 August 2026

Sida 58 av 60

Dok. Nr: 01.109d

AB611	BEACON LENS PC COVER, AMBER
AB612	BEACON LENS FOR PC COVER, BLUE
AB613	BEACON LENS FOR PC COVER, RED
AB630	BEACON LENS INOX CIVER TRANPERANT
AC1300FEPP	AIMANT PORTE PASTIL
AC9700MAGN	MAGNET SPACER IM9700 LEGRANDE
AC9700REED	REED SPACER IM9700 LEGRANDE
AMGR2-10	(10 PACK) ANTI-MASK GRADE 2 EASY WIRING
AS250	INDOOR SPEAKER
AS390TAMPER	TAMPER ASSEMBLY
AS600S19	RED COVER / AMBER LENS
AS610DUM	OUTDOOR SIRENE DUMMY
BC4007BC1	JUNCTION BOX OVP 000012-02
BC4010BC1	JUNCTION BOX OVP 000012-03
CH9001GR1	SHOCK B/T M00105-01
DC101	STANDARD GAP SURF. 4 WIRES
DC101B	ARITECH,MAC,SURFACE MOUNT,8" SUPERVISED LOOP WIRE WITH SPECIAL PACKAGING
DC101-D	ARITECH,SURFACE MOUNT,WIRE LEADS,SPVD,VDS
DC101R4.7	DC101,W/2,4.7K,RES,IN,SER & PAR,SFT,SPVD
DC101S60	DC101 WITH 6 METER CABLE
DC102	DC102 ARITECH (FORMERLY 1085T-N4)
DC102B	ARITECH,MAC,SURFACE MOUNT,BROWN
DC102R4.7	CONTACT WITH 4.7K RES (WHITE)
DC104	BIASED HIGH SEC. SCREWS
DC105	COMBINATION FLUSH-SURF. MNT.
DC105S8	DC105 NEW VERSION, CONTACT
DC106	STANDARD GAP FLUSH
DC106R4.7	1072 ARITECH DC106 W/TWO 4.7K RES'S, 1/SER, 1/PAR8FT VDS SPV LP SPL PKG
DC106S9	DC106 WITH 3M FLYING LEEDS
DC107	LONG GAP FLUSH
DC107R4.7	1078C ARITECH DC107 W/TWO 4.7K RES'S, 1/SER,1PAR 8FT VDS SPV LP, SPC PKG
DC107S60	CONTACT WITH 6 METER VDS CABLE
DC108	OVERHEAD DOORCONTACT
DC108R4.7	2202A ARITECH W/4.7K RES SER, 8FT ARM CBL, SUP LOOP
DC109	INDUSTRIAL DOOR CONTACT
DC113	PLUNGER SWITCH F.VERTICAL MOU
DC114	ADJUSTABLE PLUNGER SWITCH
DC116	SURFACE MOUNT CONTACT
DC118	OVERHEAD CONTACT 4 WIRE
DC120	CONTACT DC120 1125W-N1
DC120S60	1125W N1 ARITECH W/6 METERS(20FT)VDS CBL
DC121	CONTACT
DC121S60	CONTACT 6 METERS VdS CABLE
DC123	1087T N6 ARITECH DC123
DC124	CONTACT
DC127	CONTACT
DC134	CONTACT
DC137	CONTACT
DC140	OVERHEAD DOORCONTACT
DC141	CONTACT
DC142	CONTACT
DC1901	HOUSING DC101
DC1906	(1 PLATE = QTY 1) SPACER FOR DC101/103 WHITE
DC1906B	SPACER FOR DC101/103 BROWN


Representantens/tillverkarens underskrift:



Wojciech Pastuszak, chef för efterlevnad
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Nederländerna

DC1906T	(1 PLATE = QTY 1) SPACER FOR DC103/104 WHITE
DC1912	L BRACKET
DC193	L BRACKET FOR DC102
DC501	1005 ARITECH DC501 W/2 METERS (7FT) VDS SPV LP SPL PKG NAT
DC555	DC555 W/6FT VDS CBL, SPVD LOOP
DC888	1078CW WITH 6FT VDS CBL SPVD
ES007	JUNCTION BOX OVP 000012-02
ES010	JUNCTION BOX, WHITE, 8+2 TERMINALS
ES070W	8-WAY JUNC.BOX REED TAMP BEIGE
ES071W	16WAY JUNC BOX REED TAMP BEIGE
IM1340FENF02BC	MAG CT PL FL 2
IM1340TINF02BC	MAG CT PL FL 4 W 000016-01
IM1340TINF05BC	MAG CT PL FL 4 W 000016-01
IM1440FENF02BC	MAG CT PL SF 4 W 000013-01
IM1440FENF05BC	MAG CT PL SF 4 W 000013-01
IM1640PAG	MAG CT PLAS SF C/W CBL
IM1640PAG01JB	SURFACE MNT CONTACT 1M AMOURED CABLE INCL JUNCT BOX
IM1640PSG	MAG CT PLAS SF W/O CBL
IM1740FENF*81	MAG CT MT HD 4 W 000024-01
IM1820TINF*8	MAG CT PL SF 2 W SINGLE
IM1920TINF*8	MAG CT PL SF 2 W DOUBLE
IM9700FENFBB	M.C. IM9700 A VIS. FERRILE
IM9700MAGNL	MAG CONT SCR TERM MAGN LEGRANDE
IM9700REEDL	MAG CONT SCR TERM REED LEGRANDE
MBC390	PC BOARD ASSY
MM201	SURF. MNT CONT. NFA2P
MM340	CONTACT
MM440	CONTACT
MM740	CONTACT
R1125-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125T-N	MULTIPLES OF 10 ONLY, CONTACT 3/8 DIA. RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/.375" DIA RARE EARTH MAGNET, WHITE
R1125TW-N	3/8 DIA RECESSED TERMINAL SWITCH STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
R1125W-N	ORDER IN MULTIPLES OF 10, 3/8 DIA. RECESSED STUBBY (CLOSED LOOP) W/WIDE GAP RARE EARTH MAGNET, WHITE
SB01	SWIVEL BRACKET/WALL MOUNT (USED WITH AP750, AP475, AP950AM)
SB02	SWIVEL BRACKET/WALL MOUNT (USED WITH EV100 DD100)
SC2202SAAAB01	MAG CT MT 4 W

Representantens/tillverkarens underskrift:



Wojciech Pastuszek, chef för efterlevnad
KGS Fire & Security B.V.
Kelvinstraat 7, 6003 DH Weert,
Nederländerna