



IPNVR025S08NBSL

NVR 25CH, 4K



**SMART
SERIE**

Stand-alone network video recorder (NVR) for 25 x 8MP IP inputs

AWARDS





IPNVR025S08NBSL

NVR 25CH, 4K

MAIN FEATURES

Video inputs	25 (4K/5MP/3MP/FULL-HD/HD)
Main video output	1 (HDMI), 1 (VGA)
Alarm Inputs/Outputs	8/4
Video compression	H.264 / H.264+ / H.265 / H.265+
Playback / recording frame rate	10 (4K), 20 (5MP), 25 (4MP/3MP/FULL-HD/HD/D1) @25fps
Additional Hard Disks (SATA)	2 (2x8TB max)

SOFTWARE/FIRMWARE SPECIFICATIONS

Operating system	Linux embedded
Recording methods	Automatic, manual, programmed, event
Recording type	Dual streaming
Maximum number of channels being played simultaneously	1 (4K / 5MP@30fps), 2 (4MP / 3MP@30fps), 4 (FULL-HD / HD@30fps)
Protocols supported	DDNS, DHCP, FTP, HTTP, HTTPS, NTP, PPPoE, RTCP, RTSP, SMTP, TCP/IP, UPnP, P2P, ONVIF 2.4 (Profile S/T)
IP assignment	Manual, DHCP
Encrypted transmission	SSL
Max bandwidth (Mbps)	100
Remote control via browser	Internet Explorer
Remote control by software	Comelit Smart CMS
Remote control by mobile	app Comelit View Smart (Android, iOS)

FUNCTIONS

Motion detection	396
Privacy zones (n°)	3
Loss of video signal	Yes
System log	Yes
E-mail notification	Yes
Pre-event recording	5÷30 seconds



IPNVR025S08NBSL

NVR 25CH, 4K

HARDWARE SPECIFICATIONS

Type of connections/ports	1 x Ethernet 10/100/1000 Mbit/s, 2xUSB 2.0
---------------------------	--

GENERAL DATA

Max absorption (W)	40
Power supply voltage (VDC)	12
Supply voltage (VAC)	100÷240, 50÷60Hz
Height (mm)	46
Width (mm)	295
Depth (mm)	310
Product weight (g)	3500
Type of finishing materials	Metallic
Product color	Black
Operating temperature (°C)	-10 ÷ 55
Operating humidity (RH max) (%)	10 ÷ 90
Supplied accessories	Power supply, Mouse
System backup	USB 2.0