

DECLARATION OF CONFORMITY

Product

Conventional MCP

Placed on the market under the name or trade mark of:

Honeywell Products and Solutions Sărl
Trading as KAC
Zone d'Activités La Pièce 16
CH-1180 ROLLE
Switzerland

Produced in the manufacturing plant(s):

Honeywell Life Safety Romania Srl
Strade Salcâmilor 2 bis
Lugoj
305500 Timis
Romania

This declaration is issued under the sole responsibility of the manufacturer.

Products

Model No:	Description:	Variants:
MCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP6H-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP8A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
WCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
Where:		
[a] Colour: R = Red (EN 54-11); B = Blue; Y = Yellow; G = Green; W = White; A = Orange; K = Black		
[bcd] In line resistor value: 001 = clean contacts; 039 to 4K7 (Equates to 39ohms to 4.7Kohms)		
[e] Mounting Option: S = Surface Mount; F = Flush Mount		
[f] Element Type: F = Flexible Plastic; G = Glass		
[ghij] KAC customer Code: Value from A000 to Z999 or STCK for stock item		
[kl] Marking Options: Vary by device and customer		
[m] Other: C = Clear Cover; (Note code [m] not always used)		
Ancillaries:		
• SR Surface mounting box • SR[x]T Surface mounting box with terminals. [x] = 1, 2, 3 or 4 terminals • ETT European terminal tray ETT1,2 &3 • L Earth Continuity link • PTR Pattress PTR, PTRE, PTR2T, PTR3T & PTR3TE.		

The object of the declaration described above is in conformity with the relevant Union harmonisation legislation:		Relevant Harmonised standards
EU Directive	Description:	
2011/65/EU	ROHS	
		EN IEC 63000:2018

Signed for and on behalf of:

Honeywell Products and Solutions Sarl, trading as KAC

Signature:



Place and date of issue:

UK – 25 July 2024

Name and function:

Kishore Chauhan – Sr Advanced Certification engineer

DICHIARAZIONE DI CONFORMITÀ UE

Tipo prodotto

Conventional MCP

Immerso sul mercato con il nome o il marchio di:

Honeywell Products and Solutions Sàrl
Trading as KAC
Zone d'Activités La Pièce 16
CH-1180 ROLLE
Switzerland

Prodotto negli stabilimenti di produzione:

Honeywell Life Safety Romania Srl
Strade Salcâmilor 2 bis
Lugoj
305500 Timis
Romania

Questa dichiarazione è rilasciata sotto l'esclusiva responsabilità del produttore.

Prodotti

N. modello	Descrizione	Varianti
MCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP6H-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP8A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
WCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
Where: [a] Colour: R = Red (EN 54-11); B = Blue; Y = Yellow; G = Green; W = White; A = Orange; K = Black [bcd] In line resistor value: 001 = clean contacts; 039 to 4K7 (Equates to 39ohms to 4.7Kohms) [e] Mounting Option: S = Surface Mount; F = Flush Mount [f] Element Type: F = Flexible Plastic; G = Glass [ghij] KAC customer Code: Value from A000 to Z999 or STCK for stock item [kl] Marking Options: Vary by device and customer [m] Other: C = Clear Cover; (Note code [m] not always used)		
Ancillaries: - SR Surface mounting box - SR[x]T Surface mounting box with terminals. [x] = 1, 2, 3 or 4 terminals - ETT European terminal tray ETT1,2 &3 - L Earth Continuity link - PTR Pattress PTR, PTRE, PTR2T, PTR3T & PTR3TE.		

L'oggetto della dichiarazione di cui sopra è conforme a quanto previsto dalla relativa normativa di armonizzazione dell'Unione:		Norme pertinenti:
Direttiva UE	Descrizione	
2011/65/EU	ROHS	
		EN IEC 63000:2018

Firmato in vece e per conto di: Honeywell Products and Solutions Sarl, trading as KAC

Firma



Luogo e data di emissione:

UK – 25 July 2024

Nome, Funzione

Kishore Chauhan – Sr Advanced Certification engineer

DEUTSCH



EU-KONFORMITÄTSERKLÄRUNG

Produkttyp:

Conventional MCP

In Verkehr gebracht unter dem Namen oder der Marke von:

Honeywell Products and Solutions Sàrl
Trading as KAC
Zone d'Activités La Pièce 16
CH-1180 ROLLE
Switzerland

Produziert in den Produktionsstätten.:

Honeywell Life Safety Romania Srl
Strade Salcâmilor 2 bis
Lugoj
305500 Timis
Romania

Diese Erklärung wird in alleiniger Verantwortung des Herstellers erstellt.

Produkte:

Modellnummer:	Beschreibung:	Varianten:
MCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP6H-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP8A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
WCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
Where: [a] Colour: R = Red (EN 54-11); B = Blue; Y = Yellow; G = Green; W = White; A = Orange; K = Black [bcd] In line resistor value: 001 = clean contacts; 039 to 4K7 (Equates to 39ohms to 4.7Kohms) [e] Mounting Option: S = Surface Mount; F = Flush Mount [f] Element Type: F = Flexible Plastic; G = Glass [ghij] KAC customer Code: Value from A000 to Z999 or STCK for stock item [kl] Marking Options: Vary by device and customer [m] Other: C = Clear Cover; (Note code [m] not always used)		
Ancillaries: • SR Surface mounting box • SR[x]T Surface mounting box with terminals. [x] = 1, 2, 3 or 4 terminals • ETT European terminal tray ETT1,2 &3 • L Earth Continuity link • PTR Pattress PTR, PTRE, PTR2T, PTR3T & PTR3TE.		

Der Gegenstand der vorstehenden Erklärung erfüllt die einschlägigen Harmonisierungsvorschriften der Europäischen Union:		Relevante Normen:
EU-Richtlinie	Beschreibung:	
2011/65/EU	ROHS	
		EN IEC 63000:2018

Unterzeichnet für und im
Auftrag von:

Honeywell Products and Solutions Sarl, trading as KAC

Unterschrift:

Ort und Datum der Ausstellung: UK – 25 July 2024

Name, Funktion:

Kishore Chauhan – Sr Advanced Certification engineer

DECLARATION UE DE CONFORMITE

Type de Produit :

Conventional MCP

Mis sur le marché sous le nom ou la marque de:

Honeywell Products and Solutions Sărl
Trading as KAC
Zone d'Activités La Pièce 16
CH-1180 ROLLE
Switzerland

Produit dans l' / les usine (s) de fabrication:

Honeywell Life Safety Romania Srl
Strade Salcâmilor 2 bis
Lugoj
305500 Timis
Romania

Cette déclaration est établie sous la seule responsabilité du fabricant.

Produits :

Modèle :	Description :	Variantes :
MCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP6H-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP8A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
WCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
Where: [a] Colour: R = Red (EN 54-11); B = Blue; Y = Yellow; G = Green; W = White; A = Orange; K = Black [bcd] In line resistor value: 001 = clean contacts; 039 to 4K7 (Equates to 39ohms to 4.7Kohms) [e] Mounting Option: S = Surface Mount; F = Flush Mount [f] Element Type: F = Flexible Plastic; G = Glass [ghij] KAC customer Code: Value from A000 to Z999 or STCK for stock item [kl] Marking Options: Vary by device and customer [m] Other: C = Clear Cover; (Note code [m] not always used)		
Ancillaries: • SR Surface mounting box • SR[x]T Surface mounting box with terminals. [x] = 1, 2, 3 or 4 terminals • ETT European terminal tray ETT1,2 &3 • L Earth Continuity link • PTR Pattress PTR, PTRE, PTR2T, PTR3T & PTR3TE.		

Le produit décrit ci-dessus est conforme aux dispositions pertinentes sur l'harmonisation de la législation au sein de l'Union européen.		Norme(s) de référence
EU Directive	Description :	
2011/65/EU	ROHS	
		EN IEC 63000:2018

Pour et au lieu de :

Honeywell Products and Solutions Sarl, trading as KAC

Signature :



Lieu et date de signature :

UK – 25 July 2024

Nom, fonction :

Kishore Chauhan – Sr Advanced Certification engineer

ДЕКЛАРАЦИЯ ЗА СЪОТВЕТСТВИЕ С ИЗИСКВАНИЯТА НА ЕС

Продукт:

Conventional MCP

Пускат се на пазара под името или търговската марка на:

Honeywell Products and Solutions Sàrl
Trading as KAC
Zone d'Activités La Pièce 16
CH-1180 ROLLE
Switzerland

Произведено в производствените предприятия:

Honeywell Life Safety Romania Srl
Strade Salcâmilor 2 bis
Lugoj
305500 Timis
Romania

Тази декларация се издава на единствената отговорност на производителя.

Продукти:


Модел №:	Описание:	Варианти:
MCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP6H-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP8A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
WCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
Where:		
[a] Colour: R = Red (EN 54-11); B = Blue; Y = Yellow; G = Green; W = White; A = Orange; K = Black		
[bcd] In line resistor value: 001 = clean contacts; 039 to 4K7 (Equates to 39ohms to 4.7Kohms)		
[e] Mounting Option: S = Surface Mount; F = Flush Mount		
[f] Element Type: F = Flexible Plastic; G = Glass		
[ghij] KAC customer Code: Value from A000 to Z999 or STCK for stock item		
[kl] Marking Options: Vary by device and customer		
[m] Other: C = Clear Cover; (Note code [m] not always used)		
Ancillaries:		
• SR Surface mounting box • SR[x]T Surface mounting box with terminals. [x] = 1, 2, 3 or 4 terminals • ETT European terminal tray ETT1,2 &3 • L Earth Continuity link • PTR Pattress PTR, PTRE, PTR2T, PTR3T & PTR3TE.		

Целта на декларацията, описана по-горе, е в съответствие със съответното законодателство на Съюза за хармонизация:		Съответни хармонизирани стандарти:
Директива на ЕС	Описание:	
2011/65/EU	ROHS	
		EN IEC 63000:2018

За и от името на:

Honeywell Products and Solutions Sarl, trading as KAC

Подпис:



Място и дата на издаване:

UK – 25 July 2024

Име и функция:

Kishore Chauhan – Sr Advanced Certification engineer

ČESKY



PROHLAŠENÍ O SHODE PODLE EU

Typ produktu:

Conventional MCP

Uvedeno na trh pod jménem nebo ochrannou známkou:

Honeywell Products and Solutions Sàrl
Trading as KAC
Zone d'Activités La Pièce 16
CH-1180 ROLLE
Switzerland

Vyrobeno ve výrobním závodě:

Honeywell Life Safety Romania Srl
Strade Salcâmilor 2 bis
Lugoj
305500 Timis
Romania

Toto prohlášení se vydává na vlastní zodpovědnost výrobce.

Výrobky:

Číslo modelu	Popis	Varianty
MCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP6H-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP8A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
WCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
Where: [a] Colour: R = Red (EN 54-11); B = Blue; Y = Yellow; G = Green; W = White; A = Orange; K = Black [bcd] In line resistor value: 001 = clean contacts; 039 to 4K7 (Equates to 39ohms to 4.7Kohms) [e] Mounting Option: S = Surface Mount; F = Flush Mount [f] Element Type: F = Flexible Plastic; G = Glass [ghij] KAC customer Code: Value from A000 to Z999 or STCK for stock item [kl] Marking Options: Vary by device and customer [m] Other: C = Clear Cover; (Note code [m] not always used)		
Ancillaries: - SR Surface mounting box - SR[x]T Surface mounting box with terminals. [x] = 1, 2, 3 or 4 terminals - ETT European terminal tray ETT1,2 &3 - L Earth Continuity link - PTR Pattress PTR, PTRE, PTR2T, PTR3T & PTR3TE.		

Předmět výše uvedeného prohlášení je shoda s příslušnou harmonizační legislativou EU:		Příslušné normy:
Směrnice EU	Popis	
2011/65/EU	ROHS	
		EN IEC 63000:2018

Podepsáno jménem:

Honeywell Products and Solutions Sarl, trading as KAC

Podpis

Místo a datum vydání:

UK – 25 July 2024

Jméno, funkce

Kishore Chauhan – Sr Advanced Certification engineer

CONFORMITEITSVERKLARING EU

Type product

Conventional MCP

Markedsført under navnet eller varemærket:

Honeywell Products and Solutions Sărl
Trading as KAC
Zone d'Activit  s La Pi  ce 16
CH-1180 ROLLE
Switzerland

Produceret i produktionsanl  get:

Honeywell Life Safety Romania Srl
Strade Salc  milor 2 bis
Lugoj
305500 Timis
Romania

Deze verklaring wordt afgegeven onder de volledige verantwoordelijkheid van de fabrikant.

Producten:

Modelnr.	Beschrijving	Varianten
MCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP6H-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP8A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
WCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
Where:		
[a] Colour: R = Red (EN 54-11); B = Blue; Y = Yellow; G = Green; W = White; A = Orange; K = Black		
[bcd] In line resistor value: 001 = clean contacts; 039 to 4K7 (Equates to 39ohms to 4.7Kohms)		
[e] Mounting Option: S = Surface Mount; F = Flush Mount		
[f] Element Type: F = Flexible Plastic; G = Glass		
[ghij] KAC customer Code: Value from A000 to Z999 or STCK for stock item		
[kl] Marking Options: Vary by device and customer		
[m] Other: C = Clear Cover; (Note code [m] not always used)		
Ancillaries:		
• SR Surface mounting box • SR[x]T Surface mounting box with terminals. [x] = 1, 2, 3 or 4 terminals • ETT European terminal tray ETT1,2 &3 • L Earth Continuity link • PTR Pattress PTR, PTRE, PTR2T, PTR3T & PTR3TE.		

Het doel van de verklaring, zoals hierboven beschreven, is conform de relevante Unie harmonisatiewetgeving:		Relevante normen:
EU-direktiv	Beschrijving	
2011/65/EU	ROHS	
		EN IEC 63000:2018

Ondertekend voor en namens : Honeywell Products and Solutions Sarl, trading as KAC

Handtekening



Plaats en datum van afgifte:

UK – 25 July 2024

Naam, Functie

Kishore Chauhan – Sr Advanced Certification engineer

EL-I VASTAVUSDEKLARATSIOON

Toote tüüp

Turule lastud järgmise nime või kaubamärgi all:

Conventional MCP

Honeywell Products and Solutions Sàrl
Trading as KAC
Zone d'Activités La Pièce 16
CH-1180 ROLLE
Switzerland

Toodetud tootmisettevõttes (tootmistehastes):

Honeywell Life Safety Romania Srl
Strade Salcâmilor 2 bis
Lugoj
305500 Timis
Romania

Käesolev deklaratsioon on väljastatud tootja ainuvastutusel.

Tooted:

Mudeli nr	Kirjeldus	Variandid
MCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP6H-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP8A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
WCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
Where:		
[a] Colour: R = Red (EN 54-11); B = Blue; Y = Yellow; G = Green; W = White; A = Orange; K = Black		
[bcd] In line resistor value: 001 = clean contacts; 039 to 4K7 (Equates to 39ohms to 4.7Kohms)		
[e] Mounting Option: S = Surface Mount; F = Flush Mount		
[f] Element Type: F = Flexible Plastic; G = Glass		
[ghij] KAC customer Code: Value from A000 to Z999 or STCK for stock item		
[kl] Marking Options: Vary by device and customer		
[m] Other: C = Clear Cover; (Note code [m] not always used)		
Ancillaries:		
- SR Surface mounting box - SR[x]T Surface mounting box with terminals. [x] = 1, 2, 3 or 4 terminals - ETT European terminal tray ETT1,2 & 3 - L Earth Continuity link - PTR Pattress PTR, PTRE, PTR2T, PTR3T & PTR3TE.		

Ülalkirjeldatud deklaratsiooni objekt on vastavuses Euroopa Liidu asjaomaste ühtlustamisõigusaktidega.		Asjaomased standardid:
EL direktiiv	Kirjeldus	
2011/65/EU	ROHS	
		EN IEC 63000:2018

Alla kirjutanud ja esindades:

Honeywell Products and Solutions Sarl, trading as KAC

Allkiri



Väljaandmise koht ja kuupäev: UK – 25 July 2024

Nimi, ametinimetus

Kishore Chauhan – Sr Advanced Certification engineer

DECLARACION DE CONFORMIDAD DE LA UE

Tipo de producto:

Conventional MCP

Comercializado con el nombre o la marca comercial de:

Honeywell Products and Solutions Sărl
Trading as KAC
Zone d'Activités La Pièce 16
CH-1180 ROLLE
Switzerland

Producido en la (s) planta (s) de fabricación:

Honeywell Life Safety Romania Srl
Strade Salcâmilor 2 bis
Lugoj
305500 Timis
Romania

Esta declaración se publica bajo la responsabilidad exclusiva del fabricante.

Productos:


Núm. de modelo	Descripción	Variantes
MCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP6H-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP8A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
WCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
Where:		
[a] Colour: R = Red (EN 54-11); B = Blue; Y = Yellow; G = Green; W = White; A = Orange; K = Black		
[bcd] In line resistor value: 001 = clean contacts; 039 to 4K7 (Equates to 39ohms to 4.7Kohms)		
[e] Mounting Option: S = Surface Mount; F = Flush Mount		
[f] Element Type: F = Flexible Plastic; G = Glass		
[ghij] KAC customer Code: Value from A000 to Z999 or STCK for stock item		
[kl] Marking Options: Vary by device and customer		
[m] Other: C = Clear Cover; (Note code [m] not always used)		
Ancillaries:		
- SR Surface mounting box - SR[x]T Surface mounting box with terminals. [x] = 1, 2, 3 or 4 terminals - ETT European terminal tray ETT1,2 &3 - L Earth Continuity link - PTR Pattress PTR, PTRE, PTR2T, PTR3T & PTR3TE.		

El objeto de la declaración descrita anteriormente está en conformidad con la legislación pertinente sobre armonización en la Unión.		Normas relevantes:
Directiva de la UE	Descripción	
2011/65/EU	ROHS	
		EN IEC 63000:2018

Firmado por y en nombre de:

Honeywell Products and Solutions Sarl, trading as KAC

Firma:



Lugar y fecha de publicación:

UK – 25 July 2024

Nombre, Cargo:

Kishore Chauhan – Sr Advanced Certification engineer

ΔΗΛΩΣΗ ΣΥΜΜΟΡΦΩΣΗΣ ΕΕ

Προϊόν:

Conventional MCP

Διατίθεται στην αγορά με το όνομα ή το εμπορικό σήμα:

Honeywell Products and Solutions Sàrl
Trading as KAC
Zone d'Activités La Pièce 16
CH-1180 ROLLE
Switzerland

Παράγεται στις εγκαταστάσεις παραγωγής:

Honeywell Life Safety Romania Srl
Strade Salcâmilor 2 bis
Lugoj
305500 Timis
Romania

Αυτή η δήλωση εκδίδεται με αποκλειστική ευθύνη του κατασκευαστή.

Προϊόντα:

Αριθμός Μοντέλου:	Περιγραφή:	Παραλλαγές:
MCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP6H-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP8A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
WCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
Where:		
[a] Colour: R = Red (EN 54-11); B = Blue; Y = Yellow; G = Green; W = White; A = Orange; K = Black		
[bcd] In line resistor value: 001 = clean contacts; 039 to 4K7 (Equates to 39ohms to 4.7Kohms)		
[e] Mounting Option: S = Surface Mount; F = Flush Mount		
[f] Element Type: F = Flexible Plastic; G = Glass		
[ghij] KAC customer Code: Value from A000 to Z999 or STCK for stock item		
[kl] Marking Options: Vary by device and customer		
[m] Other: C = Clear Cover; (Note code [m] not always used)		
Ancillaries:		
- SR Surface mounting box - SR[x]T Surface mounting box with terminals. [x] = 1, 2, 3 or 4 terminals - ETT European terminal tray ETT1,2 &3 - L Earth Continuity link - PTR Pattress PTR, PTRE, PTR2T, PTR3T & PTR3TE.		

Το αντικείμενο της δήλωσης που περιγράφεται παραπάνω είναι σύμφωνα με τη σχετική ενωσιακή νομοθεσία εναρμόνισης:		Σχετικά Εναρμονισμένα Πρότυπα:
Οδηγία της ΕΕ	Περιγραφή:	
2011/65/EU	ROHS	
		EN IEC 63000:2018

Υπογράφηκε για λογαριασμό
και για λογαριασμό:

Honeywell Products and Solutions Sarl, trading as KAC

Υπογραφή:



Ημερομηνία και τόπος
έκδοσης:

UK – 25 July 2024

Όνομα και λειτουργία:

Kishore Chauhan – Sr Advanced Certification engineer

IZJANA EU O SUKLADNOSTI

Vrsta proizvoda

Conventional MCP

Stavlja se na tržište pod imenom ili zaštitnim znakom:

Honeywell Products and Solutions Sàrl
Trading as KAC
Zone d'Activités La Pièce 16
CH-1180 ROLLE
Switzerland

Proizvedeno u proizvodnim pogonima:

Honeywell Life Safety Romania Srl
Strade Salcâmilor 2 bis
Lugoj
305500 Timis
Romania

Ova izjava izdaje se na isključivu odgovornost proizvođača.

Proizvodi:

Br. Modela	Opis	Verzije
MCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP6H-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP8A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
WCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
Where:		
[a] Colour: R = Red (EN 54-11); B = Blue; Y = Yellow; G = Green; W = White; A = Orange; K = Black		
[bcd] In line resistor value: 001 = clean contacts; 039 to 4K7 (Equates to 39ohms to 4.7Kohms)		
[e] Mounting Option: S = Surface Mount; F = Flush Mount		
[f] Element Type: F = Flexible Plastic; G = Glass		
[ghij] KAC customer Code: Value from A000 to Z999 or STCK for stock item		
[kl] Marking Options: Vary by device and customer		
[m] Other: C = Clear Cover; (Note code [m] not always used)		
Ancillaries:		
• SR Surface mounting box • SR[x]T Surface mounting box with terminals. [x] = 1, 2, 3 or 4 terminals • ETT European terminal tray ETT1,2 &3 • L Earth Continuity link • PTR Pattress PTR, PTRE, PTR2T, PTR3T & PTR3TE.		

Gore opisani predmet izjave u skladu je s relevantnim zakonodavstvom Unije o usklađivanju:		Relevantni standardi:
Direktiva EU	Opis	
2011/65/EU	ROHS	
		EN IEC 63000:2018

Potpisano za i u ime:

Honeywell Products and Solutions Sarl, trading as KAC

Potpis



Mjesto i datum izdavanja:

UK – 25 July 2024

Ime i prezime, funkcija

Kishore Chauhan – Sr Advanced Certification engineer

ES ATBILSTĪBAS DEKLARĀCIJA NOSTI

Produkta tips

Laiž tirgū ar nosaukumu vai preču zīmi:

Conventional MCP

Honeywell Products and Solutions Sàrl
Trading as KAC
Zone d'Activités La Pièce 16
CH-1180 ROLLE
Switzerland

Ražots ražotnē (-ēs):

Honeywell Life Safety Romania Srl
Strade Salcâmilor 2 bis
Lugoj
305500 Timis
Romania

Šī deklarācija ir izsniegta tikai un vienīgi, pamatojoties uz ražotāja atbildību.

Izstrādājumi:

Modeļa Nr.	Apraksts	Varianti
MCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP6H-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP8A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
WCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
Where: [a] Colour: R = Red (EN 54-11); B = Blue; Y = Yellow; G = Green; W = White; A = Orange; K = Black [bcd] In line resistor value: 001 = clean contacts; 039 to 4K7 (Equates to 39ohms to 4.7Kohms) [e] Mounting Option: S = Surface Mount; F = Flush Mount [f] Element Type: F = Flexible Plastic; G = Glass [ghij] KAC customer Code: Value from A000 to Z999 or STCK for stock item [kl] Marking Options: Vary by device and customer [m] Other: C = Clear Cover; (Note code [m] not always used)		
Ancillaries: - SR Surface mounting box - SR[x]T Surface mounting box with terminals. [x] = 1, 2, 3 or 4 terminals - ETT European terminal tray ETT1,2 &3 - L Earth Continuity link - PTR Pattress PTR, PTRE, PTR2T, PTR3T & PTR3TE.		

Iepriekš raksturotais šīs deklarācijas subjekts atbilst atbilstīgajiem Savienības saskaņošanas tiesību aktiem:		Atbilstīgie standarti:
ES direktīva	Apraksts	
2011/65/EU	ROHS	
		EN IEC 63000:2018

Paraksts uzņēmuma vārdā:

Honeywell Products and Solutions Sarl, trading as KAC

Paraksts



Izsniegšanas vieta un datums:

UK – 25 July 2024

Nosaukums un funkcija

Kishore Chauhan – Sr Advanced Certification engineer

ES ATITIKTIES DEKLARACIJA

Gaminio tipas

Pateikiami į rinką pavadinimu arba prekės ženklu:

Conventional MCP

Honeywell Products and Solutions Sàrl
Trading as KAC
Zone d'Activités La Pièce 16
CH-1180 ROLLE
Switzerland

Pagaminta gamybos įmonėje (-ėse):

Honeywell Life Safety Romania Srl
Strade Salcâmilor 2 bis
Lugoj
305500 Timis
Romania

Ši deklaracija išduota gamintojui prisiimant visą atsakomybę.

Gaminiai:

Modelio Nr.	Aprašas	Variantai
MCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP6H-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP8A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
WCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
Where: [a] Colour: R = Red (EN 54-11); B = Blue; Y = Yellow; G = Green; W = White; A = Orange; K = Black [bcd] In line resistor value: 001 = clean contacts; 039 to 4K7 (Equates to 39ohms to 4.7Kohms) [e] Mounting Option: S = Surface Mount; F = Flush Mount [f] Element Type: F = Flexible Plastic; G = Glass [ghij] KAC customer Code: Value from A000 to Z999 or STCK for stock item [kl] Marking Options: Vary by device and customer [m] Other: C = Clear Cover; (Note code [m] not always used)		
Ancillaries: - SR Surface mounting box - SR[x]T Surface mounting box with terminals. [x] = 1, 2, 3 or 4 terminals - ETT European terminal tray ETT1,2 &3 - L Earth Continuity link - PTR Pattress PTR, PTRE, PTR2T, PTR3T & PTR3TE.		

Pirmiau aprašytas deklaracijos objektas atitinka atitinkamus Europos Sąjungos derinimo teisės aktus:		Aktualūs standartai:
ES direktyva	Aprašas	
2011/65/EU	ROHS	
		EN IEC 63000:2018

Kieno vardu pasirašyta:

Honeywell Products and Solutions Sarl, trading as KAC

Parašas



Išdavimo vieta ir data:

UK – 25 July 2024

Pavadinimas ir funkcija

Kishore Chauhan – Sr Advanced Certification engineer

EU MEGFELELOSEGI NYILATKOZAT

Terméktípus

Conventional MCP

Forgalomba hozták a következők nevével vagy védjegyével:

Honeywell Products and Solutions Sàrl
Trading as KAC
Zone d'Activités La Pièce 16
CH-1180 ROLLE
Switzerland

Gyártóüzem (ek) ben gyártva:

Honeywell Life Safety Romania Srl
Strade Salcâmilor 2 bis
Lugoj
305500 Timis
Romania

A jelen nyilatkozat a gyártó kizárólagos felelősségével kerül kiadásra.

Termékek:

Modellszám	Leírás	Verziók
MCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP6H-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP8A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
WCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
Where:		
[a] Colour: R = Red (EN 54-11); B = Blue; Y = Yellow; G = Green; W = White; A = Orange; K = Black		
[bcd] In line resistor value: 001 = clean contacts; 039 to 4K7 (Equates to 39ohms to 4.7Kohms)		
[e] Mounting Option: S = Surface Mount; F = Flush Mount		
[f] Element Type: F = Flexible Plastic; G = Glass		
[ghij] KAC customer Code: Value from A000 to Z999 or STCK for stock item		
[kl] Marking Options: Vary by device and customer		
[m] Other: C = Clear Cover; (Note code [m] not always used)		
Ancillaries:		
- SR Surface mounting box - SR[x]T Surface mounting box with terminals. [x] = 1, 2, 3 or 4 terminals - ETT European terminal tray ETT1,2 &3 - L Earth Continuity link - PTR Pattress PTR, PTRE, PTR2T, PTR3T & PTR3TE.		

A fent ismertetett nyilatkozat tárgya megfelel a vonatkozó uniós harmonizációs jogszabálynak:		Vonatkozó szabványok:
EU irányelv	Leírás	
2011/65/EU	ROHS	
		EN IEC 63000:2018

Aláírva a következő nevében és megbízásából:

Honeywell Products and Solutions Sarl, trading as KAC

Aláírás



Kiadás helye és ideje:

UK – 25 July 2024

Név és beosztás

Kishore Chauhan – Sr Advanced Certification engineer

CONFORMTEITSVERKLARING EU

Type product

Conventional MCP

Op de markt gebracht onder de naam of het handelsmerk van:

Honeywell Products and Solutions Sărl
Trading as KAC
Zone d'Activités La Pièce 16
CH-1180 ROLLE
Switzerland

Geproduceerd in de fabriek (en):

Honeywell Life Safety Romania Srl
Strade Salcâmilor 2 bis
Lugoj
305500 Timis
Romania

Deze verklaring wordt afgegeven onder de volledige verantwoordelijkheid van de fabrikant.

Producten:

Modelnr.	Beschrijving	Varianten
MCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP6H-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP8A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
WCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
Where:		
[a] Colour: R = Red (EN 54-11); B = Blue; Y = Yellow; G = Green; W = White; A = Orange; K = Black		
[bcd] In line resistor value: 001 = clean contacts; 039 to 4K7 (Equates to 39ohms to 4.7Kohms)		
[e] Mounting Option: S = Surface Mount; F = Flush Mount		
[f] Element Type: F = Flexible Plastic; G = Glass		
[ghij] KAC customer Code: Value from A000 to Z999 or STCK for stock item		
[kl] Marking Options: Vary by device and customer		
[m] Other: C = Clear Cover; (Note code [m] not always used)		
Ancillaries:		
• SR Surface mounting box • SR[x]T Surface mounting box with terminals. [x] = 1, 2, 3 or 4 terminals • ETT European terminal tray ETT1,2 &3 • L Earth Continuity link • PTR Pattress PTR, PTRE, PTR2T, PTR3T & PTR3TE.		

Het doel van de verklaring, zoals hierboven beschreven, is conform de relevante Unie harmonisatiewetgeving:		Relevante normen:
EU-richtlijn	Beschrijving	
2011/65/EU	ROHS	
		EN IEC 63000:2018

Ondertekend voor en namens : Honeywell Products and Solutions Sarl, trading as KAC

Handtekening



Plaats en datum van afgifte:

UK – 25 July 2024

Naam, Functie

Kishore Chauhan – Sr Advanced Certification engineer

POLSKI



DEKLARACJA ZGODNOSCI UE

Typ produktu

Conventional MCP

Wprowadzony do obrotu pod nazwą lub znakiem towarowym:

Honeywell Products and Solutions Sàrl
Trading as KAC
Zone d'Activités La Pièce 16
CH-1180 ROLLE
Switzerland

Wyprodukowane w zakładzie produkcyjnym:

Honeywell Life Safety Romania Srl
Strade Salcâmilor 2 bis
Lugoj
305500 Timis
Romania

Niniejsza deklaracja została sporządzona na wyłączną odpowiedzialność producenta.

Produkty:

Nr modelu	Opis	Wersje
MCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP6H-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP8A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
WCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	

Where:

[a] Colour: R = Red (EN 54-11); B = Blue; Y = Yellow; G = Green; W = White; A = Orange; K = Black
[bcd] In line resistor value: 001 = clean contacts; 039 to 4K7 (Equates to 39ohms to 4.7Kohms)
[e] Mounting Option: S = Surface Mount; F = Flush Mount
[f] Element Type: F = Flexible Plastic; G = Glass
[ghij] KAC customer Code: Value from A000 to Z999 or STCK for stock item
[kl] Marking Options: Vary by device and customer
[m] Other: C = Clear Cover; (Note code [m] not always used)

Ancillaries:

- SR Surface mounting box
- SR[x]T Surface mounting box with terminals. [x] = 1, 2, 3 or 4 terminals
- ETT European terminal tray ETT1,2 &3
- L Earth Continuity link
- PTR Pattress PTR, PTRE, PTR2T, PTR3T & PTR3TE.

Opisany wyżej przedmiot deklaracji jest zgodny z odpowiednimi przepisami unijnego prawodawstwa harmonizacyjnego:		Mające zastosowanie normy:
Dyrektywa UE	Opis	
2011/65/EU	ROHS	
		EN IEC 63000:2018

Podpisano w imieniu i na zlecenie:

Honeywell Products and Solutions Sarl, trading as KAC

Podpis

Miejsce i data wystawienia:

UK – 25 July 2024

Nazwisko i funkcja

Kishore Chauhan – Sr Advanced Certification engineer

PORTUGES



DECLARAÇÃO DE CONFORMIDADE DA UE

Tipo de Produto

Conventional MCP

Colocado no mercado com o nome ou marca comercial de:

Honeywell Products and Solutions Sărl
Trading as KAC
Zone d'Activit s La Pi ce 16
CH-1180 ROLLE
Switzerland

Produzido na (s) f brica (s):

Honeywell Life Safety Romania Srl
Strade Salc milor 2 bis
Lugoj
305500 Timis
Romania

Esta declara  o   emitida sob a exclusiva responsabilidade do fabricante.

Produtos:

N.� Modelo	Descri��o	Variantes
MCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP6H-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP8A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
WCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
Where: [a] Colour: R = Red (EN 54-11); B = Blue; Y = Yellow; G = Green; W = White; A = Orange; K = Black [bcd] In line resistor value: 001 = clean contacts; 039 to 4K7 (Equates to 39ohms to 4.7Kohms) [e] Mounting Option: S = Surface Mount; F = Flush Mount [f] Element Type: F = Flexible Plastic; G =Glass [ghij] KAC customer Code: Value from A000 to Z999 or STCK for stock item [kl] Marking Options: Vary by device and customer [m] Other: C = Clear Cover; (Note code [m] not always used)		
Ancillaries: • SR Surface mounting box • SR[x]T Surface mounting box with terminals. [x] = 1, 2, 3 or 4 terminals • ETT European terminal tray ETT1,2 &3 • L Earth Continuity link • PTR Pattress PTR, PTRE, PTR2T, PTR3T & PTR3TE.		

O objeto da declara��o acima descrita est� em conformidade com a legisla��o pertinente em mat�ria de harmoniza��o da Uni�o Europeia:		Normas Relevantes:
Diretiva da UE	Descri��o	
2011/65/EU	ROHS	
		EN IEC 63000:2018

Assinada por e em nome de :

Honeywell Products and Solutions Sarl, trading as KAC

Assinatura

Local e data de emiss  o:

UK – 25 July 2024

Nome e fun   o

Kishore Chauhan – Sr Advanced Certification engineer

DECLARAȚIE DE CONFORMITATE UE

Tipul produsului

Conventional MCP

Introducere pe piață sub denumirea sau marca comercială a:

Honeywell Products and Solutions Sărl
Trading as KAC
Zone d'Activités La Pièce 16
CH-1180 ROLLE
Switzerland

Produs în uzina (fabricile) de fabricație:

Honeywell Life Safety Romania Srl
Strade Salcânilor 2 bis
Lugoj
305500 Timis
Romania

Această declarație este emisă pe răspunderea exclusivă a producătorului.

Produse:

Nr. Model	Descriere	Variante
MCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP6H-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP8A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
WCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
Where:		
[a] Colour: R = Red (EN 54-11); B = Blue; Y = Yellow; G = Green; W = White; A = Orange; K = Black		
[bcd] In line resistor value: 001 = clean contacts; 039 to 4K7 (Equates to 39ohms to 4.7Kohms)		
[e] Mounting Option: S = Surface Mount; F = Flush Mount		
[f] Element Type: F = Flexible Plastic; G = Glass		
[ghij] KAC customer Code: Value from A000 to Z999 or STCK for stock item		
[kl] Marking Options: Vary by device and customer		
[m] Other: C = Clear Cover; (Note code [m] not always used)		
Ancillaries:		
- SR Surface mounting box - SR[x]T Surface mounting box with terminals. [x] = 1, 2, 3 or 4 terminals - ETT European terminal tray ETT1,2 &3 - L Earth Continuity link - PTR Pattress PTR, PTRE, PTR2T, PTR3T & PTR3TE.		

Obiectul declarației descrise mai sus este în conformitate cu legislația armonizată relevantă a Uniunii:		Standarde relevante:
Directiva UE	Descriere	
2011/65/EU	ROHS	
		EN IEC 63000:2018

Semnat pentru și în numele:

Honeywell Products and Solutions Sarl, trading as KAC

semnătură



Locul și data emiterii:

UK – 25 July 2024

Numele și funcția

Kishore Chauhan – Sr Advanced Certification engineer

IZJAVA ES O SKLADNOSTI

Tip proizvoda

Conventional MCP

Dani na trg pod imenom ali blagovno znamko:

Honeywell Products and Solutions Sàrl
Trading as KAC
Zone d'Activités La Pièce 16
CH-1180 ROLLE
Switzerland

Proizvedeno v proizvodnih obratih:

Honeywell Life Safety Romania Srl
Strade Salcâmilor 2 bis
Lugoj
305500 Timis
Romania

Za izdajo te izjave je odgovoren izključno proizvajalec.

Izdelki:

Št. Modela	Opis	Različice
MCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP6H-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP8A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
WCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	

Where:

[a] Colour: R = Red (EN 54-11); B = Blue; Y = Yellow; G = Green; W = White; A = Orange; K = Black
[bcd] In line resistor value: 001 = clean contacts; 039 to 4K7 (Equates to 39ohms to 4.7Kohms)
[e] Mounting Option: S = Surface Mount; F = Flush Mount
[f] Element Type: F = Flexible Plastic; G = Glass
[ghij] KAC customer Code: Value from A000 to Z999 or STCK for stock item
[kl] Marking Options: Vary by device and customer
[m] Other: C = Clear Cover; (Note code [m] not always used)

Ancillaries:

- SR Surface mounting box
- SR[x]T Surface mounting box with terminals. [x] = 1, 2, 3 or 4 terminals
- ETT European terminal tray ETT1,2 & 3
- L Earth Continuity link
- PTR Pattress PTR, PTRE, PTR2T, PTR3T & PTR3TE.

Predmet zgoraj opisane izjave je skladnost z ustrezno usklajevalno zakonodajo Unije:		Ustrezni standardi:
Direktiva EU	Opis	
2011/65/EU	ROHS	
		EN IEC 63000:2018

Podpisal za in v imenu
proizvajalca:

Honeywell Products and Solutions Sarl, trading as KAC

Podpis



Kraj in datum izdaje:

UK – 25 July 2024

Ime in funkcija

Kishore Chauhan – Sr Advanced Certification engineer

VYHLASEMIE O ZHODE EÚ

Umiestnené na trh pod menom alebo ochrannou známkou:

Vyrobené vo výrobných závodoch

Conventional MCP

Honeywell Products and Solutions Sàrl
Trading as KAC
Zone d'Activités La Pièce 16
CH-1180 ROLLE
Switzerland

Vyrobené:

Honeywell Life Safety Romania Srl
Strade Salcâmilor 2 bis
Lugoj
305500 Timis
Romania

Toto vyhlásenie o zhode sa vydáva na výhradnú zodpovednosť výrobcu.

Produkty:

Číslo modelu	Popis	Varianty
MCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP6H-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP8A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
WCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
Where:		
[a] Colour: R = Red (EN 54-11); B = Blue; Y = Yellow; G = Green; W = White; A = Orange; K = Black		
[bcd] In line resistor value: 001 = clean contacts; 039 to 4K7 (Equates to 39ohms to 4.7Kohms)		
[e] Mounting Option: S = Surface Mount; F = Flush Mount		
[f] Element Type: F = Flexible Plastic; G = Glass		
[ghij] KAC customer Code: Value from A000 to Z999 or STCK for stock item		
[kl] Marking Options: Vary by device and customer		
[m] Other: C = Clear Cover; (Note code [m] not always used)		
Ancillaries:		
• SR Surface mounting box • SR[x]T Surface mounting box with terminals. [x] = 1, 2, 3 or 4 terminals • ETT European terminal tray ETT1,2 &3 • L Earth Continuity link • PTR Pattress PTR, PTRE, PTR2T, PTR3T & PTR3TE.		

Uvedený predmet vyhlásenia je v zhode s príslušnými harmonizačnými právnymi predpismi Európskej únie:		Príslušné normy:
Smernica EÚ	Popis	
2011/65/EU	ROHS	
		EN IEC 63000:2018

Podpísané za a v mene spoločnosti:

Honeywell Products and Solutions Sarl, trading as KAC

Podpis



Miesto a dátum vydania:

UK – 25 July 2024

Názov a funkcia

Kishore Chauhan – Sr Advanced Certification engineer

EY-VAATIMUSTENMUKAISUUSVAKUUTUS

Tuotetyyppi

Saatu markkinoille seuraavalla nimellä tai tavaramerkillä:

Conventional MCP

Honeywell Products and Solutions Sàrl
Trading as KAC
Zone d'Activités La Pièce 16
CH-1180 ROLLE
Switzerland

Tuotettu tuotantolaitoksessa:

Honeywell Life Safety Romania Srl
Strade Salcâmilor 2 bis
Lugoj
305500 Timis
Romania

Tämä ilmoitus annetaan yksinomaan valmistajan vastuulla.

Tuotteet:

Mallinumero	Kuvaus	Versiot
MCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP6H-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP8A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
WCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
Where:		
[a] Colour: R = Red (EN 54-11); B = Blue; Y = Yellow; G = Green; W = White; A = Orange; K = Black		
[bcd] In line resistor value: 001 = clean contacts; 039 to 4K7 (Equates to 39ohms to 4.7Kohms)		
[e] Mounting Option: S = Surface Mount; F = Flush Mount		
[f] Element Type: F = Flexible Plastic; G = Glass		
[ghij] KAC customer Code: Value from A000 to Z999 or STCK for stock item		
[kl] Marking Options: Vary by device and customer		
[m] Other: C = Clear Cover; (Note code [m] not always used)		
Ancillaries:		
- SR Surface mounting box - SR[x]T Surface mounting box with terminals. [x] = 1, 2, 3 or 4 terminals - ETT European terminal tray ETT1,2 &3 - L Earth Continuity link - PTR Pattress PTR, PTRE, PTR2T, PTR3T & PTR3TE.		

Edellä kuvatus ilmoituksen tarkoitus on asiaa koskevan Euroopan unionin yhdenmukaistamislainsäädännön mukainen:		Asiaankuuluvat standardit:
EU-direktiivi	Kuvaus	
2011/65/EU	ROHS	
		EN IEC 63000:2018

Allekirjoitettu seuraavan tahon puolesta:

Honeywell Products and Solutions Sarl, trading as KAC

Allekirjoitus



Julkaisun paikka ja päivämäärä: UK – 25 July 2024

Nimi ja tehtävä

Kishore Chauhan – Sr Advanced Certification engineer

EU-FÖRSÄKRAN OM ÖVERENSSTÄMMELSE

Produkttyp

Conventional MCP

Släpps ut på marknaden under namnet eller varumärket:

Honeywell Products and Solutions SärI
Trading as KAC
Zone d'Activités La Pièce 16
CH-1180 ROLLE
Switzerland

Producerad i tillverkningsanläggningen:

Honeywell Life Safety Romania Srl
Strade Salcâmilor 2 bis
Lugoj
305500 Timis
Romania

Denna försäkras utfärdas helt på tillverkarens eget ansvar.

Produkter:

Modell-nr	Beskrivning	Varianter
MCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP6H-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP8A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
WCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	

Where:

[a] Colour: R = Red (EN 54-11); B = Blue; Y = Yellow; G = Green; W = White; A = Orange; K = Black
[bcd] In line resistor value: 001 = clean contacts; 039 to 4K7 (Equates to 39ohms to 4.7Kohms)
[e] Mounting Option: S = Surface Mount; F = Flush Mount
[f] Element Type: F = Flexible Plastic; G = Glass
[ghij] KAC customer Code: Value from A000 to Z999 or STCK for stock item
[kl] Marking Options: Vary by device and customer
[m] Other: C = Clear Cover; (Note code [m] not always used)

Ancillaries:

- SR Surface mounting box
- SR[x]T Surface mounting box with terminals. [x] = 1, 2, 3 or 4 terminals
- ETT European terminal tray ETT1,2 &3
- L Earth Continuity link
- PTR Pattress PTR, PTRE, PTR2T, PTR3T & PTR3TE.

Syftet med ovanstående försäkras stämmer överens med tillämplig EU-harmoniseringslagstiftning:		Tillämpliga standarder:
EU-direktiv	Beskrivning	
2011/65/EU	ROHS	
		EN IEC 63000:2018

Undertecknat av för
nedanstående företags räkning:

Honeywell Products and Solutions Sarl, trading as KAC

Underskrift



Ort och datum för utfärdande: UK – 25 July 2024

Namn och funktion

Kishore Chauhan – Sr Advanced Certification engineer

ДЕКЛАРАЦИЈА О УСАГЛАШЕНОСТИ

производ

Conventional MCP

Ставља се на тржиште под именом или робном марком:

Honeywell Products and Solutions Sàrl
Trading as KAC
Zone d'Activités La Pièce 16
CH-1180 ROLLE
Switzerland

Произведено у производним погонима:

Honeywell Life Safety Romania Srl
Strade Salcâmilor 2 bis
Lugoj
305500 Timis
Romania

Ова изјава је издата под искључивом одговорношћу произвођача.

Производи:

Модел бр:	Опис:	варијанте:
MCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP6H-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP8A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
WCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
Where: [a] Colour: R = Red (EN 54-11); B = Blue; Y = Yellow; G = Green; W = White; A = Orange; K = Black [bcd] In line resistor value: 001 = clean contacts; 039 to 4K7 (Equates to 39ohms to 4.7Kohms) [e] Mounting Option: S = Surface Mount; F = Flush Mount [f] Element Type: F = Flexible Plastic; G = Glass [ghij] KAC customer Code: Value from A000 to Z999 or STCK for stock item [kl] Marking Options: Vary by device and customer [m] Other: C = Clear Cover; (Note code [m] not always used)		
Ancillaries: • SR Surface mounting box • SR[x]T Surface mounting box with terminals. [x] = 1, 2, 3 or 4 terminals • ETT European terminal tray ETT1,2 &3 • L Earth Continuity link • PTR Pattress PTR, PTRE, PTR2T, PTR3T & PTR3TE.		

Предмет горе описане декларације је у складу са релевантним законодавством Уније о хармонизацији:		Релевантни усаглашени стандарди
Директива ЕУ	Опис:	
2011/65/EU	ROHS	
		EN IEC 63000:2018

Потписано за и у име:

Honeywell Products and Solutions Sarl, trading as KAC

Потпис:



Место и датум издавања:

UK – 25 July 2024

Име и функција:

Kishore Chauhan – Sr Advanced Certification engineer

UYGUNLUK BEYANI

ürün

Aşağıdakilerin adı veya ticari markası altında piyasaya arz edilmiştir:

Üretim tesis(ler)inde üretilen:

Conventional MCP

Honeywell Products and Solutions Sărl
Trading as KAC
Zone d'Activit s La Pi ce 16
CH-1180 ROLLE
Switzerland

Honeywell Life Safety Romania Srl
Strade Salc milor 2 bis
Lugoj
305500 Timis
Romania

Bu beyan, tamamen üreticinin sorumluluğunda yayınlanmıştır.

 r nler:

Model numarası:	Tanım:	varyantlar:
MCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP6H-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
MCP8A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Indoor)	
WCP1A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP1B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP2B-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP3A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
WCP4A-[a][bcd][e][f]-[ghij]-[kl][m]	Manual Call point (Outdoor)	
Where: [a] Colour: R = Red (EN 54-11); B = Blue; Y = Yellow; G = Green; W = White; A = Orange; K = Black [bcd] In line resistor value: 001 = clean contacts; 039 to 4K7 (Equates to 39ohms to 4.7Kohms) [e] Mounting Option: S = Surface Mount; F = Flush Mount [f] Element Type: F = Flexible Plastic; G =Glass [ghij] KAC customer Code: Value from A000 to Z999 or STCK for stock item [kl] Marking Options: Vary by device and customer [m] Other: C = Clear Cover; (Note code [m] not always used)		
Ancillaries: - SR Surface mounting box - SR[x]T Surface mounting box with terminals. [x] = 1, 2, 3 or 4 terminals - ETT European terminal tray ETT1,2 &3 - L Earth Continuity link - PTR Pattress PTR, PTRE, PTR2T, PTR3T & PTR3TE.		

Yukarıda açıklanan beyanın amacı, ilgili Birlik uyum mevzuatına uygundur:		İlgili uyumlaştırılmış standartlar
AB Direktifi	Tanım:	
2011/65/EU	ROHS	

 unlar adına ve adına imzalanmıştır:

Honeywell Products and Solutions Sarl, trading as KAC

İmza:

Yayın Yeri ve tarihi:

UK – 25 July 2024

Ad ve işlev:

Kishore Chauhan – Sr Advanced Certification engineer