Specifications







Eaton 550002FULL-0002X

Eaton, Alarms & signalling devices, Fulleon, Askari Compact sounder, White (FW) housing, No base, Dial volume control, Set to Tone 3 (AC/W/3 ASKARI COMPACT FLUSH WT)

General specifications	
PRODUCT NAME	Eaton Askari Compact Alarm sounder
CATALOG NUMBER	550002FULL-0002X
EAN	5018987346009
PRODUCT LENGTH/DEPTH	36 mm
PRODUCT HEIGHT	86 mm
PRODUCT WIDTH	86 mm
PRODUCT WEIGHT	0.11 kg
CERTIFICATIONS	Not Applicable

Powering Business Worldwide

Product specifications

NUMBER OF TONES	32
COLOR HOUSING	White
MATERIAL HOUSING	Plastic
SOUND OUTPUT	97 dB
NOMINAL VOLTAGE	24 V
TYPE OF CURRENT	DC
ELECTRICITY CONSUMPTION	0.035 A
ADDRESSING MODE	Hard addressing
ALARM CURRENT	35 mA
CONSTRUCTION MATERIAL	ABS/FR
EN CERTIFIED TONES	6
OPERATING TEMPERATURE - MAX	55 °C
OPERATING TEMPERATURE - MIN	-10 °C
SYSTEM TOPOLOGY	Conventional (Non-Addressable)
TONES	32
VOICE TONES	No
PRODUCT BRANDING	Eaton
HUMIDITY (NON CONDENSING) - MAX	95 %
HUMIDITY (NON CONDENSING) - MIN	0 %
DEGREE OF PROTECTION	IP21
EN CERTIFICATION STANDARDS	EN54 Pt3 (Fire Alarm Sounders)
CABLE ENTRY	Rear
SYSTEM WIRING	0.28 - 2.5 mm

Resources

CATALOGUES	Cooper fire and voice alarm systems - Product catalogue

PROJECT NAME:	
PROJECT NUMBER:	
PREPARED BY:	
DATE:	

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.