
4K-1S



4K SERIES AUDIOKIT

The 4000 Series audio door entry kits benefit from advanced features such as electronic call tone generation and lock release relay included within the door panel. This reduces the cable requirements between the handset(s) and the door panel to only 4 ("3+1") connections. For this reason larger cable distances using small cores sizes can be achieved between door panel and telephones.

4K-1

One button door entry kit comprised of:
1 Outdoor station *including a one call button speaker unit Art.4836-1 and a flush mounting box with module support and hinge Art.4851.*
Standard finishes: mirror stainless steel for the front plate and gun metal grey for the module support.

1 Art.3011 *3000 Series Smart Line wall mount telephone with "door open" push button and electronic call tone with 3 level adjustable volume control.*

1 Art.321 *Power Supply in a type A 3 module DIN box.*
Packing: box 30.5x29x7cm total weight 2 Kg.


4K-2


As 4K-1 but two button version with 2 intercoms and 2 call push button speaker unit Art.4836-2.
Packing: box 41x39x7cm total weight 2.3 Kg.

4K-1S, 4K-2S

As door entry kits above but with surface mounting box Art.4881.
Packing: the same as the flush versions but with a total weight of 2.3 Kg for one button version and 2.6 Kg for two button version.


The module support frame and the module front plate are available in other finishes, ***see pictures 5 and 6 on page 29*** *for available versions and additional suffix to use for orders.*





Catalogo KIT 2011.indd 14 22/03/11 18:18

4000 Series Digiphone Kit




2 push button panel
Posto esterno a 2 pulsanti



Flush
Incasso



Surface
Superficie









DK4K SERIES DIGIPHONE KIT

As 4K1 audio kit with the addition of a VIDEX codelock module Art.4800. This additional feature allows the user to open the door from outside by typing the relevant access code into the keypad.

DK4K-1

One button door entry kit comprised of:

1 Outdoor station *including a one button speaker module Art.4836-1, a digital codelock Art.4800 Codelock module, (3 codes / 3 relay outputs with keypad illumination) and a flush mounting box with module support and hinge Art.4852. Standard finishes: mirror stainless steel for the front plate and gun metal grey for the module support.*

1 Art.3011 *3000 Series Smart Line wall mount telephone with "door open" push button and electronic call tone with 3 level adjustable volume control.*

1 Art.321 *Power Supply in a type A 3 module DIN box.*
Packing: box 30.5x29x7cm total weight Kg.2.4


DK4K-2


As DK4K-1 but two button version with 2 call button speaker unit Art.4836-2 and 2 intercoms.
Packing: briefcase 40x32x9cm total weight Kg.2.7

DK4K-1S, DK4K-2S

As kits above but with surface mounting box Art.4882.
Packing: the same as the relevant flush mount version but with total weight 2.8 Kg for one button version and 3.1 Kg for 2 button version.

The module support frame and the module front plate are available in other finishes, ***see pictures 5 and 6 on page 29*** *for available versions and additional suffix to use for orders.*





Catalogo KIT 2011.indd 15 22/03/11 18:18

4000 Series Vproxphone Kit

XK4K-1S




2 push button panel
Posto esterno a 2 pulsanti



Flush
Incasso



Surface
Superficie











XK4K SERIES VPROXPHONE KIT

As 4K1 audio kit with the addition of a VIDEX stand-alone proximity reader module Art.4850. The user can open the door from the outside by simply presenting a card/fob to the external reader.

XK4K-1
One button door entry kit comprised of:

1 Outdoor station *including a one button speaker module Art.4836-1, one stand-alone proximity key reader Art.4850 (up to 100 keys / 1 relay output) and a flush mounting box with module support and hinge Art.4852. Standard finishes: mirror stainless steel for the front plate and gun metal grey for the module support.*

1 Art.3011 *3000 Series Smart Line wall mount telephone with "door open" push button and electronic call tone with 3 level adjustable volume control.*

3 Art.955/C *Coded proximity key card format (tag Art.955/T available on request).*


1 Art.321 *Power Supply in a type A 3 module DIN box.*


Packing: briefcase 40x32x9cm total weight Kg.2.9

XK4K-2
As XK4K-1 but two button version with 2 call button speaker unit Art.4836-2 and 2 intercoms.
Packing: briefcase 40x32x9cm total weight Kg.3.2

XK4K-1S, XK4K-2S
As kits above but with surface mounting box Art.4882.
Packing: the same as the relevant flush mount version but with total weight 3.3 Kg for one button version and 3.6 Kg for 2 button version.

The module support frame and the module front plate are available in other finishes, ***see pictures 5 and 6 on page 29*** *for available versions and additional suffix to use for orders.*





Catalogo KIT 2011.indd 16 22/03/11 18:19