


LED IP65 3HR EMERGENCY NON-CORROSIVE BATTEN LIGHT FITTING





Lumens

120Lm/W



The

IP Rating



Protection



Flicker Free



ideal for lighting car parks, garages, workshops and general industrial use.




Product Features

- Can be used internally or externally and due to its IP65 protection, ideal for lighting car parks, garages, workshops and general industrial use.
- The built in LED chips provides an extremely bright and even source of light achieving 120Lm/W. The build quality is extremely high making them perfect for installation anywhere.
- High quality, IK08, IP66 rated, non-corrosive, impact and chemical resistant, industrial LED luminaire.
- It features brackets for surface fixing (as pictured) to make installation simpler, knock out points on the rear if you would prefer to suspend the fitting via conduit.
- Sizes; 5Ft and comes with a CCT of either 4000K or 6000K.

Model No.	: LG07M-15-50-EM
Class type	: Class I
Product Dimension	: 1500x79x68mm
Cover Material	: PC Milky Cover
Base Material	: PC
Input voltage	: 220-240V AC
Wattage	: 50W
Flicker/ Flicker Free	: Flicker Free
Power factor	: >0.9
Lumen	: 6000lm
εmc	: Y
IP	: 65
IK	: 08
Input current/mA	: 255
U out	: 65-107Vdc
Iout	: 510mA
LED PKG	: SMD2835 0.5W
	70-75lm
LED qty	: 120
Emergency Driver	: LYN4WH180P2
Self-Tester Red Button	Yes
Emergency Wattage	: 4W
Emergency Lumen	: 400lm
Emergency Duration	: 3 Hours
M20 Cable Glands &	: Yes
Through Wiring	
3 hole Terminal Blocks	: Yes
Clips	: 301SS Included
Warranty	: 3 Years

Technical Specification:


Dimensions Diagram







Distribution Diagram



Thank you for choosing ENER-J!

Customer satisfaction is our TOP priority, please let us know how you felt about your experience. Happy? We are so happy that you are pleased with our product. Feel free to express your newfound joy! Share your experience by writing a review.

Not Happy? If you are not fully satisfied with the item you received, have any problems like damages, or questions, please contact us. We typically respond within 24-48 hours.

Stuck? Confused?

Contact our Technical Support team on: T: +44 (0)2921 252 473 | E: support@ener-j.co.uk Lines are open Mon - Fri (8am to 4pm)