


# 150W LED STREETLIGHT


WATERPROOF WALL LIGHT, IDEAL STREET LAMP  
TO INSTALL AT A HEIGHT OF 10-12 METERS



Lumens  
100Lm/W



Wattage  
150W=300W



Beam  
Angle 150°



IP Rating



Suitable for  
urban and rural road,  
garden, industrial park  
road, etc.


### Product Features

- **High-quality Street Lights:** Built-in SMD 3030 LED beads, 18000LM, the light is super bright; with 0.9 High power factor.
- **Durability:** Made of die-casting aluminum alloy, the outdoor light is sturdy and explosion proof, Fast heat dissipation, average life of more than 50,000 hours. The heat sink is made of ADC12 aluminum with the high heat conductivity, the heat dissipation area is large, which guarantees the stability of product features and assures longer life.
- **Waterproof:** IP65, suitable for outdoor scenes such as garden fence door yard garage pathway patio parking porch corridor alley.
- **Easy installation:** This LED Street light can be mounted on a wall or pole easily. It is suitable for installation at 8-12m height.
- **Energy Efficient:** Our 150W LED Street Light can replace 300W HPSL thereby saving you approx. 50% on your energy bill.
- **Product application:** Suitable for urban and rural roads, gardens, industrial parks, etc.


### Technical Specification:

Model No.	: AX-LD-X005-150W
Input Voltage	: AC 180-240V
Rated Wattage	: 150±5
Driver Efficiency	: 89%
Power Factor	: 0.90
Beam Angle	: 150°
Color Temperature	: 6000K
Luminous Flux	: 18000Lm
Hole Size	: 63mm
CRI	: >70
Working Temperature	: -20~+40
Surge protection	: 4KV AC
IP Grade	: IP65
Life Time	: 3 Year

### Diagram of continue operating for 6000H




**Dimensions Diagram**




Hole Size: 63mm

**Intensity Distribution Diagram  
In C Plans**



**Max Intensity Cone Surface  
Distribution Diagram**



# WALL POLE FOR STREETLIGHT

WITH DIA 60MM\*H500MM + TWO SCREW BAGS+ PLATE,  
WHITE HOUSING

Wall Pole Available  
As An Extra, If Needed



## Product Features

- Wall Pole For Our LED Streetlights T350, T351, T352
- Easy Installation And Portable.
- Suitable for urban and rural road, garden, industrial park road, etc.

## Specification

SKU	: ACC1032
Material	: Aluminium
Housing Color	: White
Weight	: 800 gms
Suitable for Wall mounting	: YES
Suitable for Pole mounting	: YES
Packing	: Each pc in Shrink Wrapping poly bag

## Thank you for choosing ENER-J!

Customer satisfaction is our TOP priority, please let us know how you felt about your experience. Happy? We are so happy that you are pleased with our product. Feel free to express your newfound joy! Share your experience by writing a review.

Not Happy? If you are not fully satisfied with the item you received, have any problems like damages, or questions, please contact us. We typically respond within 24-48 hours.

## Stuck? Confused?

Contact our Technical Support team on:

T: +44 (0)2921 252 473 | E: support@ener-j.co.uk

Lines are open Mon - Fri (8am to 4pm)